

## **SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006

Version 6.7 Revision Date 14.02.2023 Print Date 14.02.2023

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Zinc Cell Test Method: photometric 0.20 -

5.00 mg/l Zn Spectroguant®

Product Number : 1.14566 Catalogue No. : 114566 Brand : Millipore

REACH No. : This product is a mixture. REACH Registration Number see

section 3.

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagent for analysis

## 1.3 Details of the supplier of the safety data sheet

Company : Merck KGaA

Frankfurter Str. 250 D-64271 DARMSTADT

Telephone : +49 (0)6151 72-0 Fax : +49 6151 727780

E-mail address : TechnicalService@merckgroup.com

1.4 Emergency telephone

Emergency Phone # : +(44)-870-8200418 (CHEMTREC (GB))

+(353)-19014670 (CHEMTREC Ireland) 001-803-017-9114 (CHEMTREC India)

This is a summary SDS for a kit. For the full SDS for each of the components listed in section 16 please visit our website.

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008

Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 3), H331 Acute toxicity, Dermal (Category 4), H312 Skin corrosion (Category 1), H314 Serious eye damage (Category 1), H318 Skin sensitization (Category 1), H317

Germ cell mutagenicity (Category 2), H341 Carcinogenicity (Category 1B), H350

Millipore- 1.14566 Page 1 of 10



Specific target organ toxicity - single exposure (Category 2), Eyes, Central nervous system, H371

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335 Long-term (chronic) aquatic hazard (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 Label elements

### Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word	Danger
9	

Hazard	statement(	(s)
--------	------------	-----

H301 + H331	Toxic if swallowed or if inhaled	
H312	Harmful in contact with skin.	

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.
 H335 May cause respiratory irritation.
 H341 Suspected of causing genetic defects.

H350 May cause cancer.

H371 May cause damage to organs (Eyes, Central nervous system).

H412 Harmful to aquatic life with long lasting effects.

Precautionary statement(s)

P202 Do not handle until all safety precautions have been read and

understood.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard

Statements

none

## Reduced Labeling (<= 125 ml)

Pictogram



Signal Word Danger

Hazard statement(s)

H317 May cause an allergic skin reaction. H341 Suspected of causing genetic defects.

H350 May cause cancer.

H314 Causes severe skin burns and eye damage. H412 Harmful to aquatic life with long lasting effects.

H301 + H331 Toxic if swallowed or if inhaled.

Millipore- 1.14566 Page 2 of 10



Precautionary statement(s)	
P202	Do not handle until all safety precautions have been read and understood.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard Statements	none

### 2.3 Other hazards - none

## **SECTION 3: Composition/information on ingredients**

Refer to component SDS

#### **SECTION 4: First aid measures**

Refer to component SDS

## **SECTION 5: Firefighting measures**

Refer to component SDS

## **SECTION 6: Accidental release measures**

Refer to component SDS

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

## Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

## **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

### Storage conditions

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Recommended storage temperature see product label.

### Storage class

Millipore- 1.14566 Page 3 of 10



Storage class (TRGS 510): 6.1C: Combustible, acute toxic Cat.3 / toxic compounds or compounds which causing chronic effects

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## SECTION 8: Exposure controls/personal protection

Refer to component SDS

## **SECTION 9: Physical and chemical properties**

Refer to component SDS

## **SECTION 10: Stability and reactivity**

Refer to component SDS

## **SECTION 11: Toxicological information**

Refer to component SDS

## **SECTION 12: Ecological information**

Refer to component SDS

### **SECTION 13: Disposal considerations**

Refer to component SDS

### **SECTION 14: Transport information**

14.1 UN number

ADR/RID: 3316 IMDG: 3316 IATA: 3316

14.2 UN proper shipping name

ADR/RID: CHEMICAL KIT IMDG: CHEMICAL KIT IATA: Chemical kit

14.3 Transport hazard class(es)

ADR/RID: 9 IMDG: 9 IATA: 9

14.4 Packaging group

ADR/RID: III IMDG: III IATA: III

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

Tunnel restriction code : (E)

Millipore- 1.14566 Page 4 of 10



Further information : No data available

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Refer to component SDS

## **15.2 Chemical Safety Assessment**

For this product a chemical safety assessment was not carried out

## **SECTION 16: Other information**

Kit Components:			
Zn	Millipore	219665	Acute Tox. 3; Skin Corr. 1; Eye Dam. 1; Aquatic Chronic 3; H301, H314, H412
Zn-1K	Millipore	219663	Skin Corr. 1B; Eye Dam. 1; STOT SE 3; H314, H335
Zn-2K	Millipore	219664	Acute Tox. 4; Acute Tox. 3; Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2; Skin Sens. 1; Muta. 2; Carc. 1B; STOT SE 2; STOT SE 3; H302 + H312, H315, H317, H319, H331, H335, H341, H350, H371

Millipore- 1.14566 Page 5 of 10



#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Classification of the mi	xture	Classification procedure:
Acute Tox.3	H301	Calculation method
Acute Tox.3	H331	Calculation method
Acute Tox.4	H312	Calculation method
Skin Corr.1	H314	Calculation method
Eye Dam.1	H318	Calculation method
Skin Sens.1	H317	Calculation method
Muta.2	H341	Calculation method
Carc.1B	H350	Calculation method
STOT SE2	H371	Calculation method
STOT SE3	H335	Calculation method
Aquatic Chronic3	H412	Calculation method

Millipore- 1.14566 Page 6 of 10



#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Millipore- 1.14566 Page 7 of 10



The life science business of Merck operates as MilliporeSigma in the US and Canada



## **Kit Components:**

Zn					T
Product identifier	Pictogram	Signal Word	Hazard Statements	Precautionary Statements	Supplemental information
Millipore - 219665		Danger	Toxic if swallowed. Causes severe skin burns and eye damage. Harmful to aquatic life with long lasting effects.	Do not eat, drink or smoke when using this product. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Avoid release to the environment. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. Wear protective gloves/ protective clothing/ eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	

Millipore- 1.14566 Page 8 of 10



Zn-1K					
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental
identifier		Word	Statements	Statements	information
Millipore -		Danger	Causes severe	Avoid breathing	
219663			skin burns and	mist or vapors.	
			eye damage.	IF ON SKIN (or	
			May cause	hair): Take off	
	•		respiratory	immediately all	
			irritation.	contaminated	
				clothing. Rinse	
				skin with water.	
				Use only	
				outdoors or in a	
				well-ventilated	
				area. IF	
				INHALED:	
				Remove person	
				to fresh air and	
				keep comfortable for	
				breathing.	
				Immediately call	
				a POISON	
				CENTER/ doctor.	
				Wear protective	
				gloves/	
				protective	
				clothing/ eye	
				protection/ face	
				protection. IF IN	
				EYES: Rinse	
				cautiously with	
				water for	
				several minutes.	
				Remove contact	
				lenses, if	
				present and	
				easy to do.	
				Continue	
				rinsing.	

Zn-2K					
Product identifier	Pictogram	Signal Word	Hazard Statements	Precautionary Statements	Supplemental information
Millipore - 219664		Danger	Harmful if swallowed or in contact with skin. Causes skin irritation. May cause an allergic skin reaction. Causes serious	Wear protective gloves/ protective clothing/ eye protection/ face protection. IF SWALLOWED: Call a POISON CENTER/ doctor if you feel	

Millipore- 1.14566 Page 9 of 10



a POISON CENTER/ doctor.
-----------------------------

Millipore- 1.14566 Page 10 of 10

