

# **SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006

Version 6.3 Revision Date 12.10.2022 Print Date 02.11.2022

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Gold Test Method: photometric 0.5 - 12.0

mg/I Au Spectroquant®

Product Number : 1.14821 Catalogue No. : 114821 Brand : Millipore

REACH No. : This product is a mixture. REACH Registration Number see

section 3.

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagent for analysis

# 1.3 Details of the supplier of the safety data sheet

Company : Merck KGaA

Frankfurter Str. 250 D-64271 DARMSTADT

Telephone : +49 (0)6151 72-0 Fax : +49 6151 727780

E-mail address : TechnicalService@merckgroup.com

1.4 Emergency telephone

Emergency Phone # : +(44)-870-8200418 (CHEMTREC (GB))

+(353)-19014670 (CHEMTREC Ireland) 001-803-017-9114 (CHEMTREC India)

This is a summary SDS for a kit. For the full SDS for each of the components listed in section 16 please visit our website.

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008

Flammable liquids (Category 2), H225 Corrosive to Metals (Category 1), H290 Skin corrosion (Sub-category 1A), H314 Serious eye damage (Category 1), H318

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H336

For the full text of the H-Statements mentioned in this Section, see Section 16.

Millipore- 1.14821 Page 1 of 9



#### 2.2 Label elements

## Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word Danger

Hazard statement(s)

H225 Highly flammable liquid and vapor.

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H336 May cause drowsiness or dizziness.

Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

P233 Keep container tightly closed. P234 Keep only in original packaging.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard information (EU)

EUH019 May form explosive peroxides.

Reduced Labeling (<= 125 ml)

Pictogram



Signal Word Danger

Hazard statement(s)

H314 Causes severe skin burns and eye damage.

Precautionary statement(s)

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard information (EU)

EUH019 May form explosive peroxides.

# 2.3 Other hazards - none

## **SECTION 3: Composition/information on ingredients**

Refer to component SDS

Millipore- 1.14821 Page 2 of 9

#### **SECTION 4: First aid measures**

Refer to component SDS

## **SECTION 5: Firefighting measures**

Refer to component SDS

#### **SECTION 6: Accidental release measures**

Refer to component SDS

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

## Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

### **Storage conditions**

No metal containers.

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Recommended storage temperature see product label.

## Storage class

Storage class (TRGS 510): 3: Flammable liquids

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **SECTION 8: Exposure controls/personal protection**

Refer to component SDS

## **SECTION 9: Physical and chemical properties**

Refer to component SDS

# **SECTION 10: Stability and reactivity**

Refer to component SDS

Millipore- 1.14821 Page 3 of 9



## **SECTION 11: Toxicological information**

Refer to component SDS

## **SECTION 12: Ecological information**

Refer to component SDS

### **SECTION 13: Disposal considerations**

Refer to component SDS

## **SECTION 14: Transport information**

14.1 UN number

IMDG: 3316 ADR/RID: 3316 IATA: 3316

14.2 UN proper shipping name

ADR/RID: CHEMICAL KIT IMDG: CHEMICAL KIT IATA: Chemical kit

14.3 Transport hazard class(es)

IMDG: 9 IATA: 9 ADR/RID: 9

14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

No data available

# **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Refer to component SDS

## 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

#### **SECTION 16: Other information**

**Kit Components:** 

Au-1 Millipore 219028 Eye Dam. 1; H318 Au-2 Millipore Met. Corr. 1; Skin Corr. 1A; Eye 221080 Dam. 1; H290, H314 Au-3 Millipore 219029

Flam. Liq. 2; STOT SE 3; H225, Au-4 Millipore 221105

The life science business of Merck operates as MilliporeSigma in

the US and Canada

Millipore- 1.14821



Page 4 of 9

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Classification of t	he mixture	Classification procedure:		
Flam. Liq.2	H225	Calculation method		
Met. Corr.1	H290	Calculation method		
Skin Corr.1A	H314	Calculation method		
Eye Dam.1	H318	Calculation method		
STOT SE3	H336	Calculation method		

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See

Millipore- 1.14821 Page 5 of 9



www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Millipore- 1.14821 Page 6 of 9





# **Kit Components:**

Au-1					
Product identifier	Pictogram	Signal Word	Hazard Statements	Precautionary Statements	Supplemental information
Millipore - 219028		Danger	Causes serious eye damage.	Wear eye protection/ face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	

Au-2	т	T = .		T =	
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental
identifier		Word	Statements	Statements	information
Millipore - 221080		Danger	May be corrosive to metals. Causes severe skin burns and eye damage.	Keep only in original packaging. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Wear protective gloves/ protective clothing/ eye protection/ face protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call	Information

Millipore- 1.14821 Page 7 of 9



	CENTER/ doctor.
	IF IN EYES:
	Rinse cautiously
	with water for
	several minutes.
	Remove contact
	lenses, if
	present and
	easy to do.
	Continue
	rinsing.

Au-3					
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental
identifier		Word	Statements	Statements	information
Millipore -					Not a hazardous
219029					substance or
					mixture
					according to
					Regulation (EC)
					No 1272/2008.

Au-4					
Product identifier	Pictogram	Signal Word	Hazard Statements	Precautionary Statements	Supplemental information
Millipore - 221105	1	Danger	Highly flammable liquid and vapor. May cause drowsiness or dizziness.	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use non-sparking tools. Take action to prevent static discharges.	May form explosive peroxides. Repeated exposure may cause skin dryness or cracking.

Au-5					
Product identifier	Pictogram	Signal Word	Hazard Statements	Precautionary Statements	Supplemental information
Millipore -					Not a hazardous

Millipore- 1.14821 Page 8 of 9



219030			substance or	
			mixture	
			according to	
			Regulation (EC)	l
			No 1272/2008.	

Millipore- 1.14821 Page 9 of 9

A