

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 6.3 Revision Date 10.10.2022 Print Date 30.10.2022

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Zinc Test Method: photometric 0.05 - 2.50

mg/I Zn Spectroquant®

Product Number : 1.14832 Catalogue No. : 114832 Brand : Millipore

REACH No. : This product is a mixture. REACH Registration Number see

section 3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagent for analysis

1.3 Details of the supplier of the safety data sheet

Company : Merck KGaA

Frankfurter Str. 250 D-64271 DARMSTADT

Telephone : +49 (0)6151 72-0 Fax : +49 6151 727780

E-mail address : TechnicalService@merckgroup.com

1.4 Emergency telephone

Emergency Phone # : +(44)-870-8200418 (CHEMTREC (GB))

+(353)-19014670 (CHEMTREC Ireland) 001-803-017-9114 (CHEMTREC India)

This is a summary SDS for a kit. For the full SDS for each of the components listed in section 16 please visit our website.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Flammable liquids (Category 3), H226 Corrosive to Metals (Category 1), H290 Acute toxicity, Oral (Category 1), H300 Acute toxicity, Inhalation (Category 2), H330 Acute toxicity, Dermal (Category 3), H311 Skin corrosion (Sub-category 1B), H314 Serious eye damage (Category 1), H318 Skin sensitization (Category 1), H317

Millipore- 1.14832 Page 1 of 11



Germ cell mutagenicity (Category 2), H341

Carcinogenicity (Category 1B), H350

Reproductive toxicity (Category 1B), H360D

Specific target organ toxicity - single exposure (Category 1), Eyes, Central nervous system, H370

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

Specific target organ toxicity - repeated exposure (Category 1), Thyroid, H372

Short-term (acute) aquatic hazard (Category 1), H400 Long-term (chronic) aquatic hazard (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word Danger

Hazard statement(s)

H226 Flammable liquid and vapor.
H290 May be corrosive to metals.
H300 + H330 Fatal if swallowed or if inhaled.
H311 Toxic in contact with skin.
H314 Causes severe skin burns and experience.

H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H335 May cause respiratory irritation.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H360D May damage the unborn child.

H370 Causes damage to organs (Eyes, Central nervous system).
H372 Causes damage to organs (Thyroid) through prolonged or

repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard information (EU)

EUH032 Contact with acids liberates very toxic gas.

Reduced Labeling (<= 125 ml)

Pictogram



Millipore- 1.14832 Page 2 of 11



Signal Word	Danger
Hazard statement(s) H311 H317 H341 H350 H370 H372 H314 H360D H300 + H330	Toxic in contact with skin. May cause an allergic skin reaction. Suspected of causing genetic defects. May cause cancer. Causes damage to organs. Causes damage to organs through prolonged or repeated exposure. Causes severe skin burns and eye damage. May damage the unborn child. Fatal if swallowed or if inhaled.
Precautionary statement(s) P280 P303 + P361 + P353 P304 + P340 + P310 P305 + P351 + P338	
Supplemental Hazard inforr	Remove contact lenses, if present and easy to do. Continue rinsing.

2.3 Other hazards - none

SECTION 3: Composition/information on ingredients

Refer to component SDS

SECTION 4: First aid measures

Refer to component SDS

SECTION 5: Firefighting measures

Refer to component SDS

SECTION 6: Accidental release measures

Refer to component SDS

SECTION 7: Handling and storage

Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advice on protection against fire and explosion

Millipore- 1.14832 Page 3 of 11 Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

No metal containers.

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

Do not store near acids.

Recommended storage temperature see product label.

Storage class

Storage class (TRGS 510): 3: Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

Refer to component SDS

SECTION 9: Physical and chemical properties

Refer to component SDS

SECTION 10: Stability and reactivity

Refer to component SDS

SECTION 11: Toxicological information

Refer to component SDS

SECTION 12: Ecological information

Refer to component SDS

SECTION 13: Disposal considerations

Refer to component SDS

Millipore- 1.14832 Page 4 of 11



SECTION 14: Transport information

14.1 UN number

ADR/RID: 3316 IMDG: 3316 IATA: 3316

14.2 UN proper shipping name

ADR/RID: CHEMICAL KIT IMDG: CHEMICAL KIT IATA: Chemical kit

14.3 Transport hazard class(es)

ADR/RID: 9 IMDG: 9 IATA: 9

14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Refer to component SDS

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Kit Components:			
Zn-1	Millipore	219045	Met. Corr. 1; Skin Corr. 1B; Eye Dam. 1; H290, H314
Zn-2	Millipore	219046	Met. Corr. 1; Acute Tox. 1; Acute Tox. 2; Acute Tox. 3; STOT RE 1; Aquatic Acute 1; Aquatic Chronic 2; H290, H300 + H330, H311, H372, H410, EUH032
Zn-3	Millipore	219047	Flam. Liq. 3; Acute Tox. 4; Eye Irrit. 2; Repr. 1B; H226, H312 + H332, H319, H360D
Zn-4	Millipore	218622	Acute Tox. 3; Acute Tox. 2; Acute Tox. 3; Skin Corr. 1B; Eye Dam. 1; Skin Sens. 1; Muta. 2; Carc. 1B; STOT SE 1; STOT SE 3; H301 + H311, H314, H317, H330, H335, H341, H350, H370
Zn-5	Millipore	218640	Acute Tox. 4; Skin Irrit. 2; Eye Dam. 1; H302, H315, H318

Millipore- 1.14832 Page 5 of 11



Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Classification of the mi	xture	Classification procedure:
Flam. Liq.3	H226	Calculation method
Met. Corr.1	H290	Calculation method
Acute Tox.1	H300	Calculation method
Acute Tox.2	H330	Calculation method
Acute Tox.3	H311	Calculation method
Skin Corr.1B	H314	Calculation method
Eye Dam.1	H318	Calculation method
Skin Sens.1	H317	Calculation method
Muta.2	H341	Calculation method
Carc.1B	H350	Calculation method
Repr.1B	H360D	Calculation method
STOT SE1	H370	Calculation method
STOT SE3	H335	Calculation method

Millipore- 1.14832 Page 6 of 11



STOT RE1	H372	Calculation method
Aquatic Acute1	H400	Calculation method
Aquatic Chronic2	H411	Calculation method

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Millipore- 1.14832 Page 7 of 11





Kit Components:

Zn-2					
Product identifier	Pictogram	Signal Word	Hazard Statements	Precautionary Statements	Supplemental information
Millipore - 219046		Danger	May be corrosive to metals.	Keep only in original packaging. IF	Contact with acids liberates very toxic gas.

Millipore- 1.14832 Page 8 of 11



	Fatal if swallowed or if inhaled. Toxic in contact with skin. Causes damage to organs (Thyroid) through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects.	ON SKIN: Wash with plenty of water.Call a POISON CENTER/ doctor if you feel unwell. Avoid release to the environment. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. Wear protective gloves/ protective clothing. Get medical advice/ attention if you feel unwell.	
--	---	---	--

Zn-3					
Product identifier	Pictogram	Signal Word	Hazard Statements	Precautionary Statements	Supplemental information
Millipore - 219047		Danger	Flammable liquid and vapor. Harmful in contact with skin or if inhaled. Causes serious eye irritation. May damage the unborn child.	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wear protective gloves/ protective clothing/ eye protection/ face protection. IF INHALED: Remove person to fresh air and keep comfortable for	

Millipore- 1.14832 Page 9 of 11



breathing. Call a
POISON
CENTER/ doctor
if you feel
unwell. IF IN
EYES: Rinse
cautiously with
water for
several minutes.
Remove contact
lenses, if
present and
easy to do.
Continue
rinsing. IF
exposed or
concerned: Get
medical advice/
attention.

Zn-4					
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental
identifier		Word	Statements	Statements	information
Millipore - 218622		Danger	Toxic if swallowed or in contact with skin. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Fatal if inhaled. May cause respiratory irritation. Suspected of causing genetic defects. May cause cancer. Causes damage to organs (Eyes, Central nervous system).	Do not handle until all safety precautions have been read and understood. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Do not breathe mist or vapors. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. Wear protective gloves/ protective clothing/ eye protection/ face protection. IF IN EYES: Rinse cautiously with water for	

Millipore- 1.14832 Page 10 of 11



	several minutes.	
	Remove contact	
	lenses, if	
	present and	
	easy to do.	
	Continue	
	rinsing.	

Zn-5					
Product identifier	Pictogram	Signal Word	Hazard Statements	Precautionary Statements	Supplemental information
Millipore - 218640	!	Danger	Harmful if swallowed. Causes skin irritation. Causes serious eye damage.	Wash skin thoroughly after handling. IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Do not eat, drink or smoke when using this product. IF ON SKIN: Wash with plenty of water. Wear protective gloves/ eye protection/ face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	

Millipore- 1.14832 Page 11 of 11

