

Page 1/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Version number 21

Revision: 05.07.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Product name: Vario Silica Citric Acid 10 ml, 25 ml
- · Catalog number: 251411, 251412, 251422
- CAS No.: 77-92-9
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation: Reagent for water analysis
- · 1.3 Details of the supplier of the safety data sheet
- Supplier: Xylem Analytics Germany GmbH WTW Dr.-Karl-Slevogt-Straße 1 82362 Weilheim Germany Tel. +49 881 183-0
- · Informing department: E-Mail: Info.WTW@Xyleminc.com
- · 1.4 Emergency telephone number: Chemtrec (USA & Canada) 800-424-9300 (INTERNATIONAL) 001 703-527-3887

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008



Eye Irrit. 2 H319 Causes serious eye irritation.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- The substance is classified and labelled according to the CLP regulation.
- Hazard pictograms



- · Signal word Warning
- · Hazard statements
- H319 Causes serious eye irritation.
- Precautionary statements
- P280 Wear eye protection / face protection.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P311
- Call a POISON CENTER/doctor.

· 2.3 Other hazards No further relevant information available.

- · Results of PBT and vPvB assessment
- Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

GB

Printing date 05.07.2018

Version number 21

Revision: 05.07.2018

Product name: Vario Silica Citric Acid 10 ml, 25 ml

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

- 3.1 Substances
- · CAS No. Designation:
- 77-92-9 citric acid
- · Identification number(s):
- · EC No: 201-069-1

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information Instantly remove any clothing soiled by the product.
- · After inhalation Supply fresh air; consult doctor in case of symptoms.
- After eye contact Rinse opened eye for several minutes (at least 15 min) under running water. Then consult doctor.
- · After swallowing
- Rinse out mouth and then drink 1-2 glasses of water.

In case of persistent symptoms consult doctor.

- 4.2 Most important symptoms and effects, both acute and delayed:

irritations after inhalation: mucous membrane irritation breathing difficulty coughing after swallowing of large amounts: vomiting pain

4.3 Indication of any immediate medical attention and special treatment needed: No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents Water, Carbon dioxide (CO₂), Foam, Fire-extinguishing powder
- · For safety reasons unsuitable extinguishing agents
- For this substance / mixture no limitations of extinguishing agents are given.
- · 5.2 Special hazards arising from the substance or mixture
- combustible
- Risk of dust explosion

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained breathing apparatus.

- Wear full protective suit.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter drains.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel:

- Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation
- Avoid inhalation of dust.

• Advice for emergency responders: Protective equipment: see section 8

- 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.
- 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Collect mechanically.

Dispose of contaminated material as waste according to item 13.

Version number 21

Revision: 05.07.2018

Product name: Vario Silica Citric Acid 10 ml, 25 ml

6.4 Reference to other sections

See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling · Advice on safe handling: Prevent formation of dust.

Thorough dedusting.

Printing date 05.07.2018

· Hygiene measures: Avoid contact with the eyes. Take off immediately all contaminated clothing. Wash hands during breaks and at the end of the work.

Do not eat, drink or smoke when using this product.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage
- · Requirements to be met by storerooms and containers: Store in cool location.

· Information about storage in one common storage facility:

Store away from metals.

Store away from oxidising agents.

· Further information about storage conditions:

Protect from heat and direct sunlight.

Protect from the effects of light.

Store under dry conditions.

Protect from humidity and keep away from water.

· Recommended storage temperature: 20°C +/- 5°C

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with limit values that require monitoring at the workplace: Not required.

· Recommended monitoring procedures:

Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms DIN EN 482 and DIN EN 689.

· Additional information: The lists that were valid during the compilation were used as basis.

- 8.2 Exposure controls
- · Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

· Personal protective equipment

· Breathing equipment: Use breathing protection against the effects of fumes/dust/aerosol.

- · Recommended filter device for short term use: Filter P1
- · Protection of hands:

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

- · Penetration time of glove material
- Value for the permeation: Level = 1 (< 10 min)

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Safety glasses
- · Body protection: Protective work clothing.

(Contd. on page 4) GB ·

(Contd. of page 2)

Printing date 05.07.2018

Version number 21

Revision: 05.07.2018

(Contd. of page 3)

Product name: Vario Silica Citric Acid 10 ml, 25 ml

· Limitation and supervision of exposure into the environment:

Do not allow product to reach sewage system or water bodies.

SECTION 9: Physical and chemical	properties
• 9.1 Information on basic physical and chem	
· Appearance:	
Form / Physical state: Colour:	Powder White
· Odour:	Odourless
· Odour threshold:	Not applicable
· pH-value (100 g/l) at 20°C:	1.7
· Melting point/Freezing point:	153°C (OECD 102)
Initial bailing point and bailing range.	Decomposition
 Initial boiling point and boiling range: 	Not applicable Decomposition
· Flash point:	Not applicable
Flammability (solid, gas):	Not determined.
Ignition temperature:	345°C
· Decomposition temperature:	175°C
· Auto-ignition temperature:	Not determined.
· Explosive properties:	Product is not explosive. Product is not explosive. However, formation of explosive air mixtures is possible. The following applies in general to flammable organic substances / preparations: Dust explosion possible if in powder or granular form (fine distribution), mixed with air.
 Flammability or explosive limits: Lower: 	Not determined.
Upper:	Not determined.
· Oxidising properties:	none
· Vapour pressure at 20°C:	< 0.1 hPa
Density at 20°C:	1.66 g/cm ³
Relative density:	Not determined.
 Vapour density: Evaporation rate: 	Not applicable. Not applicable.
· Solubility(ies):	
Water at 20°C:	1330 g/l
	Readily soluble
· Partition coefficient: n-octanol/water at 20°C	: -1.72 log POW (OECD 117)
· Viscosity:	Not applicable.
Organic solvents:	0.0 %
Solids content:	100.0 %
• 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity Risk of dust explosion

· 10.2 Chemical stability Stable at ambient temperature (room temperature).

· 10.3 Possibility of hazardous reactions

Aqueous solution reacts acidic.

Aqueous solution reacts with metals.

Citric acid: incompatible with bases, strong oxidizers, amines. Contact with metal nitrates may be explosive. Attacks aluminum, copper, zinc und their alloys, when wet.

Version number 21

Revision: 05.07.2018

Product name: Vario Silica Citric Acid 10 ml, 25 ml

Printing date 05.07.2018

- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials:
- metals
- aluminium, copper, zinc, metal ions
- · 10.6 Hazardous decomposition products: see section 5

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification:
- The following statements refer to the individual components.

CAS: 77	7-92-9 (citric acid
Oral	LD50	3000 mg/kg (rat) (IUCLID)
Dermal	LD50.	>2000 mg/kg (rat) (limit test: there were no deaths)
· Primary	, irritan	t effect:
-		n/irritation Based on available data, the classification criteria are not met.
	-	amage/irritation Causes serious eye irritation.
		n components:
		ngle drop of a 2% or 5% solution in water causes little or no irritation. I held in contact with the eye causes irreversible tissue damage to the cornea.
		sed mild irritation when 500 mg was tested on rabbit skin in a 24-hour test.
		Canadian Centre for Occupational Health and Safety)
CAS: 77	7-92-9 (citric acid
Irritation	of skir	OECD 404 (rabbit: no irritation)
Irritation	of eye	s OECD 405 (rabbit: severe irritations)
· Respira	itory oi	r skin sensitisation Based on available data, the classification criteria are not met.
· Informa	tion or	n components:
		citric acid
Sensitis	ation (DECD 406 (guinea pig: negative) (EPA OPP 81-6: Guinea pig maximisation test)
	•	carcinogenity, mutagenicity and toxicity for reproduction)

- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.
- STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met. · Aspiration hazard Based on available data, the classification criteria are not met.
- · Information on components:

CAS 77-92-9: No impairment of reproductive performance in animal experiments.

CAS: 77-92-9 citric acid

OECD 471 (negative) (Bacterial Reverse Mutation Test - Ames test)

· Additional toxicological information:

· Experience with humans: CAS 77-92-9: Can cause kidney damages.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

CAS: 77-92-9 citric acid

EC50 ~120 mg/l (Daphnia magna) (72 h) (IUCLID)

(Contd. on page 6)

(Contd. of page 4)

GB

Version number 21

Revision: 05.07.2018

Product name: Vario Silica Citric Acid 10 ml, 25 ml

		(Contd. of page §
EC5	485 mg/l (Entosiphon sulcatum) (72h) (MERCK)	(
LC50	440–760 mg/l/96h (gold orfe) (IUCLID)	
· Bacte	rial toxicity:	
CAS:	77-92-9 citric acid	
EC5 :	>10000 mg/l (Pseudomonas putida) (16h (Lit.))	
· 12.2 F	Persistence and degradability	
CAS:	77-92-9 citric acid	
OECD	0 301 B 97 % / 28 d (readily biodegradable) (CO2 Evolution Test)	
OECD	0 302 B 98 % / 2 d (readily eliminated from water) (Zahn-Wellens / EMPA Test)	
The pr Easily • 12.3 E Pow = log Po	information: roduct is biodegradable. eliminable from water. Bioaccumulative potential en-octanol/wasser partition coefficient bw < 1 = Does not accumulate in organisms.	
	77-92-9 citric acid	
•	w -1.72 (.) (OECD 117, 20°C)	
• 12.5 F Substa • 12.6 C Harmf Avoid	Mobility in soil No further relevant information available. Results of PBT and vPvB assessment ance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII. Other adverse effects ul effect due to pH shift. transfer into the environment. hazard:	

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Hand over to disposers of hazardous waste.

· European waste catalogue

16 05 08* discarded organic chemicals consisting of or containing hazardous substances

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

· Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information		
· 14.1 UN-Number · ADR, IMDG, IATA	Void	
 14.2 UN proper shipping name ADR, IMDG, IATA 	Void	
· 14.3 Transport hazard class(es)		
· ADR, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:	Not applicable.	
		(Contd. on page 7)

GB -

Printing date 05.07.2018

Version number 21

Revision: 05.07.2018

Product name: Vario Silica Citric Acid 10 ml, 25 ml

	(Contd. of page 6)
 14.6 Special precautions for user 	Not applicable.
 14.7 Transport in bulk according to Annex II of M the IBC Code 	Marpol and Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:

Substance is not listed.

· Directive 2012/18/EU (SEVESO III):

· Named dangerous substances - ANNEX I Substance is not listed.

· Information about limitation of use: Employment restrictions concerning young persons must be observed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Training hints Provide adequate information, instruction and training for operators.

Abbreviations and acronyms:

OECD: Organisation for Economic Co-operation and Development

- STOT: specific target organ toxicity
- SE: single exposure RE: repeated exposure
- EC50: half maximal effective concentration
- IC50: hallf maximal inhibitory concentration
- NOEL or NOEC: No Observed Effect Level or Concentration

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Sources

Data arise from safety data sheets, reference works and literature. IUCLID (International Uniform Chemical Information Database)

·* Data compared to the previous version altered.



Page 1/6

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.07.2018

Version number 19

Revision: 30.07.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Product name: Vario Silica HR Molybdate F10, F25 ml
- · Catalog number: 251412, 251422
- CAS No.: 10102-40-6
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation: Reagent for water analysis
- · 1.3 Details of the supplier of the safety data sheet
- Supplier: Xylem Analytics Germany GmbH WTW Dr.-Karl-Slevogt-Straße 1 82362 Weilheim Germany Tel. +49 881 183-0
- · Informing department: E-Mail: Info.WTW@Xyleminc.com
- · 1.4 Emergency telephone number: Chemtrec (USA & Canada) 800-424-9300 (INTERNATIONAL) 001 703-527-3887

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008 The substance is not classified, according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · 2.3 Other hazards No further relevant information available.
- · Results of PBT and vPvB assessment

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

SECTION 3: Composition/information on ingredients

- · 3.1 Substances
- · CAS No. Designation:
- 10102-40-6 sodium molybdate
- · Identification number(s):
- · EC No: 231-551-7

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information Instantly remove any clothing soiled by the product.
- · After inhalation Supply fresh air.
- · After skin contact Instantly wash with water and soap and rinse thoroughly.
- · After eye contact
- Rinse opened eye for several minutes under running water (at least 15 min). If symptoms persist, consult doctor. After swallowing
- Rinse out mouth and then drink 1-2 glasses of water.
- In case of persistent symptoms consult doctor.

Version number 19

Revision: 30.07.2018

(Contd. of page 1)

Product name: Vario Silica HR Molybdate F10, F25 ml

• 4.2 Most important symptoms and effects, both acute and delayed:

after inhalation: mucous membrane irritation coughing breathing difficulty after swallowing: sickness vomiting

Printing date 30.07.2018

• 4.3 Indication of any immediate medical attention and special treatment needed: No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- **5.2 Special hazards arising from the substance or mixture** The product is not combustible.
- Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- Protective equipment:
- Wear self-contained breathing apparatus.
- Wear full protective suit.

· Additional information

Collect contaminated fire fighting water separately. It must not enter drains.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures
- · Advice for non-emergency personnel: Avoid inhalation of dust.
- · Advice for emergency responders: Protective equipment: see section 8
- · 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.
- 6.3 Methods and material for containment and cleaning up:
- Ensure adequate ventilation.

Collect mechanically.

Dispose of contaminated material as waste according to item 13.

· 6.4 Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling
- · Advice on safe handling:
- Prevent formation of dust.
- Thorough dedusting. Hygiene measures:

The usual precautionary measures should be adhered to general rules for handling chemicals. Wash hands during breaks and at the end of the work.

Do not eat, drink or smoke when using this product.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage
- · Requirements to be met by storerooms and containers: Store in cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Protect from heat and direct sunlight.
- Protect from the effects of light.
- Store under dry conditions.
- Protect from humidity and keep away from water.

Version number 19

Revision: 30.07.2018

Product name: Vario Silica HR Molybdate F10, F25 ml

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Printing date 30.07.2018

- · Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- · Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

- · Personal protective equipment
- Breathing equipment: Use breathing protection against the effects of fumes/dust/aerosol.
- · Recommended filter device for short term use: Filter P1
- Protection of hands:
- Preventive skin protection by use of skin-protecting agents is recommended.
- After use of gloves apply skin-cleaning agents and skin cosmetics.
- Material of gloves nitrile rubber, NBR
- Recommended thickness of the material: ≥ 0.11 mm
- **Penetration time of glove material** Value for the permeation: Level = 1 (< 10 min)
- The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye protection:
- Safety glasses
- use against the effects of fumes / dust
- · Body protection: Protective work clothing.
- Limitation and supervision of exposure into the environment: Do not allow product to reach sewage system or water bodies.

SECTION 9: Physical and chemical properties

 9.1 Information on basic physical ar Appearance: 	nd chemical properties
Form / Physical state: Colour:	Powder White
· Odour: · Odour threshold:	Odourless Not applicable
· pH-value (10 g/l) at 20°C:	~ 7
 Melting point/Freezing point: Initial boiling point and boiling rang 	687°C e: Not applicable
· Flash point:	Not applicable
 Flammability (solid, gas): Ignition temperature: 	The product is not combustible. Not applicable
· Decomposition temperature:	130°C
· Auto-ignition temperature:	Not determined.
 Explosive properties: Flammability or explosive limits: Lower: 	Product is not explosive. Not applicable
Upper:	Not applicable
· Oxidising properties:	none
 Vapour pressure: Density at 20°C: Relative density: 	Not applicable. 3.6 g/cm ³ Not determined.
	(Contd. on page 4)

(Contd. of page 2)

Version number 19

Revision: 30.07.2018

Product name: Vario Silica HR Molybdate F10, F25 ml

		(Contd. of page 3)
 Vapour density: Evaporation rate: 	Not applicable. Not applicable.	
 Solubility(ies): Water at 20°C: 	840 g/l Readily soluble	
· Partition coefficient: n-octano	l/water: Not applicable.	
 Viscosity: Organic solvents: Solids content: 	Not applicable. 0.0 % 100.0 %	
· 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity see section 10.3

10.2 Chemical stability

- Stable at ambient temperature (room temperature).
- Loss of constitutional water on heating
- · 10.3 Possibility of hazardous reactions No further relevant information available.
- · 10.4 Conditions to avoid Strong heating (decomposition)
- \cdot 10.5 Incompatible materials: No further relevant information available.
- \cdot 10.6 Hazardous decomposition products: No further relevant information available.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

CAS: 10102-40-6 Sodium molybdate dihydrate Oral LD50 4,233 mg/kg (rat) (Merck) Dermal LD50. >2,000 mg/kg (rat) (OECD 402) (Registrant, ECHA: dosis test anhydrous substance CAS 7631-95-0; no deaths at this concentration)	· LD/LC50	values	that are relevant for classification:
(Merck) Dermal LD50. >2,000 mg/kg (rat) (OECD 402)	CAS: 1010	02-40-6	Sodium molybdate dihydrate
	Oral	LD50	
	Dermal	LD50.	>2,000 mg/kg (rat) (OECD 402) (Registrant, ECHA: dosis test anhydrous substance CAS 7631-95-0; no deaths at this concentration)
Inhalative LC50. >1.93 mg/l/4h (rat) (OECD 403) (Registrant, ECHA: dosis test anhydrous substance CAS 7631-95-0; no deaths at this concentration)			
 Primary irritant effect: Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/irritation Based on available data, the classification criteria are not met. 	· Skin corre	osion/i	rritation Based on available data, the classification criteria are not met.

Information on components:

CAS: 10102-40-6 Sodium molybdate dihydrate

Irritation of skinOECD 404(rabbit: no irritation)Irritation of eyesOECD 405(rabbit: slight irritation)

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Information on components:

CAS: 10102-40-6 Sodium molybdate dihydrate

Sensitisation OECD 406 (guinea pig: negative)

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

· Reproductive toxicity Based on available data, the classification criteria are not met.

• STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.

· STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.

 \cdot Aspiration hazard Based on available data, the classification criteria are not met.

Version number 19

Revision: 30.07.2018

Product name: Vario Silica HR Molybdate F10, F25 ml

Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

In case of an acute molybdenum(VI) intoxication: diarrhoea, anaemia, fatigue, loss of appetite

Experience with humans: Mo(VI): Can cause liver, kidney damages.

SECTION 12: Ecological information

· 12.1 Toxicity

Aquatic toxicity:

Printing date 30.07.2018

CAS: 10102-40-6 Sodium molybdate dihydrate

- EC50 330 mg/l/48h (Daphnia magna)
- IC50 >100 mg/l/72h (Desmodesmus subspicatus)
- >100 mg/l/72h (Pseudokirchneriella subcapitata)
- NOEC 3,200 mg/l/96h (rainbow trout)
- NOEC 4.6 mg/l/72 h (Pseudokirchneriella subcapitata)
- NOEC 100 mg/l/48 h (Daphnia magna)

· Bacterial toxicity:

CAS: 10102-40-6 Sodium molybdate dihydrate

EC10 50 mg/l (Pseudomonas putida) (18h)

Other information:

Toxic for fish:

molybdenum compounds in general: > 25 mg/l

- · 12.2 Persistence and degradability No further relevant information available.
- Other information: Methods for the determination of biodegradability are not applicable to inorganic substances.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.
- · 12.6 Other adverse effects Avoid transfer into the environment.

· Water hazard:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.

European waste catalogue

16 05 09 discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16 05 08

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

· Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information		
· 14.1 UN-Number · ADR, IMDG, IATA	Void	
 14.2 UN proper shipping name ADR, IMDG, IATA 	Void	
		(Contd. on page 6)

(Contd. of page 4)

GB ·

Version number 19

Revision: 30.07.2018

Product name: Vario Silica HR Molybdate F10, F25 ml

	(Contd. of page 5)
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
 14.7 Transport in bulk according to Annex II of Marpol an the IBC Code 	d Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:

Substance is not listed.

· Directive 2012/18/EU (SEVESO III):

Named dangerous substances - ANNEX I Substance is not listed.

· Information about limitation of use: Not required.

• **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Training hints Provide adequate information, instruction and training for operators.

· Abbreviations and acronyms:

OECD: Organisation for Economic Co-operation and Development

STOT: specific target organ toxicity

SE: single exposure

RE: repeated exposure EC50: half maximal effective concentration

IC50: hall maximal enective concentration

NOEL or NOEC: No Observed Effect Level or Concentration

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration. 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Sources

Data arise from safety data sheets, reference works and literature. ECHA: European CHemicals Agency http://echa.europa.eu

·* Data compared to the previous version altered.



Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.04.2019

Version number 27

Revision: 07.03.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Product name: Vario Silica HR Acid RGT F10, F25 ml
- · _SDS valid from Lot: U03A
- · Catalog number: 251412
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation: Reagent for water analysis
- · 1.3 Details of the supplier of the safety data sheet

• Supplier: Xylem Analytics Germany GmbH WTW Dr.-Karl-Slevogt-Straße 1 82362 Weilheim Germany Tel. +49 881 183-0

· Informing department: E-Mail: Info.WTW@Xyleminc.com

· 1.4 Emergency telephone number: Chemtrec (USA & Canada) 800-424-9300 (INTERNATIONAL) 001 703-527-3887

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



Skin Irrit. 2H315 Causes skin irritation.Eye Irrit. 2H319 Causes serious eye irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

• Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. • Hazard pictograms



- · Signal word Warning
- · Hazard statements
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

- P273 Avoid release to the environment.
- P280 Wear protective gloves / eye protection.
- P302+P352 IF ON SKIN: Wash with plenty of water.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P332+P313 If skin irritation occurs: Get medical advice/attention.
- P337+P313 If eye irritation persists: Get medical advice/attention.

· 2.3 Other hazards No further relevant information available.

Printing date 01.04.2019

Version number 27

Revision: 07.03.2019

(Contd. of page 1)

Product name: Vario Silica HR Acid RGT F10, F25 ml

· Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of inorganic compounds.

· Dangerous components:

CAS: 5329-14-6 sulfamic acid 70-80% 🕐 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Aquatic Chronic 3, H412 EINECS: 226-218-8 Index No: 016-026-00-0 Reg.nr.: 01-2119846728-XXXX

• Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- · General information Instantly remove any clothing soiled by the product.
- · After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact
- Instantly rinse with water.
- If skin irritation continues, consult a doctor.
- · After eye contact Rinse opened eye for several minutes (at least 15 min) under running water. Then consult doctor.
- After swallowing

Rinse out mouth and then drink 1-2 glasses of water.

Do not induce vomiting. In case of persistent symptoms consult doctor.

· 4.2 Most important symptoms and effects, both acute and delayed:

irritations after inhalation: mucosal irritations, Cough, Shortness of breath after swallowing: gastric or intestinal trouble sickness vomiting pain cramps cardiovascular disorders

• 4.3 Indication of any immediate medical attention and special treatment needed: No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · 5.2 Special hazards arising from the substance or mixture

The product is not combustible.

Formation of toxic gases is possible during heating or in case of fire.

Can be released in case of fire:

nitrous gases Nitrogen oxides (NOx)

Sulphur oxides (SOx)

Sodium oxide

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained breathing apparatus. Wear full protective suit.

Additional information

Collect contaminated fire fighting water separately. It must not enter drains.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

(Contd. on page 3)

Printing date 01.04.2019

Version number 27

Revision: 07.03.2019

(Contd. of page 2)

Product name: Vario Silica HR Acid RGT F10, F25 ml

Ambient fire may liberate hazardous vapours.

SECTION 6: Accidental release measures

 \cdot 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel:

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Avoid causing dust.

- · Advice for emergency responders: Protective equipment: see section 8
- **6.2 Environmental precautions:** Do not allow product to reach sewage system or water bodies.
- Inform respective authorities in case product reaches water or sewage system.
- **6.3 Methods and material for containment and cleaning up:** Ensure adequate ventilation.

Collect mechanically.

Dispose of contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling
- · Advice on safe handling:

Ensure good ventilation/exhaustion at the workplace. Prevent formation of dust.

• **Hygiene measures:** Avoid contact with the skin.

Avoid contact with the skin. Avoid contact with the eyes. Take off immediately all contaminated clothing. Wash hands during breaks and at the end of the work. Do not eat, drink or smoke when using this product.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and containers: Store in cool location.
- · Information about storage in one common storage facility: Do not store together with alkalis (caustic solutions).
- · Further information about storage conditions:
- Store in cool, dry conditions in well sealed containers.
- Protect from heat and direct sunlight.
- Protect from the effects of light.

Protect from humidity and keep away from water.

This product is hygroscopic.

• Recommended storage temperature: 20°C +/- 5°C

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. • Recommended monitoring procedures:

Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms DIN EN 482 and DIN EN 689.

· Additional information: The lists that were valid during the compilation were used as basis.

8.2 Exposure controls

· Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

Version number 27

Revision: 07.03.2019

Product name: Vario Silica HR Acid RGT F10, F25 ml

- · Personal protective equipment
- · Breathing equipment: Use breathing protection against the effects of fumes/dust/aerosol.
- · Recommended filter device for short term use: Combination filter B-P2
- **Protection of hands:** Protective gloves.

Printing date 01.04.2019

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

- · Material of gloves
- nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

- · Penetration time of glove material
- Value for the permeation: Level = 1 (< 10 min)

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Safety glasses
- · Body protection: Protective work clothing.
- · Limitation and supervision of exposure into the environment:

Do not allow product to reach sewage system or water bodies.

SECTION 9: Physical and chemical properties

 9.1 Information on basic physical and 	d chemical properties
· Appearance:	
Form / Physical state:	Powder
Colour:	White
· Odour:	Odourless
· Odour threshold:	Not applicable
· pH-value (20 g/l) at 20°C:	~1
 Melting point/Freezing point: 	190°C (CAS 5329-14-6)
 Initial boiling point and boiling range 	
	Decomposition
· Flash point:	Not applicable
•	
· Flammability (solid, gas):	The product is not combustible.
· Decomposition temperature:	209°C (CAS 5329-14-6)
· Auto-ignition temperature:	Product is not self-igniting.
· Explosive properties:	Product is not explosive.
Flammability or explosive limits:	•
Lower:	Not applicable
Upper:	Not applicable
• Oxidising properties:	
•••	none
 Vapour pressure: 	Not applicable.
· Density:	Not determined
Relative density:	Not determined.
 Vapour density: 	Not applicable.
 Evaporation rate: 	Not applicable.
· Solubility(ies):	
Water:	Soluble
· Partition coefficient: n-octanol/water:	Not applicable.
· Viscosity:	Not applicable.
 Solvent content: 	
Solids content:	100.0 %
· 9.2 Other information	No further relevant information available.
	GB

(Contd. on page 5)

(Contd. of page 3)

Version number 27

Revision: 07.03.2019

Product name: Vario Silica HR Acid RGT F10, F25 ml

(Contd. of page 4)

SECTION 10: Stability and reactivity

- 10.1 Reactivity see section 10.3
- · 10.2 Chemical stability Stable at ambient temperature (room temperature).
- · 10.3 Possibility of hazardous reactions
- Reacts with water.

Printing date 01.04.2019

Aqueous solution reacts acidic.

Aqueous solution reacts with metals. Hydrogen is formed in the presence of aluminum or zinc.

Reacts with acids, alkalis and oxidizing agents

Reacts with halogenated compounds

Violent reactions possible with:

nitrates

chlorine

· 10.4 Conditions to avoid Strong heating (decomposition)

· 10.5 Incompatible materials:

metals

aluminium

· 10.6 Hazardous decomposition products: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

CAS: 5329-14-6 sulfamic acid

Oral LD50 3160 mg/kg (rat)

(GESTIS)

· Primary irritant effect:

· Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation Causes serious eye irritation.

 Information on components: CAS: 5329-14-6 sulfamic acid

Irritation of skin OECD 404 (rabbit: irritation)

Irritation of eyes OECD 405 (rabbit: irritation)

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) The following statements refer to the mixture:

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

 \cdot Carcinogenicity Based on available data, the classification criteria are not met.

• Reproductive toxicity Based on available data, the classification criteria are not met.

• STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.

· STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

· Information on components:		
CAS: 5329-14-6 sulfamic acid		
OECD 471	(negative) (Bacterial Reverse Mutation Test - Ames test) (Salmonella typhimurium)	
OECD 476	(negative) (In Vitro Mammalian Cell Gene Mutation Test)	
OECD 474	(negative) (mouse, oral)	
OECD 487	(negative) (In Vitro Mammalian Cell Micronucleus Test)	
· Additional toxicological information: Other dangerous properties can not be excluded.		

(Contd. on page 6)

Printing date 01.04.2019

Version number 27

Revision: 07.03.2019

Product name: Vario Silica HR Acid RGT F10, F25 ml

(Contd. of page 5)

	TION 12: Ecological information		
12.1 T	oxicity		
•	ic toxicity:		
	5329-14-6 sulfamic acid		
	71.6 mg/l/48h (Daphnia magna) (OECD 202)		
	14.2 mg/l/96h (fish)		
	70.3 mg/l/96h (fathhead minnow) (OECD 203) (Merck)		
	ial toxicity:		
•	tes toxic > 2.5 g/l		
	5329-14-6 sulfamic acid		
	≥1000 mg/l (Pseudomonas putida) (16h)		
	(IUCLID) information:		
	or fish:		
sulphates > 7 g/l			
12.2 P	ersistence and degradability .		
	information:		
	e of inorganic compounds.		
	ds for the determination of biodegradability are not applicable to inorganic substances.		
	ioaccumulative potential n-octanol/wasser partition coefficient		
Fow =	w < 1 = Does not accumulate in organisms.		
•	5329-14-6 sulfamic acid		
	w 0.1 (.) (experimental)		
logio	(Merck)		
12.4 M	obility in soil No further relevant information available.		
	esults of PBT and vPvB assessment		
	ixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very		
	ent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.		
	ther adverse effects		
	ul effect due to pH shift.		
	ransfer into the environment. hazard:		
	allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.		
	ot reach sewage water or drainage ditch undiluted or unneutralised.		
000			
SEC	TON 13: Disposal considerations		
	/aste treatment methods		
· Recommendation			
	ot be disposed of together with household garbage. Do not allow product to reach sewage system. over to disposers of hazardous waste.		
•	ean waste catalogue		
16 05 (07* discarded inorganic chemicals consisting of or containing hazardous substances		
	aned packagings:		

Uncleaned packagings:
 Recommendation: Disposal must be made according to official regulations.
 Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information				
· 14.1 UN-Number · ADR, IMDG, IATA	UN2967			
· 14.2 UN proper shipping name · ADR	2967 SULPHAMIC ACID mixture			
		(Contd. on page 7)		

Printing date 01.04.2019

Version number 27

Revision: 07.03.2019

Product name: Vario Silica HR Acid RGT F10, F25 ml

	(Contd. of page
· IMDG, IATA	SULPHAMIC ACID mixture
 14.3 Transport hazard class(es) 	
ADR	
J. J	
8	
· Class · Label	8 (C2) Corrosive substances. 8
· IMDG, IATA	
8	
Class	8 Corrosive substances.
·Label	8
· 14.4 Packing group · ADR, IMDG, IATA	III
· 14.5 Environmental hazards:	Not applicable.
 14.6 Special precautions for user Kemler Number: 	Warning: Corrosive substances. 80
EMS Number:	F-A,S-B
 Segregation groups 	Acids
Stowage Category	А
\cdot 14.7 Transport in bulk according to Annex II o	
the IBC Code	Not applicable.
 Transport/Additional information: 	
ADR	
Limited quantities (LQ)	5 kg
 Excepted quantities (EQ) 	Code: E1
	Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· Transport category	3
· Tunnel restriction code	Ē
·IMDG	
· Limited quantities (LQ)	5 kg
 Excepted quantities (EQ) 	Code: E1
	Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:

None of the ingredients is listed.

· Directive 2012/18/EU (SEVESO III):

Named dangerous substances - ANNEX I None of the ingredients is listed.

· Regulation (EU) No 649/2012

None of the ingredients is listed.

· National regulations

· Information about limitation of use: Employment restrictions concerning young persons must be observed.

Version number 27

Revision: 07.03.2019

Product name: Vario Silica HR Acid RGT F10, F25 ml

(Contd. of page 7)

GB

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

Printing date 01.04.2019

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

· Training hints Provide adequate information, instruction and training for operators.

Abbreviations and acronyms:

OECD: Organisation for Economic Co-operation and Development

STOT: specific target organ toxicity

SE: single exposure

RE: repeated exposure

EC50: half maximal effective concentration

IC50: hallf maximal inhibitory concentration NOEL or NOEC: No Observed Effect Level or Concentration

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

Sources

Data arise from safety data sheets, reference works and literature.

IUCLID (International Uniform Chemical Information Database)

GESTIS- Stoffdatenbank (Substance Database, Germany)