

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.09.2018

Version number 13

Revision: 17.09.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Product name:** Vario Oxyscav 1 RGT
- **Catalog number:** 251421
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the preparation:** Reagent for water analysis
- **1.3 Details of the supplier of the safety data sheet**
- **Supplier:**
Xylem Analytics Germany GmbH
WTW
Dr.-Karl-Slevogt-Straße 1
82362 Weilheim
Germany
Tel. +49 881 183-0
- **Informing department:** E-Mail: Info.WTW@Xyleminc.com
- **1.4 Emergency telephone number:** Chemtrec (USA & Canada) 800-424-9300 (INTERNATIONAL) 001 703-527-3887

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
The product is not classified as hazardous according to the CLP regulation.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Additional information:**
EUH210 Safety data sheet available on request.
- **2.3 Other hazards** No further relevant information available.
- **Results of PBT and vPvB assessment**
This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture contains organic compounds.

Dangerous components:

CAS: 28048-33-1	disodium 4,4'-[3-(pyridin-2-yl)-1,2,4-triazine-5,6-diyl]bis(benzenesulphonate)	0.1-≤2.5%
EINECS: 248-797-6	⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information** Instantly remove any clothing soiled by the product.
- **After inhalation** Supply fresh air.
- **After skin contact** Instantly wash with water and soap and rinse thoroughly.

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 17.09.2018

Version number 13

Revision: 17.09.2018

Product name: Vario Oxyscav 1 RGT

(Contd. of page 1)

- **After eye contact**
Rinse opened eye for several minutes under running water (at least 15 min). If symptoms persist, consult doctor.
- **After swallowing**
Rinse out mouth and then drink 1-2 glasses of water.
In case of persistent symptoms consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed:**
Causes mild skin irritation.
after swallowing of large amounts:
general feeling of sickness
- **4.3 Indication of any immediate medical attention and special treatment needed:** No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents** Water, Carbon dioxide (CO₂), Foam, Fire-extinguishing powder
- **For safety reasons unsuitable extinguishing agents**
For this substance / mixture no limitations of extinguishing agents are given.
- **5.2 Special hazards arising from the substance or mixture**
combustible
Formation of toxic gases is possible during heating or in case of fire.
nitrous gases
Nitrogen oxides (NO_x)
Carbon monoxide (CO) and carbon dioxide (CO₂)
- **5.3 Advice for firefighters**
- **Protective equipment:**
Wear self-contained breathing apparatus.
Wear full protective suit.
- **Additional information**
Collect contaminated fire fighting water separately. It must not enter drains.
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
Ambient fire may liberate hazardous vapours.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
- **Advice for non-emergency personnel:** Wear protective equipment. Keep unprotected persons away.
- **Advice for emergency responders:** Protective equipment: see section 8
- **6.2 Environmental precautions:** Do not allow product to reach sewage system or water bodies.
- **6.3 Methods and material for containment and cleaning up:**
Ensure adequate ventilation.
Collect mechanically.
Dispose of contaminated material as waste according to item 13.
- **6.4 Reference to other sections**
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
- **Advice on safe handling:**
Prevent formation of dust.
Thorough dedusting.
- **Hygiene measures:**
The usual precautionary measures should be adhered to general rules for handling chemicals.
Wash hands during breaks and at the end of the work.
Do not eat, drink or smoke when using this product.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** Store in cool location.
- **Information about storage in one common storage facility:** Store away from oxidising agents.

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 17.09.2018

Version number 13

Revision: 17.09.2018

Product name: Vario Oxyscav 1 RGT

(Contd. of page 2)

- **Further information about storage conditions:**
Protect from heat and direct sunlight.
Protect from the effects of light.
Store under dry conditions.
Protect from humidity and keep away from water.
- **Recommended storage temperature:** 20°C +/- 5°C
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the compilation were used as basis.
- **8.2 Exposure controls**
- **Engineering measures:**
Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.
See item 7.
- **Personal protective equipment**
- **Breathing equipment:** Use breathing protection against the effects of fumes/dust/aerosol.
- **Recommended filter device for short term use:** Filter P1
- **Protection of hands:**
Preventive skin protection by use of skin-protecting agents is recommended.
After use of gloves apply skin-cleaning agents and skin cosmetics.
- **Material of gloves**
nitrile rubber, NBR
Recommended thickness of the material: ≥ 0.11 mm
- **Penetration time of glove material**
Value for the permeation: Level = 1 (< 10 min)
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**
Safety glasses
use against the effects of fumes / dust
- **Body protection:** Protective work clothing.
- **Limitation and supervision of exposure into the environment:**
Do not allow product to reach sewage system or water bodies.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties	
· Appearance:	
Form / Physical state:	Powder
Colour:	Light yellow
· Odour:	
Odour threshold:	
Odourless	
Not applicable	
· pH-value (8 g/l) at 20°C:	
5.9	
· Melting point/Freezing point:	
Not determined	
· Initial boiling point and boiling range:	
Not determined	
· Flash point:	
Not determined	
· Flammability (solid, gas):	
Not determined.	
· Decomposition temperature:	
Not determined.	
· Auto-ignition temperature:	
Product is not self-igniting.	
· Explosive properties:	
Product is not explosive.	
The following applies in general to flammable organic substances / preparations: Dust explosion possible if in powder or granular form (fine distribution), mixed with air.	

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 17.09.2018

Version number 13

Revision: 17.09.2018

Product name: Vario Oxyscav 1 RGT

(Contd. of page 3)

· Flammability or explosive limits:	
Lower:	Not determined.
Upper:	Not determined.
· Oxidising properties:	none
· Vapour pressure:	Not applicable.
· Density:	Not determined
· Relative density:	Not determined.
· Vapour density:	Not applicable.
· Evaporation rate:	Not applicable.
· Solubility(ies):	
Water:	Soluble
· Partition coefficient: n-octanol/water:	Not applicable.
· Viscosity:	Not applicable.
· Solvent content:	
Organic solvents:	0.0 %
Solids content:	100.0 %
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** Dust can combine with air to form an explosive mixture.
- **10.2 Chemical stability** Stable at ambient temperature (room temperature).
- **10.3 Possibility of hazardous reactions**
Reacts with oxidizing agents
--> forms heat
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** see section 5

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

CAS: 28048-33-1 disodium 4,4'-[3-(pyridin-2-yl)-1,2,4-triazine-5,6-diyl]bis(benzenesulphonate)

Oral	LD50	>5000.001 mg/kg (rat)
------	------	-----------------------

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)** The following statements refer to the mixture:
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT (specific target organ toxicity) -single exposure** Based on available data, the classification criteria are not met.
- **STOT (specific target organ toxicity) -repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

— GB —
(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 17.09.2018

Version number 13

Revision: 17.09.2018

Product name: Vario Oxyscav 1 RGT

(Contd. of page 4)

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.
- **12.6 Other adverse effects** Avoid transfer into the environment.
- **Water hazard:**
Do not allow product to reach ground water, water bodies or sewage system.
Danger to drinking water if even small quantities leak into soil.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Disposal must be made according to official regulations.

- **European waste catalogue**

16 05 09	discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16 05 08
----------	--

- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleaning agent:** Water, if necessary with cleaning agent.

SECTION 14: Transport information

- | | |
|--|--|
| · 14.1 UN-Number
· ADR, IMDG, IATA | Void |
| · 14.2 UN proper shipping name
· ADR, IMDG, IATA | Void |
| · 14.3 Transport hazard class(es)
· ADR, IMDG, IATA
· Class | Void |
| · 14.4 Packing group
· ADR, IMDG, IATA | Void |
| · 14.5 Environmental hazards: | Not applicable. |
| · 14.6 Special precautions for user | Not applicable. |
| · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code | Not applicable. |
| · Transport/Additional information: | Not dangerous according to the above specifications. |

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:**

None of the ingredients is listed.

- **Directive 2012/18/EU (SEVESO III):**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Information about limitation of use:** Not required.

(Contd. on page 6)

— GB —

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 17.09.2018

Version number 13

Revision: 17.09.2018

Product name: Vario Oxyscav 1 RGT

(Contd. of page 5)

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.
-

* SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

- **Training hints** Provide adequate information, instruction and training for operators.

- **Abbreviations and acronyms:**

STOT: specific target organ toxicity

SE: single exposure

RE: repeated exposure

EC50: half maximal effective concentration

IC50: half maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

- **Sources** Data arise from safety data sheets, reference works and literature.

- * **Data compared to the previous version altered.**

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.09.2018


Version number 16

Revision: 17.09.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Product name:** Vario DEHA 2 RGT
- **Catalog number:** 251421
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the preparation:** Reagent for water analysis
- **1.3 Details of the supplier of the safety data sheet**
- **Supplier:**
Xylem Analytics Germany GmbH
WTW
Dr.-Karl-Slevogt-Straße 1
82362 Weilheim
Germany
Tel. +49 881 183-0
- **Informing department:** E-Mail: Info.WTW@Xyleminc.com
- **1.4 Emergency telephone number:** Chemtrec (USA & Canada) 800-424-9300 (INTERNATIONAL) 001 703-527-3887

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
-  GHS05 corrosion
- Met. Corr.1 H290 May be corrosive to metals.
Skin Corr. 1B H314 Causes severe skin burns and eye damage.
Eye Dam. 1 H318 Causes serious eye damage.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS05

- **Signal word** Danger
- **Hazard-determining components of labelling:**
nitric acid 14 %
- **Hazard statements**
H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
- **Precautionary statements**
P260 Do not breathe mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection.
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a doctor.
- **Additional information:**
EUH071 Corrosive to the respiratory tract.

(Contd. on page 2)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 17.09.2018

Version number 16

Revision: 17.09.2018

Product name: Vario DEHA 2 RGT

(Contd. of page 1)

- **2.3 Other hazards** No further relevant information available.

- **Results of PBT and vPvB assessment**

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**

- **Description:** aqueous solution

- **Dangerous components:**

CAS: 7697-37-2 EINECS: 231-714-2 Index No: 007-004-00-1 Reg.nr.: 01-2119487297-23-XXXX	nitric acid ⚠ Ox. Liq. 2, H272; ⚠ Met. Corr.1, H290; Skin Corr. 1A, H314	10-<20%
CAS: 7782-61-8 EINECS: 233-899-5	iron(III) nitrate nonahydrate ⚠ Ox. Sol. 3, H272; ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319	2.5-5%

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**

- **General information** Instantly remove any clothing soiled by the product.

- **After inhalation** Supply fresh air or oxygen; call for doctor.

- **After skin contact**

Instantly wash with polyethylene glycol 400.

Instantly rinse with water.

Immediate medical treatment necessary. Failure to treat burns can prevent wounds from healing.

- **After eye contact**

Rinse opened eye for several minutes (at least 15 min) under running water.

Call a doctor immediately.

- **After swallowing**

Rinse out mouth and then drink 1-2 glasses of water.

Do not induce vomiting; instantly call for medical help.

- **4.2 Most important symptoms and effects, both acute and delayed:**

burns

after inhalation:

coughing

breathing difficulty

damage to the affected mucous membranes

after swallowing:

strong caustic effect.

pain

methaemoglobinaemia

cramps

vomiting

bloody diarrhoea

Danger of system failure.

- **Danger**

Danger of gastric perforation.

Danger of pulmonary oedema.

- **4.3 Indication of any immediate medical attention and special treatment needed:**

If swallowed or in case of vomiting, danger of entering the lungs

Subsequent observation for pneumonia and pulmonary oedema

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**

- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.

- **5.2 Special hazards arising from the substance or mixture**

The product is not combustible.

(Contd. on page 3)

— GB —

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 17.09.2018

Version number 16

Revision: 17.09.2018

Product name: Vario DEHA 2 RGT

(Contd. of page 2)

Formation of toxic gases is possible during heating or in case of fire.

Can be released in case of fire:

nitrous gases

Nitrogen oxides (NO_x)

· **5.3 Advice for firefighters**

· **Protective equipment:**

Wear self-contained breathing apparatus.

Wear full protective suit.

· **Additional information**

Collect contaminated fire fighting water separately. It must not enter drains.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

· **Advice for non-emergency personnel:**

Wear protective equipment. Keep unprotected persons away.

Avoid substance contact.

Ensure adequate ventilation

Use breathing protection against the effects of fumes/dust/aerosol.

· **Advice for emergency responders:** Protective equipment: see section 8

· **6.2 Environmental precautions:** Do not allow product to reach sewage system or water bodies.

· **6.3 Methods and material for containment and cleaning up:**

Ensure adequate ventilation.

Neutralize with diluted sodium hydroxide solution or by throwing on lime sand, lime or sodium carbonate.

Absorb with liquid-binding material (sand, diatomite, universal binders).

Dispose of contaminated material as waste according to item 13.

· **6.4 Reference to other sections**

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**

· **Advice on safe handling:**

Open and handle container with care.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· **Hygiene measures:**

Do not inhale gases / fumes / aerosols.

Do not get in eyes, on skin, or on clothing.

Take off immediately all contaminated clothing.

Wash hands during breaks and at the end of the work.

Do not eat, drink or smoke when using this product.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage**

· **Requirements to be met by storerooms and containers:** Store in cool location.

· **Information about storage in one common storage facility:**

Store away from metals.

Store away from flammable substances.

Store away from reducing agents.

· **Further information about storage conditions:**

Keep container tightly sealed.

Protect from heat and direct sunlight.

Protect from the effects of light.

Protect from humidity and keep away from water.

· **Recommended storage temperature:** 20°C +/- 5°C

· **7.3 Specific end use(s)** No further relevant information available.

— GB —

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 17.09.2018

Version number 16

Revision: 17.09.2018

Product name: Vario DEHA 2 RGT

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 7697-37-2 nitric acid

WEL (Great Britain)	Short-term value: 2.6 mg/m ³ , 1 ppm
IOELV (European Union)	Short-term value: 2.6 mg/m ³ , 1 ppm
OEL (Sweden)	Short-term value: 2.6 mg/m ³ , 1 ppm Long-term value: 1.3 mg/m ³ , 0.5 ppm

· Regulatory information

WEL (Great Britain): EH40/2011
 IOELV (European Union): 91/322/EEC, 2000/39/EC, 2006/15/EC
 OEL (Sweden): AFS2011:18

· DNELs

Derived No Effect Level (DNEL)

CAS: 7697-37-2 nitric acid

Inhalative DNEL 1.3 mg/m³ (Worker / long-term / local effects)

· Recommended monitoring procedures:

Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms DIN EN 482 and DIN EN 689.

· **Additional information:** The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

· Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

· Personal protective equipment

· **Breathing equipment:** Use breathing protection against the effects of fumes/dust/aerosol.

· **Recommended filter device for short term use:** Combination filter E-P2

· Protection of hands:

Acid resistant gloves

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves

nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

· Penetration time of glove material

Value for the permeation: Level = 1 (< 10 min)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Tightly sealed safety glasses.

· **Body protection:** Acid resistant protective clothing

· Limitation and supervision of exposure into the environment:

Do not allow product to reach sewage system or water bodies.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· Appearance:

Form / Physical state:	Fluid
Colour:	Colourless

· **Odour:** Pungent

· **Odour threshold:** Not determined.

· **pH-value at 20°C:** < 1

· **Melting point/Freezing point:** Not determined

· **Initial boiling point and boiling range:** Not determined

· **Flash point:** Not applicable

(Contd. on page 5)

— GB —

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 17.09.2018

Version number 16

Revision: 17.09.2018

Product name: Vario DEHA 2 RGT

(Contd. of page 4)

· Flammability (solid, gas):	Not applicable.
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not self-igniting.
· Explosive properties:	Product is not explosive.
· Flammability or explosive limits:	
Lower:	Not applicable
Upper:	Not applicable
· Oxidising properties:	Oxidising potential CAS 7697-37-2: is classified as oxidising.
· Vapour pressure:	Not determined.
· Density at 20°C:	1.07 g/cm ³
· Relative density:	Not determined.
· Vapour density:	Not determined.
· Evaporation rate:	Not determined.
· Solubility(ies):	
Water:	Fully miscible
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	Not determined.
· Solvent content:	
Organic solvents:	0.0 %
Water:	> 80 %
Solids content:	< 5 %
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** see section 10.3
- **10.2 Chemical stability** Stable at ambient temperature (room temperature).
- **10.3 Possibility of hazardous reactions**
 - Corrosive action on metals
 - Reacts with metals forming hydrogen (--> Explosive!)
 - Reacts with alcohols
 - Reacts with reducing agents
 - Reacts with metals to form nitrous fumes and hydrogen
 - Reacts with acids and alkali (lyes).
 - Reacts with ammonia (NH₃).
- **10.4 Conditions to avoid** To avoid thermal decomposition do not overheat.
- **10.5 Incompatible materials:**
 - metals
 - alkali metals
 - combustible substances
 - organic solvents
- **10.6 Hazardous decomposition products:**
 - nitrous gases
 - see section 5

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

CAS: 7697-37-2 nitric acid

Oral	LDLo	430 mg/kg (human) (IUCLID)
------	------	-------------------------------

(Contd. on page 6)

— GB —

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 17.09.2018

Version number 16

Revision: 17.09.2018

Product name: Vario DEHA 2 RGT

(Contd. of page 5)

Inhalative	LC50.	28 mg/l/4h (rat) (MERCK - IUCLID)
CAS: 7782-61-8 iron(III) nitrate nonahydrate		
Oral	LD50	3250 mg/kg (rat) (RTECS)
Inhalative	LC50	> 500 mg/l/1h (fish) 10-20 mg/l/1h (gold orfe)

- **Primary irritant effect:**
- **Skin corrosion/irritation**
Causes severe skin burns and eye damage.
- **Serious eye damage/irritation**
Causes serious eye damage.
Risk of blindness!
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)** The following statements refer to the mixture:
 - **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
 - **Carcinogenicity** Based on available data, the classification criteria are not met.
 - **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT (specific target organ toxicity) -single exposure** Based on available data, the classification criteria are not met.
- **STOT (specific target organ toxicity) -repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**
The following applies to soluble iron compounds: nausea and vomiting after swallowing. The absorption of large quantities is followed by cardiovascular disorders. Toxic effect on liver and kidneys.
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.
The aerosol is corrosive to the eyes, the skin and the respiratory tract. Inhalation of aerosols may cause lung oedema.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

CAS: 7697-37-2 nitric acid

LC50	72 mg/l/96h (mosquitofish) (IUCLID)
------	--

· 12.2 Persistence and degradability .

· Other information:

Mixture of inorganic compounds.

Methods for the determination of biodegradability are not applicable to inorganic substances.

· 12.3 Bioaccumulative potential

Pow = n-octanol/wasser partition coefficient

log Pow < 1 = Does not accumulate in organisms.

CAS: 7697-37-2 nitric acid

log Pow	-2.3 (.)
---------	----------

· 12.4 Mobility in soil

 No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

· 12.6 Other adverse effects

Depending on the concentration, phosphorus and/or nitrogen compounds may contribute to the eutrophication of water supplies.

Harmful effect due to pH shift.

Forms corrosive mixtures with water even if diluted.

Avoid transfer into the environment.

· Water hazard:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 17.09.2018

Version number 16

Revision: 17.09.2018

Product name: Vario DEHA 2 RGT

(Contd. of page 6)

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**

- **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Hand over to disposers of hazardous waste.

- **European waste catalogue**

16 05 07*	discarded inorganic chemicals consisting of or containing hazardous substances
-----------	--

- **Uncleaned packagings:**

- **Recommendation:** Disposal must be made according to official regulations.

- **Recommended cleaning agent:** Water, if necessary with cleaning agent.

SECTION 14: Transport information

- **14.1 UN-Number**

- **ADR, IMDG, IATA**

UN2031

- **14.2 UN proper shipping name**

- **ADR**

2031 NITRIC ACID

- **IMDG, IATA**

NITRIC ACID

- **14.3 Transport hazard class(es)**

- **ADR**



- **Class**

8 (C1) Corrosive substances.

- **Label**

8

- **IMDG, IATA**



- **Class**

8 Corrosive substances.

- **Label**

8

- **14.4 Packing group**

- **ADR, IMDG, IATA**

II

- **14.5 Environmental hazards:**

Not applicable.

- **14.6 Special precautions for user**

Warning: Corrosive substances.

- **Kemler Number:**

80

- **EMS Number:**

F-A,S-B

- **Segregation groups**

Acids

- **Stowage Category**

D

- **14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable.

- **Transport/Additional information:**

- **ADR**

- **Limited quantities (LQ)**

1L

- **Excepted quantities (EQ)**

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

- **Transport category**

2

- **Tunnel restriction code**

E

(Contd. on page 8)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 17.09.2018

Version number 16

Revision: 17.09.2018

Product name: Vario DEHA 2 RGT

(Contd. of page 7)

<ul style="list-style-type: none"> · IMDG · Limited quantities (LQ) · Excepted quantities (EQ) 	<p>1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml</p>
--	---

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:**

None of the ingredients is listed.

- **Directive 2012/18/EU (SEVESO III):**

- **Named dangerous substances - ANNEX I** None of the ingredients is listed.

- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

- **Information about limitation of use:** Employment restrictions concerning young persons must be observed.

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

* SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H272 May intensify fire; oxidiser.

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

- **Training hints** Provide adequate information, instruction and training for operators.

- **Abbreviations and acronyms:**

STOT: specific target organ toxicity

SE: single exposure

RE: repeated exposure

EC50: half maximal effective concentration

IC50: half maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Ox. Liq. 2: Oxidizing liquids – Category 2

Ox. Sol. 3: Oxidizing solids – Category 3

Met. Corr. 1: Corrosive to metals – Category 1

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

- **Sources** Data arise from safety data sheets, reference works and literature.

- *** Data compared to the previous version altered.**