

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.03.2020

Version number 6

Revision: 31.03.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Product name: Vario Phosphate RGT F10 ml
- · Catalog number: 251987, 251988, 251989
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation: Reagent for water analysis
- · 1.3 Details of the supplier of the safety data sheet

• Supplier: Xylem Analytics Germany GmbH WTW Dr.-Karl-Slevogt-Straße 1 D 82362 Weilheim Germany Tel. +49 881 183-0

· Informing department: E-Mail: Info.WTW@Xyleminc.com

· 1.4 Emergency telephone number: Chemtrec (USA & Canada) 800-424-9300 (INTERNATIONAL) 001 703-527-3887

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008



GHS06 skull and crossbones

Acute Tox. 3 H331 Toxic if inhaled.

GHS05 corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

· 2.2 Label elements

• Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. • Hazard pictograms



- · Signal word Danger
- · Hazard-determining components of labelling:
- dipotassium disulfate
- · Hazard statements

H331 Toxic if inhaled.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

- P261 Avoid breathing dust.
- P280 Wear protective gloves/protective clothing/eye protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Version number 6

Revision: 31.03.2020

(Contd. of page 1)

Product name: Vario Phosphate RGT F10 ml

P308+P313IF exposed or concerned: Get medical advice/attention.P405Store locked up.

· 2.3 Other hazards No further relevant information available.

· Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

Printing date 31.03.2020

• Description: Mixture of organic and inorganic compounds

· Dangerous components:

Bangerous components.		
CAS: 7790-62-7	dipotassium disulfate	70-80%
EINECS: 232-216-8	log Acute Tox. 3, H331; ♦ Skin Corr. 1A, H314; Eye Dam. 1, H318	
CAS: 28300-74-5	potassium antimony(III) oxide tartrate trihydrate	≤ 0.1%
EINECS: 234-293-3	(*) Aquatic Chronic 2, H411; (*) Acute Tox. 4, H302; Acute Tox. 4, H332	1
Index No: 051-003-00-9		
Additional information For the wording of the listed bazard phrases refer to section 16		

• Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information Instantly remove any clothing soiled by the product.

- After inhalation Supply fresh air or oxygen; call for doctor.
- · After skin contact
- Instantly rinse with water.

Immediate medical treatment necessary. Failure to treat burns can prevent wounds from healing.

· After eye contact

Rinse opened eye for several minutes (at least 15 min) under running water.

Call a doctor immediately.

· After swallowing

Rinse out mouth and then drink 1-2 glasses of water.

Do not induce vomiting; instantly call for medical help.

4.2 Most important symptoms and effects, both acute and delayed:

- burns after inhalation: coughing breathing difficulty absorption after absorption of large amounts: sickness vomiting gastric or intestinal trouble drowsiness
- dizziness
- Danger

Danger of gastric perforation.

Danger of pulmonary oedema.

• 4.3 Indication of any immediate medical attention and special treatment needed:

If swallowed or in case of vomiting, danger of entering the lungs

Subsequent observation for pneumonia and pulmonary oedema

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · 5.2 Special hazards arising from the substance or mixture
- The product is not combustible.

Formation of toxic gases is possible during heating or in case of fire. Sulphur oxides (SOx)

Version number 6

Product name: Vario Phosphate RGT F10 ml

Dipotassium oxide Carbon monoxide (CO) and carbon dioxide (CO₂)

- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained breathing apparatus.

- Wear full protective suit.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter drains. Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures
- Advice for non-emergency personnel: Wear protective equipment. Keep unprotected persons away. Avoid substance contact.

Ensure adequate ventilation

Use breathing protection against the effects of fumes/dust/aerosol.

- Advice for emergency responders: Protective equipment: see section 8
- · 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.
- 6.3 Methods and material for containment and cleaning up:
- Ensure adequate ventilation. Collect mechanically.

Dispose of contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

- · Advice on safe handling:
- Open and handle container with care.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of dust.

Hygiene measures:

Do not inhale dust / smoke / mist.

Do not get in eyes, on skin, or on clothing.

Take off immediately all contaminated clothing. Wash hands during breaks and at the end of the work.

Do not eat, drink or smoke when using this product.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage
- · Requirements to be met by storerooms and containers: Store in cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Store in a locked cabinet or with access restricted to technical experts or their assistants.

Protect from heat and direct sunlight.

Protect from the effects of light.

Store under dry conditions.

Protect from humidity and keep away from water.

• Recommended storage temperature: 20°C +/- 5°C

· 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)

Revision: 31.03.2020

(Contd. of page 2)

Printing date 31.03.2020

Version number 6

Revision: 31.03.2020

Product name: Vario Phosphate RGT F10 ml

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

· Components with limit values that require monitoring at the workplace:		
CAS: 28300-74-5 potassium antimony(III) oxide tartrate trihydrate (≤ 0.1%)		
WEL (Great Britain)	Long-term value: 0.5 mg/m ³ as Sb	
OEL (Sweden)	Long-term value: 0.25 mg/m³ som Sb; inhalerbart damm	
Recommended monitoring procedures:		
Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms DIN EN 482 and		

Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms DIN EN 482 and DIN EN 689.

• Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

· Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

· Personal protective equipment

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.

- · Breathing equipment: Use breathing protection against the effects of fumes/dust/aerosol.
- Recommended filter device for short term use: Filter P3

· Protection of hands:

Protective gloves.

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

• Material of gloves

nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

- · Penetration time of glove material
- Value for the permeation: Level = 1 (< 10 min)

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Tightly sealed safety glasses.
- · Body protection: Acid resistant protective clothing
- · Limitation and supervision of exposure into the environment:

Do not allow product to reach sewage system or water bodies.

SECTION 9: Physical and chemical properties · 9.1 Information on basic physical and chemical properties · Appearance: Form / Physical state: Powder Colour: White · Odour: Odourless · Odour threshold: Not applicable · pH-value (31.3 g/l) at 20°C: 1.2 · Melting point/Freezing point: Not determined · Initial boiling point and boiling range: Not determined · Flash point: Not applicable · Flammability (solid, gas): The product is not combustible. · Decomposition temperature: Not determined. · Auto-ignition temperature: Product is not self-igniting. · Explosive properties: Product is not explosive. · Flammability or explosive limits: Lower: Not applicable (Contd. on page 5)

Printing date 31.03.2020

Version number 6

Revision: 31.03.2020

Product name: Vario Phosphate RGT F10 ml

	(Contd. of page 4
Upper:	Not applicable
· Oxidising properties:	none
 Vapour pressure: Density at 20°C: Relative density: Vapour density: Evaporation rate: 	Not applicable. 2.38 g/cm ³ Not determined. Not applicable. Not applicable.
· Solubility(ies): Water:	Soluble
Partition coefficient: n-octanol/water	: Not applicable.
 Viscosity: dynamic: kinematic: 	Not applicable. Not applicable. Not applicable.
 Solvent content: Organic solvents: Solids content: 	0.0 % 100.0 %
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity see section 10.3
- · 10.2 Chemical stability

Stable at ambient temperature (room temperature).

sensitive to moisture

sensitivity to light sensitive to air

- · 10.3 Possibility of hazardous reactions Aqueous solution reacts acidic.
- **10.4 Conditions to avoid** Strong heating (decomposition)
- 10.5 Incompatible materials: metals
- 10.6 Hazardous decomposition products: see section 5

SECTION 11: Toxicological information

- · Acute toxicity
- Classification according to calculation procedure: Toxic if inhaled.

• Acute toxicity estimate (ATE_(MIX)) - Calculation method:

Inhalative CLP ATE (MIX) 0.7 mg/l/4h (dust)

· LD/LC50 values that are relevant for classification:			
CAS: 7790-62-7 dipotassium disulfate			
Oral	LD50	2500 mg/kg (ATE) (Read across 7664-93-9: LD₅₀(rat) = 2140 mg/kg, ECHA)	
Inhalative	LC50	0.5 mg/l/4h (ATE) (Aerosol) (Read across 7664-93-9: LD₅₀ (rat, 4h) = ~ 850 mg/m³, ECHA)	
	LC50.	0.375 mg/l/4h (rat) ECHA brief profile (read across)	

- · Primary irritant effect:
- · Skin corrosion/irritation

Causes severe skin burns and eye damage.

- · Serious eye damage/irritation
- Causes serious eye damage.

Risk of blindness!

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Printing date 31.03.2020

Version number 6

Revision: 31.03.2020

(Contd. of page 5)

Product name: Vario Phosphate RGT F10 ml

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) The following statements refer to the mixture:
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.
- STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met. · Aspiration hazard Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

SECTION 12: Ecological information

- 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Bacterial toxicity: sulphates toxic > 2.5 g/l
- Other information:
- Toxic for fish:
- sulphates > 7 g/l
- molybdenum compounds in general: > 25 mg/l
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.
- · 12.6 Other adverse effects
- Harmful effect due to pH shift.

Avoid transfer into the environment.

· Water hazard:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Hand over to disposers of hazardous waste.

European waste catalogue

16 05 06* laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals

· Uncleaned packagings:

- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information		
· 14.1 UN-Number · ADR, IMDG, IATA	UN2923	
 14.2 UN proper shipping name ADR 	2923 CORROSIVE SOLID, TOXIC, N.O.S. (dipotassium disulfate)	
· IMDG, IATA	CORROSIVE SOLID, TOXIC, N.O.S. (dipotassium disulfate)	
	(Contd. on page 7	

GB

Version number 6

Revision: 31.03.2020

Printing date 31.03.2020

Product name: Vario Phosphate RGT F10 ml

3 Transport hazard class(es) R	
R	
8	
	8 (CT2) Corrosive substances.
oel DG	8+6.1
iss Del	8 Corrosive substances. 8/6.1
Α	
iss pel	8 Corrosive substances. 8 (6.1)
4 Packing group R, IMDG, IATA	II
5 Environmental hazards: rine pollutant:	No
6 Special precautions for user	Warning: Corrosive substances.
mler Number: IS Number:	86 F-A,S-B
gregation groups	Acids
owage Category	В
owage Code	SW2 Clear of living quarters.
7 Transport in bulk according to Annex II of Marpol a IBC Code	and Not applicable.
insport/Additional information:	
R	
nited quantities (LQ)	1 kg
cepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 500 g
Insport category nnel restriction code	2 E
DG	
nited quantities (LQ)	1 kg
cepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g

SECTION 15: Regulatory information

 \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:

None of the ingredients is listed.

(Contd. on page 8)

Version number 6

Revision: 31.03.2020

Product name: Vario Phosphate RGT F10 ml

· Directive 2012/18/EU (SEVESO III):

· Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t

 \cdot Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

· Regulation (EU) No 649/2012

None of the ingredients is listed.

National regulations

· Information about limitation of use: Employment restrictions concerning young persons must be observed (94/33/EC).

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H331 Toxic if inhaled

H332 Harmful if inhaled.

H411 Toxic to aquatic life with long lasting effects.

· Training hints Provide adequate information, instruction and training for operators.

· Abbreviations and acronyms:

EC50: effective concentration, 50 percent (in vivo) STOT: specific target organ toxicity SE: single exposure RE: repeated exposure EC50: half maximal effective concentration IC50: hallf maximal inhibitory concentration NOEL or NOEC: No Observed Effect Level or Concentration ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - oral – Category 4 Acute Tox. 3: Acute toxicity - inhalation – Category 3 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

Sources

Data arise from safety data sheets, reference works and literature. ECHA: European CHemicals Agency http://echa.europa.eu

·* Data compared to the previous version altered.

(Contd. of page 7)

GB

Printing date 31.03.2020



Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.04.2020

Version number 25

Revision: 01.04.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- · Product name: Hydrol./Total Phosphate Acid Reagent
- · Catalog number: 251987, 251988
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation: Reagent for water analysis
- 1.3 Details of the supplier of the safety data sheet

· Supplier: Xylem Analytics Germany GmbH ŴTŴ Dr.-Karl-Slevogt-Straße 1 D 82362 Weilheim Germany Tel. +49 881 183-0

· Informing department: E-Mail: Info.WTW@Xyleminc.com

· 1.4 Emergency telephone number: Chemtrec (USA & Canada) 800-424-9300 (INTERNATIONAL) 001 703-527-3887

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008



Met. Corr.1 H290 May be corrosive to metals.



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

· 2.2 Label elements

· Signal word Warning

· Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms



Hazard statements H290 May be corrosive to metals. H315 Causes skin irritation. H319 Causes serious eye irritation. Precautionary statements P234 Keep only in original packaging. P280 Wear protective gloves / eye protection. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 IF exposed or concerned: Get medical advice/attention.

Version number 25

Revision: 01.04.2020

Product name: Hydrol./Total Phosphate Acid Reagent

P390

Absorb spillage to prevent material damage.

· 2.3 Other hazards No further relevant information available.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: sulfuric acid solution

· Dangerous components:			
CAS: 7664-93-9	sulphuric acid	Met. Corr.1, H290; Skin Corr. 1A, H314	5-10%
EINECS: 231-639-5			
Index No: 016-020-00-8			
Reg.nr.: 01-2119458838-20-XXXX			
• Additional information For the wording of the listed hazard phrases refer to section 16.			

SECTION 4: First aid measures

4.1 Description of first aid measures

- · General information Instantly remove any clothing soiled by the product.
- · After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact Instantly wash with water and soap and rinse thoroughly.
- · After eve contact
- Rinse opened eye for several minutes under running water (at least 15 min). If symptoms persist, consult doctor.
- After swallowing
- Rinse out mouth and then drink 1-2 glasses of water.
- Seek medical treatment.
- · 4.2 Most important symptoms and effects, both acute and delayed:
- irritations

after inhalation: mucosal irritations, Cough, Shortness of breath

- after swallowing:
- damage to the affected mucous membranes possible
- sickness
- vomiting
- diarrhoea

• 4.3 Indication of any immediate medical attention and special treatment needed: No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents Use fire fighting measures that suit the environment.

· 5.2 Special hazards arising from the substance or mixture

The product is not combustible.

Formation of toxic gases is possible during heating or in case of fire. Can be released in case of fire:

- Sulphur oxides (SOx)
- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained breathing apparatus. Wear full protective suit.

Additional information

Collect contaminated fire fighting water separately. It must not enter drains.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Ambient fire may liberate hazardous vapours.

(Contd. on page 3)

GB ·

Printing date 06.04.2020

(Contd. of page 1)

Version number 25

Revision: 01.04.2020

Product name: Hydrol./Total Phosphate Acid Reagent

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures
- · Advice for non-emergency personnel:

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

- Advice for emergency responders: Protective equipment: see section 8
- 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.
- 6.3 Methods and material for containment and cleaning up:
- Ensure adequate ventilation.

Use neutralising agent.

Printing date 06.04.2020

Neutralize with diluted sodium hydroxide solution.

Absorb with liquid-binding material (sand, diatomite, universal binders).

Dispose of contaminated material as waste according to item 13.

6.4 Reference to other sections See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling
- · Advice on safe handling: Ensure good ventilation/exhaustion at the workplace.
- · Hygiene measures:
- Avoid contact with the skin.
- Avoid contact with the eyes.

Take off immediately all contaminated clothing.

Wash hands during breaks and at the end of the work.

Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities

- · Storage
- · Requirements to be met by storerooms and containers: Store in cool location.
- · Information about storage in one common storage facility:

Store away from metals.

- Do not store together with alkalis (caustic solutions).
- Further information about storage conditions:
- Protect from heat and direct sunlight.
- Protect from the effects of light.
- Protect from humidity and keep away from water.
- Recommended storage temperature: 20°C +/- 5°C
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

•	8.1	Control	parameters
---	-----	---------	------------

Components with limit values that require monitoring at the workplace:		
CAS: 7664-93-9 sulphuric acid		
WEL (Great Britain)	Long-term value: 0.05* mg/m ³ *mist: defined as thoracic fraction	
IOELV (European Union)	Long-term value: 0.05 mg/m ³	
• Regulatory information WEL (Great Britain): EH40/2018 IOELV (European Union): (EU) 2017/164		

· Additional information: IOELV = Indicative Occupational Exposure Limit

· DNELs

Derived No Effect Level (DNEL)

CAS: 7664-93-9 sulphuric acid

Inhalative DNEL 0.1 mg/m ³ (Worker / acute / local effects)		0.1 mg/m ³ (Worker / acute / local effects)
		0.05 mg/m ³ (Worker / acute / systemic effects)

(Contd. on page 4)

Version number 25

Revision: 01.04.2020

(Contd. of page 3)

Product name: Hydrol./Total Phosphate Acid Reagent

· Recommended monitoring procedures:

Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms DIN EN 482 and DIN EN 689.

· PNECs

Printing date 06.04.2020

Predicted No Effect Concentration (PNEC)

CAS: 7664-93-9 sulphuric acid

 PNEC
 8.8 mg/l (Sewage treatment plant)

 0.00025 mg/l (Marine water)

 0.0025 mg/l (Fresh water)

 PNEC
 0.002 mg/kg (Marine sediment)

0.002 mg/kg (Fresh water sediment)

· Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

· Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

· Personal protective equipment

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.

- · Breathing equipment: Use breathing protection against the effects of fumes/dust/aerosol.
- Recommended filter device for short term use: Filter P2
- Protection of hands:
- Protective gloves.

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

- Material of gloves
- nitrile rubber, NBR
- Recommended thickness of the material: \geq 0.11 mm
- Penetration time of glove material

Value for the permeation: Level = 1 (< 10 min)

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection: Safety glasses
- · Body protection: Protective work clothing.

· Limitation and supervision of exposure into the environment:

Do not allow product to reach sewage system or water bodies.

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and • Appearance:	chemical properties
Form / Physical state: Colour:	Fluid Colourless
· Odour: · Odour threshold:	Odourless Not applicable
· pH-value at 20°C:	<1
 Melting point/Freezing point: Initial boiling point and boiling range 	Not determined : Not determined
· Flash point:	Not applicable
· Flammability (solid, gas):	Not applicable.
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not self-igniting.
• Explosive properties: • Flammability or explosive limits:	Product is not explosive.
Lower:	Not applicable

(Contd. on page 5)

Printing date 06.04.2020

Version number 25

Revision: 01.04.2020

Product name: Hydrol./Total Phosphate Acid Reagent

		(Contd. of page 4
Upper:	Not applicable	
· Oxidising properties:	none	
· Vapour pressure:	Not determined.	
Density at 20°C:	1.059 g/cm ³	
Relative density:	Not determined.	
Vapour density:	Not determined.	
Evaporation rate:	Not determined.	
· Solubility(ies):		
Water:	Fully miscible	
· Partition coefficient: n-octano	I/water: Not determined.	
· Viscosity:	Not determined.	
· Solvent content:		
Organic solvents:	0.0 %	
Water:	> 90 %	
· 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- 10.1 Reactivity see section 10.3
- · 10.2 Chemical stability Stable at ambient temperature (room temperature).
- 10.3 Possibility of hazardous reactions
- Corrosive action on metals
- Reacts with metals forming hydrogen (--> Explosive!)
- Heating occurs when water is added
- Reacts with reducing agents Reacts with acids and alkali (lyes).
- Reacts with ammonia (NH₃).
- **10.4 Conditions to avoid** No further relevant information available.
- 10.5 Incompatible materials:
- metals
- combustible substances
- organic solvents
- · 10.6 Hazardous decomposition products: see section 5

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- \cdot Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

CAS: 7664-93-9 sulphuric acid				
Oral	LD50	2140 mg/kg (rat) (IUCLID)		
	LC 50	2140 mg/kg (rat) (IUCLID) 510 mg/m ³ /2h (rat) IUCLID		

- · Primary irritant effect:
- · Skin corrosion/irritation
- Causes skin irritation.

 \cdot Serious eye damage/irritation Causes serious eye irritation.

· Information on components:

Skin irritation testing performed on 10% sulfuric acid showed slight to no irritation effects (GESTIS). CAS 7664-93-3: chronic: dermatitis

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) The following statements refer to the mixture:
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.

Version number 25

Revision: 01.04.2020

(Contd. of page 5)

Product name: Hydrol./Total Phosphate Acid Reagent

- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.
- STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met. • Aspiration hazard Based on available data, the classification criteria are not met.
- · Additional toxicological information:

Vapours and aerosols may be irritant to the mucous membranes and upper respiratory tract. Sulfuric acid: erosion of the teeth, cancer

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

Printing date 06.04.2020

- CAS: 7664-93-9 sulphuric acid
- EC50 >100 mg/l/48h (Daphnia magna) (OECD 202)
 - (ECHA)
- LC50 16–29 mg/l/96h (bluegill) (Merck)
- Restorial toxici
- Bacterial toxicity: sulphates toxic > 2.5 g/l
 Other information:
- Toxic for fish:
- sulphates > 7 g/l
- 12.2 Persistence and degradability .
- · Other information:
- Mixture of inorganic compounds.
- Methods for the determination of biodegradability are not applicable to inorganic substances.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very
- persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006. • 12.6 Other adverse effects
- Harmful effect due to pH shift.
- Forms corrosive mixtures with water even if diluted.
- Neutralisation possible in waste water treatment plants.
- Avoid transfer into the environment.
- · Water hazard:
- Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
- Must not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Hand over to disposers of hazardous waste.

· European waste catalogue

16 05 07 discarded inorganic chemicals consisting of or containing dangerous substances

- · Uncleaned packagings:
- \cdot **Recommendation:** Disposal must be made according to official regulations.
- \cdot Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information	
· 14.1 UN-Number	

· ADR, IMDG, IATA

UN2796

Printing date 06.04.2020

Version number 25

Revision: 01.04.2020

Product name: Hydrol./Total Phosphate Acid Reagent

	(Contd. of page (
· 14.2 UN proper shipping name · ADR · IMDG, IATA	2796 SULPHURIC ACID SULPHURIC ACID
· 14.3 Transport hazard class(es)	
· ADR	
· Class · Label	8 (C1) Corrosive substances. 8
· IMDG, IATA	
· Class · Label	8 Corrosive substances. 8
· 14.4 Packing group · ADR, IMDG, IATA	II
 14.5 Environmental hazards: Marine pollutant: 	No
 14.6 Special precautions for user Kemler Number: EMS Number: Segregation groups Stowage Category 	Warning: Corrosive substances. 80 F-A,S-B Acids B
\cdot 14.7 Transport in bulk according to Annex II of Marpol the IBC Code	and Not applicable.
· Transport/Additional information:	
 ADR Excepted quantities (EQ): Limited quantities (LQ) Excepted quantities (EQ) 	E1 1L Code: E2 Maximum net quantity per inner packaging: 30 ml
 Transport category Tunnel restriction code 	Maximum net quantity per outer packaging: 500 ml 2 E
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

 \cdot Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:

None of the ingredients is listed.

· Directive 2012/18/EU (SEVESO III):

• Named dangerous substances - ANNEX I None of the ingredients is listed.

• REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

Printing date 06.04.2020

Version number 25

Revision: 01.04.2020

Product name: Hydrol./Total Phosphate Acid Reagent

Regulation (EU) No 649/2012

None of the ingredients is listed.

National regulations

Information about limitation of use: Not required.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

• Training hints Provide adequate information, instruction and training for operators.

Abbreviations and acronyms:

ICAO: International Civil Aviation Organisation

EC50: effective concentration, 50 percent (in vivo)

OECD: Organisation for Economic Co-operation and Development

STOT: specific target organ toxicity SE: single exposure

RE: repeated exposure

EC50: half maximal effective concentration

IC50: hallf maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative Met. Corr.1: Corrosive to metals – Category 1

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

· Sources

Data arise from safety data sheets, reference works and literature. GESTIS- Stoffdatenbank (Substance Database, Germany) IUCLID (International Uniform Chemical Information Database) International Chemical Safety Cards (ICSCs)

* * Data compared to the previous version altered.

(Contd. of page 7)



Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.04.2020

Version number 15

Revision: 01.04.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- Product name: Vario Potassium Persulfate F10 ml
- · Catalog number: 251987, 251988
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation: Reagent for water analysis
- · 1.3 Details of the supplier of the safety data sheet

• Supplier: Xylem Analytics Germany GmbH WTW Dr.-Karl-Slevogt-Straße 1 D 82362 Weilheim Germany Tel. +49 881 183-0

· Informing department: E-Mail: Info.WTW@Xyleminc.com

· 1.4 Emergency telephone number: Chemtrec (USA & Canada) 800-424-9300 (INTERNATIONAL) 001 703-527-3887

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

H272 May intensify fire; oxidiser.



GHS03 flame over circle

Ox. Sol. 3

GHS08 health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.



Acute Tox. 4H302 Harmful if swallowed.Skin Irrit. 2H315 Causes skin irritation.Eye Irrit. 2H319 Causes serious eye irritation.Skin Sens. 1H317 May cause an allergic skin reaction.STOT SE 3H335 May cause respiratory irritation.

· 2.2 Label elements

• Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. • Hazard pictograms



 Signal word Danger
 Hazard-determining components of labelling: disodium peroxodisulphate Printing date 06.04.2020

Version number 15

Revision: 01.04.2020

Product name: Vario Potassium Persulfate F10 ml

potassium persulphate

• Hazard statements H272 May intensify fire; oxidiser.

- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H317 May cause an allergic skin reaction.
- H335 May cause respiratory irritation.
- Precautionary statements
- P261 Avoid breathing dust.
- P280 Wear protective gloves/protective clothing/eye protection.
- P302+P352 IF ON SKIN: Wash with plenty of water.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
- 2.3 Other hazards No further relevant information available.

· Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of inorganic compounds.

· Dangerous components:

· Dangerous components.			
CAS: 7775-27-1	disodium peroxodisulphate	90-100%	
EINECS: 231-892-1	Ox. Sol. 3, H272; Resp. Sens. 1, H334; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335		
CAS: 7727-21-1	potassium persulphate	5-<10%	
EINECS: 231-781-8	🚸 Ox. Sol. 3, H272; 🚸 Resp. Sens. 1, H334; 🚸 Acute Tox. 4, H302; Skin Irrit. 2, H315;		
Index No: 016-061-00-1	Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335		
Additional information For the wording of the listed bazard phrases refer to section 16			

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- \cdot 4.1 Description of first aid measures
- · General information Instantly remove any clothing soiled by the product.
- After inhalation Supply fresh air or oxygen; call for doctor.
- After skin contact
- Instantly rinse with water.
- If skin irritation continues, consult a doctor.
- · After eye contact Rinse opened eye for several minutes (at least 15 min) under running water. Then consult doctor.
- · After swallowing
- Rinse out mouth and then drink 1-2 glasses of water.
- Seek medical treatment.
- · 4.2 Most important symptoms and effects, both acute and delayed:
- allergic reactions irritations after inhalation: coughing breathing difficulty after swallowing: sickness vomiting gastric or intestinal trouble
- mucous membrane irritation
- headache
- · Danger

Danger of pulmonary oedema. risk of airways sensitization

(Contd. of page 1)

Version number 15

Revision: 01.04.2020

(Contd. of page 2)

Product name: Vario Potassium Persulfate F10 ml

risk of skin sensitization

Printing date 06.04.2020

· 4.3 Indication of any immediate medical attention and special treatment needed: No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · 5.2 Special hazards arising from the substance or mixture

The product is not combustible. Has a fire-promoting effect due to release of oxygen.

Risk of dust explosion

Formation of toxic gases is possible during heating or in case of fire.

Can be released in case of fire:

Sulphur oxides (SOx)

Sodium oxide

- · 5.3 Advice for firefighters
- Protective equipment:

Wear self-contained breathing apparatus. Wear full protective suit.

Additional information

Collect contaminated fire fighting water separately. It must not enter drains. Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Ambient fire may liberate hazardous vapours.

SECTION 6: Accidental release measures

- \cdot 6.1 Personal precautions, protective equipment and emergency procedures
- Advice for non-emergency personnel:

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation Avoid causing dust.

- Advice for emergency responders: Protective equipment: see section 8
- · 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.
- 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Collect mechanically.

Dispose of contaminated material as waste according to item 13.

- 6.4 Reference to other sections
- See Section 8 for information on personal protection equipment.
- See Section 13 for information on disposal.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling
- Advice on safe handling:

Ensure good ventilation/exhaustion at the workplace. Prevent formation of dust.

Thorough dedusting. • Hygiene measures:

Do not inhale dust / smoke / mist.

Avoid contact with the skin.

Avoid contact with the eyes.

Take off immediately all contaminated clothing.

Wash hands during breaks and at the end of the work.

Do not eat, drink or smoke when using this product.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and containers: Store in cool location.
- · Information about storage in one common storage facility:

Store away from flammable substances.

Store away from reducing agents.

Version number 15

Product name: Vario Potassium Persulfate F10 ml

- · Further information about storage conditions:
- Store in cool, dry conditions in well sealed containers. Protect from heat and direct sunlight. Protect from the effects of light. Store under dry conditions.
- Protect from humidity and keep away from water.
- Recommended storage temperature: 20°C +/- 5°C
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Printing date 06.04.2020

- · Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Recommended monitoring procedures:
- Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms DIN EN 482 and **DIN EN 689.**
- · Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- · Engineering measures:
- Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.
- · Personal protective equipment

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.

- Breathing equipment: Use breathing protection against the effects of fumes/dust/aerosol.
- · Recommended filter device for short term use: Filter P2
- · Protection of hands:
- Protective gloves.

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

Material of gloves nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

Penetration time of glove material

Value for the permeation: Level = 1 (< 10 min)

- The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye protection: Safety glasses
- · Body protection: Protective work clothing.
- · Limitation and supervision of exposure into the environment:

Do not allow product to reach sewage system or water bodies.

SECTION 9: Physical and chemical properties

 9.1 Information on basic physical and chemical properties Appearance: 		
Form / Physical state:	Powder	
Colour:	White	
· Odour:	Odourless	
· Odour threshold:	Not applicable	
· pH-value (9 g/l) at 20°C:	4.2	
· Melting point/Freezing point:	Not determined	
 Initial boiling point and boiling range 	: Not determined	
· Flash point:	Not applicable	
 Flammability (solid, gas): Ignition temperature: 	Contact with combustible material may cause fire. Not applicable	

(Contd. on page 5)

(Contd. of page 3)

Revision: 01.04.2020

Printing date 06.04.2020

Version number 15

Revision: 01.04.2020

Product name: Vario Potassium Persulfate F10 ml

		(Contd. of page 4)
· Decomposition temperature:	> 100°C (CAS 7727-21-1)	
· Auto-ignition temperature:	Product is not self-igniting.	
· Explosive properties:	Product is not explosive. Risk of dust explosion if enriched with fine dust in presence of air	
 Flammability or explosive limits: Lower: Upper: 	Not determined. Not determined.	
· Oxidising properties:	May intensify fire; oxidiser.	
 Vapour pressure: Density at 20°C: Relative density: Vapour density: Evaporation rate: 	Not applicable. 2.41 g/cm ³ Not determined. Not applicable. Not applicable.	
· Solubility(ies): Water:	Soluble	
· Partition coefficient: n-octanol/water:	Not applicable.	
· Viscosity:	Not applicable.	
 Solvent content: Organic solvents: Solids content: 	0.0 % 100.0 %	
· 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity Risk of dust explosion

- 10.2 Chemical stability Stable at ambient temperature (room temperature).
- · 10.3 Possibility of hazardous reactions
- Reacts with alcohols
- Reacts with reducing agents
- Reacts with heavy metals
- Reacts with strong acids and alkali
- · 10.4 Conditions to avoid
- Exposure to moisture.
- Strong heating (decomposition)
- · 10.5 Incompatible materials: combustible substances
- 10.6 Hazardous decomposition products:
- oxygen
- see section 5

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity

Classification according to calculation procedure: Harmful if swallowed

		mate (ATE _{MIN}) - Calculation method:	
Oral CLP		008 mg/kg (.)	
· LD/LC50	values th	at are relevant for classification:	
CAS: 777	5-27-1 di	sodium peroxodisulphate	
Oral	LD50	920 mg/kg (rat) (IUCLID)	
Dermal	LD50	>10000 mg/kg (rabbit)	
Inhalative	LC50.	>5.1 mg/l/4h (rat) (ECHA: no deaths at this concentration $LC_0=>5.1$)	
			(Contd. on page 6)
			GB —

Printing date 06.04.2020

Version number 15

Revision: 01.04.2020

Product name: Vario Potassium Persulfate F10 ml

CAS: 7727-21- Oral LD5 Dermal LD5 Primary irritan Skin corrosior Causes skin irr Serious eye da Information or CAS 7775-27-1 CAS: 7775-27- Irritation of skin	50 802 mg (RTEC 50 >10000 nt effect: n/irritation ritation. amage/irritation n components 1: chronic: deri -1 disodium p	persulphate //kg (rat) S) D mg/kg (rabbit) on Causes serious eye irritation. S: matitis eroxodisulphate
Oral LD5 Dermal LD5 Primary irritan Skin corrosion Causes skin irr Serious eye da Information or CAS 7775-27-1 CAS: 7775-27- Irritation of skin	50 802 mg (RTEC 50 >10000 nt effect: n/irritation ritation. amage/irritation n components 1: chronic: deri -1 disodium p	/kg (rat) S) o mg/kg (rabbit) on Causes serious eye irritation. s: natitis eroxodisulphate
Primary irritan Skin corrosior Causes skin irr Serious eye da Information or CAS 7775-27-1 CAS: 7775-27- Irritation of skin	50 >10000 nt effect: n/irritation ritation. amage/irritation n components 1: chronic: deri -1 disodium p	on Causes serious eye irritation. s: natitis eroxodisulphate
Skin corrosior Causes skin irr Serious eye da Information or CAS 7775-27-1 CAS: 7775-27- Irritation of skin	n/irritation ritation. amage/irritati n components 1: chronic: deri -1 disodium p	s: natitis eroxodisulphate
Skin corrosion Causes skin irr Serious eye da Information or CAS 7775-27-1 CAS: 7775-27- Irritation of skin	n/irritation ritation. amage/irritati n components 1: chronic: deri -1 disodium p	s: natitis eroxodisulphate
Causes skin irr Serious eye da Information or CAS 7775-27-1 CAS: 7775-27- Irritation of skin	ritation. amage/irritation n components 1: chronic: deri -1 disodium p	s: natitis eroxodisulphate
Information or CAS 7775-27-1 CAS: 7775-27- Irritation of skin	n components 1: chronic: derr -1 disodium p	s: natitis eroxodisulphate
CAS 7775-27-1 CAS: 7775-27- Irritation of skin	1: chronic: deri -1 disodium p	natitis eroxodisulphate
CAS: 7775-27- Irritation of skin	-1 disodium p	eroxodisulphate
Irritation of skin	•	•
	n OECD 404	
Irritation of eye		(ÈCHA: read-across CAS 7727-54-0 Diammonium persulfate)
	es OECD 405	(rabbit: slight irritation) (ECHA: read-across CAS 7727-54-0 Diammonium persulfate)
CAS: 7727-21-		
Irritation of skin	n OECD 404	(rabbit: slight irritation) (ECHA: read-across CAS 7727-54-0 Diammonium persulfate)
Irritation of eye	es OECD 405	(rabbit: slight irritation) (ECHA: read-across CAS 7727-54-0 Diammonium persulfate)
Respiratory or May cause alle May cause an a	ergy or asthma	symptoms or breathing difficulties if inhaled.
Information or		
CAS: 7775-27-	-1 disodium p	eroxodisulphate
Sensitisation C	OECD 406 (g	uinea pig: positive)
Germ cell mut Carcinogenici	tagenicity Bas ity Based on a	, mutagenicity and toxicity for reproduction) The following statements refer to the mixture: ed on available data, the classification criteria are not met. vailable data, the classification criteria are not met. d on available data, the classification criteria are not met.
May cause resp STOT (specific	piratory irritation c target organ	toxicity) -repeated exposure Based on available data, the classification criteria are not met.
Aspiration haz Information or		available data, the classification criteria are not met.
	-	eroxodisulphate
OECD 471 (no		erial Reverse Mutation Test - Ames test)
	,	ormation: Other dangerous properties can not be excluded.

SECTION 12: Ecological information

	12.1 Toxicity		
-	· Aquatic toxicity:		
CAS: 7	775-27-1 disodium peroxodisulphate		
EC50	133 mg/l/48h (Daphnia magna)		
NOEC	91.7 mg/l/96h (rainbow trout) (ECHA)		
NOEC	67.6 mg/l/48 h (Daphnia magna) (ECHA)		
LC50	771 mg/l/96h (bluegill)		
	163 mg/l/96h (rainbow trout) (ECHA)		
	(Contd. on page 7) GB —		

Printing date 06.04.2020

Version number 15

Revision: 01.04.2020

Product name: Vario Potassium Persulfate F10 ml

d toxic (PBT) or very
1 toxic (PBT) or very
toxic (PBT) or very
toxic (PBT) or very
toxic (PBT) or very
toxic (PBT) or very
d toxic (PBT) or very
toxic (PBT) or very
toxic (PBT) or very
n (EC) No. 1907/2006.
(-)
system.
System.
em.
N.O.S.
N.O.S. S.

Printing date 06.04.2020

Version number 15

Revision: 01.04.2020

Product name: Vario Potassium Persulfate F10 ml

	(Contd. of page 7
· Label	5.1
Class Label	5.1 Oxidising substances. 5.1
· 14.4 Packing group · ADR, IMDG, IATA	111
· 14.5 Environmental hazards:	Not applicable.
 14.6 Special precautions for user Kemler Number: EMS Number: Stowage Category Segregation Code 	Warning: Oxidising substances. 50 F-A,S-Q A SG40 Stow "separated from" SGG2-ammonium compounds other than mixtures of ammonium persulphates and/or potassium persulphates and/or sodium persulphates. SG49 Stow "separated from" SGG6-cyanides
 14.7 Transport in bulk according to Annex II of the IBC Code 	i Marpol and Not applicable.
· Transport/Additional information:	
 ADR Limited quantities (LQ) Excepted quantities (EQ) 	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· Transport category · Tunnel restriction code	3 E
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:

None of the ingredients is listed.

· Directive 2012/18/EU (SEVESO III):

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category P8 OXIDISING LIQUIDS AND SOLIDS

- \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements $50\ t$
- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

· Regulation (EU) No 649/2012

None of the ingredients is listed.

· National regulations

· Information about limitation of use: Employment restrictions concerning young persons must be observed (94/33/EC).

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 9)

GB

Printing date 06.04.2020

Version number 15

Revision: 01.04.2020

Product name: Vario Potassium Persulfate F10 ml

(Contd. of page 8)

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H272 May intensify fire; oxidiser.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

· Training hints Provide adequate information, instruction and training for operators.

Abbreviations and acronyms:

OECD: Organisation for Economic Co-operation and Development STOT: specific target organ toxicity

SE: single exposure

RE: repeated exposure

EC50: half maximal effective concentration IC50: hallf maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of

Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Ox. Sol. 3: Oxidizing solids – Category 3 Acute Tox. 4: Acute toxicity - oral – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Resp. Sens. 1: Respiratory sensitisation - Category 1

Skin Sens. 1: Skin sensitisation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Sources

Data arise from safety data sheets, reference works and literature. ECHA: European CHemicals Agency http://echa.europa.eu GESTIS- Stoffdatenbank (Substance Database, Germany) IUCLID (International Uniform Chemical Information Database)

• * Data compared to the previous version altered.

GB



Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Version number 17

Revision: 05.07.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Product name: Vario Sodium hydroxide 1.54 N
- · Catalog number: 251987, 251988
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation: Reagent for water analysis
- · 1.3 Details of the supplier of the safety data sheet

• Supplier: Xylem Analytics Germany GmbH WTW Dr.-Karl-Slevogt-Straße 1 82362 Weilheim Germany Tel. +49 881 183-0

· Informing department: E-Mail: Info.WTW@Xyleminc.com

· 1.4 Emergency telephone number: Chemtrec (USA & Canada) 800-424-9300 (INTERNATIONAL) 001 703-527-3887

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

· 2.2 Label elements

• Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. • Hazard pictograms



- · Signal word Danger
- Hazard-determining components of labelling:

sodium hydroxide

- Hazard statements
- H290 May be corrosive to metals.
- H314 Causes severe skin burns and eye damage.

· Precautionary statements

- P280 Wear protective gloves/protective clothing/eye protection.
- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P308+P313 IF exposed or concerned: Get medical advice/attention.
- P390 Absorb spillage to prevent material damage.

 \cdot 2.3 Other hazards No further relevant information available.

Version number 17

Revision: 05.07.2018

(Contd. of page 1)

Product name: Vario Sodium hydroxide 1.54 N

· Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: aqueous solution

· Dangerous components:

Printing date 05.07.2018

CAS: 1310-73-2 EINECS: 215-185-5 Index No: 011-002-00-6 Reg.nr.: 01-2119457892-27-XXXX	sodium hydroxide	♦ Met. Corr.1, H290; Skin Corr. 1A, H314	5–10%	
• Additional information For the wording of the listed hazard phrases refer to section 16.			1	

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information Instantly remove any clothing soiled by the product.

- After inhalation Supply fresh air.
- Call a doctor immediately.
- · After skin contact

Instantly wash with polyethylene glycol 400.

Instantly rinse with water.

Immediate medical treatment necessary. Failure to treat burns can prevent wounds from healing.

· After eye contact

Rinse opened eye for several minutes (at least 15 min) under running water.

Call a doctor immediately.

After swallowing

Rinse out mouth and then drink 1-2 glasses of water.

Do not induce vomiting; instantly call for medical help.

- 4.2 Most important symptoms and effects, both acute and delayed:

burns after inhalation: coughing breathing difficulty damage to the affected mucous membranes possible after swallowing: strong caustic effect. pain

4.3 Indication of any immediate medical attention and special treatment needed:

If swallowed or in case of vomiting, danger of entering the lungs

Subsequent observation for pneumonia and pulmonary oedema

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- \cdot 5.2 Special hazards arising from the substance or mixture

The product is not combustible.

Formation of toxic gases is possible during heating or in case of fire.

· 5.3 Advice for firefighters

· Protective equipment:

Wear self-contained breathing apparatus.

- Wear full protective suit.
- Additional information

Collect contaminated fire fighting water separately. It must not enter drains.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

(Contd. on page 3)

Version number 17

Revision: 05.07.2018

Product name: Vario Sodium hydroxide 1.54 N

Ambient fire may liberate hazardous vapours.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel:

Wear protective equipment. Keep unprotected persons away.

Avoid substance contact.

Ensure adequate ventilation

Use breathing protection against the effects of fumes/dust/aerosol.

- Advice for emergency responders: Protective equipment: see section 8
- 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.

· 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation. Use neutralising agent.

Absorb with liquid-binding material (sand, diatomite, universal binders).

Dispose of contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling
- · Advice on safe handling: No special precautions necessary if used correctly.
- · Hygiene measures:
- Do not inhale gases / fumes / aerosols.
- Do not get in eyes, on skin, or on clothing.

Take off immediately all contaminated clothing.

Wash hands during breaks and at the end of the work.

Do not eat, drink or smoke when using this product.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage
- · Requirements to be met by storerooms and containers: Store in cool location.
- · Information about storage in one common storage facility:
- Store away from metals.
- Do not store together with acids.
- Further information about storage conditions: Protect from heat and direct sunlight.
- Protect from the effects of light.
- Protect from humidity and keep away from water.
- Recommended storage temperature: 20°C +/- 5°C
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

 Components with limit values that require monitoring at the workplace: 		
CAS: 1310-73-2 sodium hydroxide		
WEL (Great Britain)	Short-term value: 2 mg/m ³	
OEL (Sweden)	Short-term value: 2 mg/m³ Long-term value: 1 mg/m³ inhalerbart damm	
• Regulatory information WEL (Great Britain): EH40/2011		

OEL (Sweden): AFS2015:7

· DNELs

Derived No Effect Level (DNEL)

(Contd. of page 2)

Version number 17

Revision: 05.07.2018

Product name: Vario Sodium hydroxide 1.54 N

	(Contd. of page 3
CAS: 1310-73-2 sodium hydroxide	
Inhalative DNEL 1 mg/m ³ (Worker /	
<u> </u>	er / long-term / local effects)
Recommended monitoring proced Methods for measurement of the wor DIN EN 689.	ures: kplace atmosphere have to correspond to the requirements of norms DIN EN 482 and
\cdot Additional information: The lists that	at were valid during the compilation were used as basis.
· 8.2 Exposure controls	
• Engineering measures: Technical measures and appropriate See item 7.	working operations should be given priority over the use of personal protective equipment
Recommended filter device for sho Protection of hands: Alkaline resistant gloves	skin-protecting agents is recommended. ng agents and skin cosmetics. erial: \geq 0.11 mm < 10 min)
	othing. osure into the environment:
The exact break trough time has to b Eye protection: Tightly sealed safety Body protection: Protective work clo Limitation and supervision of expo Do not allow product to reach sewage SECTION 9: Physical and ch	y glasses. othing. osure into the environment: e system or water bodies. memical properties
The exact break trough time has to b • Eye protection: Tightly sealed safety • Body protection: Protective work clo • Limitation and supervision of expo Do not allow product to reach sewage	y glasses. othing. osure into the environment: e system or water bodies. memical properties
The exact break trough time has to b Eye protection: Tightly sealed safety Body protection: Protective work clo Limitation and supervision of expo Do not allow product to reach sewage SECTION 9: Physical and ch • 9.1 Information on basic physical a • Appearance: Form / Physical state:	y glasses. obting. osure into the environment: e system or water bodies. memical properties and chemical properties Fluid Colourless Odourless
The exact break trough time has to b • Eye protection: Tightly sealed safety • Body protection: Protective work clo • Limitation and supervision of expo Do not allow product to reach sewage • SECTION 9: Physical and ch • 9.1 Information on basic physical a • Appearance: Form / Physical state: Colour: • Odour:	y glasses. othing. osure into the environment: e system or water bodies. memical properties and chemical properties Fluid Colourless
The exact break trough time has to b Eye protection: Tightly sealed safety Body protection: Protective work clo Limitation and supervision of expo Do not allow product to reach sewage SECTION 9: Physical and ch 9.1 Information on basic physical a Appearance: Form / Physical state: Colour: Odour: Odour threshold:	y glasses. obsure into the environment: e system or water bodies. memical properties and chemical properties Fluid Colourless Odourless Not applicable ~13.5 Strongly alkaline Not determined
The exact break trough time has to b Eye protection: Tightly sealed safety Body protection: Protective work clo Limitation and supervision of expo Do not allow product to reach sewage SECTION 9: Physical and ch 9.1 Information on basic physical a Appearance: Form / Physical state: Colour: Odour: Odour threshold: pH-value at 20°C: Melting point/Freezing point:	y glasses. obsure into the environment: e system or water bodies. memical properties and chemical properties Fluid Colourless Odourless Not applicable ~13.5 Strongly alkaline Not determined
The exact break trough time has to b Eye protection: Tightly sealed safety Body protection: Protective work clo Limitation and supervision of expo Do not allow product to reach sewage SECTION 9: Physical and ch 9.1 Information on basic physical a Appearance: Form / Physical state: Colour: Odour: Odour threshold: pH-value at 20°C: Melting point/Freezing point: Initial boiling point and boiling ran	y glasses. bothing. bosure into the environment: e system or water bodies. memical properties and chemical properties Fluid Colourless Odourless Not applicable ~13.5 Strongly alkaline Not determined oge: ~100°C
The exact break trough time has to b Eye protection: Tightly sealed safety Body protection: Protective work clo Limitation and supervision of expo Do not allow product to reach sewage SECTION 9: Physical and ch 9.1 Information on basic physical a Appearance: Form / Physical state: Colour: Odour: Odour threshold: pH-value at 20°C: Melting point/Freezing point: Initial boiling point and boiling ran Flash point:	y glasses. bothing. bosure into the environment: e system or water bodies. emical properties and chemical properties Fluid Colourless Not applicable ~13.5 Strongly alkaline Not determined age: ~100°C Not applicable
The exact break trough time has to b Eye protection: Tightly sealed safety Body protection: Protective work clo Limitation and supervision of expor Do not allow product to reach sewage SECTION 9: Physical and ch 9.1 Information on basic physical a Appearance: Form / Physical state: Colour: Odour: Odour threshold: pH-value at 20°C: Melting point/Freezing point: Initial boiling point and boiling ran Flash point: Flammability (solid, gas):	y glasses. bothing. bosure into the environment: e system or water bodies. emical properties and chemical properties Fluid Colourless Odourless Not applicable ~13.5 Strongly alkaline Not determined oge: ~100°C Not applicable Not applicable Not applicable
The exact break trough time has to b Eye protection: Tightly sealed safety Body protection: Protective work clo Limitation and supervision of expo Do not allow product to reach sewage SECTION 9: Physical and ch 9.1 Information on basic physical a Appearance: Form / Physical state: Colour: Odour: Odour threshold: pH-value at 20°C: Melting point/Freezing point: Initial boiling point and boiling ran Flash point: Flammability (solid, gas): Decomposition temperature: Auto-ignition temperature: Explosive properties: Flammability or explosive limits:	y glasses. bothing. beure into the environment: e system or water bodies. remical properties and chemical properties Fluid Colourless Odourless Not applicable ~13.5 Strongly alkaline Not determined nge: ~100°C Not applicable Not applicable Not applicable Not applicable Not applicable Product is not self-igniting. Product is not explosive.
The exact break trough time has to b Eye protection: Tightly sealed safety Body protection: Protective work clo Limitation and supervision of expo Do not allow product to reach sewage SECTION 9: Physical and ch 9.1 Information on basic physical a Appearance: Form / Physical state: Colour: Odour: Odour threshold: pH-value at 20°C: Melting point/Freezing point: Initial boiling point and boiling ran Flash point: Flammability (solid, gas): Decomposition temperature: Auto-ignition temperature: Explosive properties:	y glasses. bothing. bosure into the environment: e system or water bodies. emical properties and chemical properties Fluid Colourless Odourless Odourless Not applicable ~13.5 Strongly alkaline Not determined not determined not etermined Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Product is not self-igniting.

Not determined.

Not determined.

Not determined.

1.07 g/cm³

(Contd. on page 5)

Printing date 05.07.2018

· Vapour pressure:

Density at 20°C:

· Relative density:

· Vapour density:

Version number 17

Revision: 05.07.2018

Product name: Vario Sodium hydroxide 1.54 N

		(Contd. of page 4)
· Evaporation rate:	Not determined.	
· Solubility(ies):		
Water:	Fully miscible	
· Partition coefficient: n-octano	/water: Not determined.	
· Viscosity:	Not determined.	
· Solvent content:		
Organic solvents:	0.0 %	
Water:	> 90 %	
Solids content:	< 10 %	
· 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity see section 10.3

- · 10.2 Chemical stability Stable at ambient temperature (room temperature).
- 10.3 Possibility of hazardous reactions
- Corrosive action on metals
- Reacts with metals forming hydrogen (--> Explosive!)
- Corrodes aluminium
- Exothermic reaction with acids
- \cdot 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials:
- metals light metals organic substances aluminium
- zinc
- · 10.6 Hazardous decomposition products: see section 5

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:	
CAS: 1310-73-2 sodium hydroxide	
Oral LDLo 500 mg/kg (rabbit)	
(IUCLID)	

- · Primary irritant effect:
- · Skin corrosion/irritation
- Causes severe skin burns and eye damage.
- · Serious eye damage/irritation
- Causes serious eye damage.
- Risk of blindness!

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· Information on components:

- CAS: 1310-73-2 sodium hydroxide
- Sensitisation Patch test (human) (negative)
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) The following statements refer to the mixture:
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
 Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.
- STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

Version number 17

Revision: 05.07.2018

Product name: Vario Sodium hydroxide 1.54 N

Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

SECTION 12: Ecological information

12.1 Toxicity

· Aquatic toxicity:

CAS: 1310-73-2 sodium hydroxide

LC50 40.4 mg/l/48h (Ceriodaphnia sp.) (ECHA)

Bacterial toxicity:

CAS: 1310-73-2 sodium hydroxide

EC50 22 mg/l (Photobacterium phosphoreum) (15 min)

12.2 Persistence and degradability.

Other information:

Mixture of inorganic compounds.

Methods for the determination of biodegradability are not applicable to inorganic substances.

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

12.6 Other adverse effects

Harmful effect due to pH shift.

Forms corrosive mixtures with water even if diluted.

Neutralisation possible in waste water treatment plants.

Avoid transfer into the environment.

Water hazard:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Hand over to disposers of hazardous waste.

European waste catalogue

16 05 07* discarded inorganic chemicals consisting of or containing hazardous substances

Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

· Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information · 14.1 UN-Number · ADR, IMDG, IATA UN1824 14.2 UN proper shipping name · ADR **1824 SODIUM HYDROXIDE SOLUTION** · IMDG, IATA SODIUM HYDROXIDE SOLUTION (Contd. on page 7)

GB -

(Contd. of page 5)

Printing date 05.07.2018

Version number 17

Revision: 05.07.2018

Product name: Vario Sodium hydroxide 1.54 N

	(Contd. of page 6
· 14.3 Transport hazard class(es)	
ADR	
8	
· Class	8 (C5) Corrosive substances.
·Label	8
· IMDG, IATA	
	0 Corrective substances
· Class · Label	8 Corrosive substances. 8
· 14.4 Packing group	<u> </u>
· ADR, IMDG, IATA	II
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Warning: Corrosive substances.
· Kemler Number: · EMS Number:	80
· Segregation groups	F-A,S-B Alkalis
· Stowage Category	A
· Segregation Code	SG35 Stow "separated from" acids.
\cdot 14.7 Transport in bulk according to Annex II of Marpol at	
the IBC Code	Not applicable.
· Transport/Additional information:	
ADR	
Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
Transport category Tunnel restriction code	2
	E
· IMDG · Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

 \cdot Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:

None of the ingredients is listed.

· Directive 2012/18/EU (SEVESO III):

Named dangerous substances - ANNEX I None of the ingredients is listed.

• REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· Regulation (EU) No 649/2012

None of the ingredients is listed.

· Information about limitation of use: Employment restrictions concerning young persons must be observed.

Version number 17

Revision: 05.07.2018

Product name: Vario Sodium hydroxide 1.54 N

(Contd. of page 7)

GB -

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

Printing date 05.07.2018

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

· Training hints Provide adequate information, instruction and training for operators.

· Abbreviations and acronyms:

OECD: Organisation for Economic Co-operation and Development STOT: specific target organ toxicity SE: single exposure RE: repeated exposure EC50: half maximal effective concentration IC50: hallf maximal inhibitory concentration NOEL or NOEC: No Observed Effect Level or Concentration ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Met. Corr.1: Corrosive to metals - Category 1 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Sources

Data arise from safety data sheets, reference works and literature. IUCLID (International Uniform Chemical Information Database) ECHA: European CHemicals Agency http://echa.europa.eu

·* Data compared to the previous version altered.