

**SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006

Version 6.3

Revision Date 05.10.2022

Print Date 25.10.2022

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifiers**

Product name : Nitrogen (total) Cell Test Method:  
photometric, DMP 0.5 - 15.0 mg/l N  
Spectroquant®

Product Number : 1.00613  
Catalogue No. : 100613  
Brand : Millipore  
REACH No. : This product is a mixture. REACH Registration Number see  
section 3.

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified uses : Reagent for analysis

**1.3 Details of the supplier of the safety data sheet**

Company : Merck KGaA  
Frankfurter Str. 250  
D-64271 DARMSTADT

Telephone : +49 (0)6151 72-0  
Fax : +49 6151 727780  
E-mail address : TechnicalService@merckgroup.com

**1.4 Emergency telephone**

Emergency Phone # : +(44)-870-8200418 (CHEMTREC (GB))  
+(353)-19014670 (CHEMTREC Ireland)  
001-803-017-9114 (CHEMTREC India)

This is a summary SDS for a kit. For the full SDS for each of the components listed in section 16 please visit our website.

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

Flammable liquids (Category 3), H226  
Oxidizing liquids (Category 3), H272  
Corrosive to Metals (Category 1), H290  
Acute toxicity, Oral (Category 4), H302  
Skin corrosion (Sub-category 1A), H314  
Serious eye damage (Category 1), H318  
Respiratory sensitization (Category 1), H334



Skin sensitization (Category 1), H317

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 Label elements

### Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal Word

Danger

Hazard statement(s)

H226

Flammable liquid and vapor.

H272

May intensify fire; oxidizer.

H290

May be corrosive to metals.

H302

Harmful if swallowed.

H314

Causes severe skin burns and eye damage.

H317

May cause an allergic skin reaction.

H334

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335

May cause respiratory irritation.

Precautionary statement(s)

P210

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280

Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P312

IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell.

P303 + P361 + P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304 + P340 + P310

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Supplemental Hazard Statements

none

### Reduced Labeling (<= 125 ml)

Pictogram



Signal Word

Danger

Hazard statement(s)

H334

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317

May cause an allergic skin reaction.

H314

Causes severe skin burns and eye damage.

Precautionary statement(s)

P280

Wear protective gloves/ protective clothing/ eye protection/ face protection.

P303 + P361 + P353

IF ON SKIN (or hair): Take off immediately all contaminated



P304 + P340 + P310	clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard Statements	none

### 2.3 Other hazards - none

---

## SECTION 3: Composition/information on ingredients

Refer to component SDS

---

## SECTION 4: First aid measures

Refer to component SDS

---

## SECTION 5: Firefighting measures

Refer to component SDS

---

## SECTION 6: Accidental release measures

Refer to component SDS

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

No metal containers.

Tightly closed. Away from combustible materials and sources of ignition and heat. Keep locked up or in an area accessible only to qualified or authorized persons. Do not store near combustible materials.

Recommended storage temperature see product label.

#### Storage class

Storage class (TRGS 510): 5.1B: Oxidizing hazardous materials



### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## SECTION 8: Exposure controls/personal protection

Refer to component SDS

---

## SECTION 9: Physical and chemical properties

Refer to component SDS

---

## SECTION 10: Stability and reactivity

Refer to component SDS

---

## SECTION 11: Toxicological information

Refer to component SDS

---

## SECTION 12: Ecological information

Refer to component SDS

---

## SECTION 13: Disposal considerations

Refer to component SDS

---

## SECTION 14: Transport information

### 14.1 UN number

ADR/RID: 3316

IMDG: 3316

IATA: 3316

### 14.2 UN proper shipping name

ADR/RID: CHEMICAL KIT

IMDG: CHEMICAL KIT

IATA: Chemical kit

### 14.3 Transport hazard class(es)

ADR/RID: 9

IMDG: 9

IATA: 9

### 14.4 Packaging group

ADR/RID: II

IMDG: II

IATA: II

### 14.5 Environmental hazards

ADR/RID: no

IMDG Marine pollutant: no

IATA: no

### 14.6 Special precautions for user

No data available



---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Refer to component SDS

### 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

---

## SECTION 16: Other information

### Kit Components:

N	Millipore	218670	Met. Corr. 1; Skin Corr. 1A; Eye Dam. 1; H290, H314
N-1K	Millipore	270726	Ox. Sol. 3; Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2; Resp. Sens. 1; Skin Sens. 1; STOT SE 3; H272, H302, H315, H317, H319, H334, H335
N-2K	Millipore	218632	Met. Corr. 1; Skin Corr. 1A; Eye Dam. 1; H290, H314
N-3K	Millipore	218500	Flam. Liq. 3; Eye Irrit. 2; H226, H319



## Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Classification of the mixture

Flam. Liq.3	H226
Ox. Liq.3	H272
Met. Corr.1	H290
Acute Tox.4	H302
Skin Corr.1A	H314
Eye Dam.1	H318
Resp. Sens.1	H334
Skin Sens.1	H317
STOT SE3	H335

### Classification procedure:

Based on product data or assessment
Calculation method
Calculation method
Calculation method
Calculation method
Calculation method
Calculation method
Calculation method

### Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the




present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).





## Kit Components:

N					
Product identifier	Pictogram	Signal Word	Hazard Statements	Precautionary Statements	Supplemental information
Millipore - 218670		Danger	May be corrosive to metals. Causes severe skin burns and eye damage.	Keep only in original packaging. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Wear protective gloves/ protective clothing/ eye protection/ face protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	






<b>N-1K</b>					
Product identifier	Pictogram	Signal Word	Hazard Statements	Precautionary Statements	Supplemental information
Millipore - 270726		Danger	<p>May intensify fire; oxidizer.</p> <p>Harmful if swallowed.</p> <p>Causes skin irritation.</p> <p>May cause an allergic skin reaction.</p> <p>Causes serious eye irritation.</p> <p>May cause allergy or asthma symptoms or breathing difficulties if inhaled.</p> <p>May cause respiratory irritation.</p>	<p>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Wear protective gloves/ protective clothing/ eye protection/ face protection. IF ON SKIN: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p>	

<b>N-2K</b>					
Product identifier	Pictogram	Signal Word	Hazard Statements	Precautionary Statements	Supplemental information
Millipore - 218632		Danger	<p>May be corrosive to metals.</p> <p>Causes severe skin burns and</p>	<p>Keep only in original packaging. IF ON SKIN (or hair): Take off</p>	



			eye damage.	immediately all contaminated clothing. Rinse skin with water. Wear protective gloves/ protective clothing/ eye protection/ face protection. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Wash contaminated clothing before reuse.	
--	--	--	-------------	--	--

<b>N-3K</b>					
Product identifier	Pictogram	Signal Word	Hazard Statements	Precautionary Statements	Supplemental information
Millipore - 218500		Warning	Flammable liquid and vapor. Causes serious eye irritation.	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep	



				container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use non-sparking tools.	
--	--	--	--	--	--

