

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 6.4 Revision Date 14.06.2023 Print Date 17.06.2023

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1 Product identifiers

Product name : Cadmium Test Method: photometric 0.002 -

0.500 mg/l Cd Spectroquant®

Product Number : 1.01745 Catalogue No. : 101745 Brand : Millipore

REACH No. : This product is a mixture. REACH Registration Number see

section 3.

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagent for analysis

# 1.3 Details of the supplier of the safety data sheet

Company : Merck KGaA

Frankfurter Str. 250 D-64271 DARMSTADT

Telephone : +49 (0)6151 72-0 Fax : +49 6151 727780

E-mail address : TechnicalService@merckgroup.com

1.4 Emergency telephone

Emergency Phone # : +(44)-870-8200418 (CHEMTREC (GB))

+(353)-19014670 (CHEMTREC Ireland) 001-803-017-9114 (CHEMTREC India)

This is a summary SDS for a kit. For the full SDS for each of the components listed in section 16 please visit our website.

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

## Classification according to Regulation (EC) No 1272/2008

Flammable liquids (Category 3), H226 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332 Acute toxicity, Dermal (Category 4), H312 Eye irritation (Category 2), H319

Millipore- 1.01745 Page 1 of 10



Carcinogenicity (Category 2), H351

Reproductive toxicity (Category 1B), H360FD

Long-term (chronic) aquatic hazard (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word Danger

Hazard statement(s)

H226 Flammable liquid and vapor.

H302 + H312 + H332 Harmful if swallowed, in contact with skin or if inhaled.

H319 Causes serious eye irritation. H351 Suspected of causing cancer.

H360FD May damage fertility. May damage the unborn child.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Call a POISON CENTER/ doctor if you feel unwell.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Supplemental Hazard

Statements

none

Reduced Labeling (<= 125 ml)

Pictogram

Signal Word Danger

The life science business of Merck operates as MilliporeSigma in the US and

Hazard statement(s)

H351 Suspected of causing cancer.

H360FD May damage fertility. May damage the unborn child.

Precautionary statement(s)

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Supplemental Hazard

Statements

Canada

none

Millipore- 1.01745 Page 2 of 10

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

Refer to component SDS

#### **SECTION 4: First aid measures**

Refer to component SDS

# **SECTION 5: Firefighting measures**

Refer to component SDS

#### SECTION 6: Accidental release measures

Refer to component SDS

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

## Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

## Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

Recommended storage temperature see product label.

# Storage class

Storage class (TRGS 510): 3: Flammable liquids

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Millipore- 1.01745 Page 3 of 10

## SECTION 8: Exposure controls/personal protection

Refer to component SDS

## **SECTION 9: Physical and chemical properties**

Refer to component SDS

# **SECTION 10: Stability and reactivity**

Refer to component SDS

# **SECTION 11: Toxicological information**

Refer to component SDS

## **SECTION 12: Ecological information**

Refer to component SDS

## **SECTION 13: Disposal considerations**

Refer to component SDS

# **SECTION 14: Transport information**

14.1 UN number

ADR/RID: 3316 IMDG: 3316 IATA: 3316

14.2 UN proper shipping name

ADR/RID: CHEMICAL KIT IMDG: CHEMICAL KIT IATA: Chemical kit

14.3 Transport hazard class(es)

ADR/RID: 9 IMDG: 9 IATA: 9

14.4 Packaging group

ADR/RID: III IMDG: III IATA: III

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

Tunnel restriction code : (E)

Further information : No data available

Millipore- 1.01745 Page 4 of 10



# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Refer to component SDS

## **15.2 Chemical Safety Assessment**

For this product a chemical safety assessment was not carried out

## **SECTION 16: Other information**

Kit Components:			
Cd-1	Millipore	218317	Eye Irrit. 2; Repr. 1B; Aquatic
Cd-2	Millipore	218318	Chronic 3; H319, H360FD, H412 Flam. Liq. 3; Acute Tox. 4; Eye
			Irrit. 2; Repr. 1B; H226, H312 +
C4 3	Millinana	210642	H332, H319, H360D
Cd-3	Millipore	218643	Acute Tox. 4; Carc. 2; Repr. 2; Aquatic Chronic 2; H302, H351, H361fd, H411

Millipore- 1.01745 Page 5 of 10



#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Classification of the m	Classification procedure:	
Flam. Liq.3	H226	Calculation method
Acute Tox.4	H302	Calculation method
Acute Tox.4	H332	Calculation method
Acute Tox.4	H312	Calculation method
Eye Irrit.2	H319	Calculation method
Carc.2	H351	Calculation method
Repr.1B	H360FD	Calculation method
Aquatic Chronic2	H411	Calculation method

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the

Millipore- 1.01745 Page 6 of 10



present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Millipore- 1.01745 Page 7 of 10





# **Kit Components:**

Pictogram	Signal	Hazard	Precautionary	Supplemental
	Word	Statements	Statements	information
	Danger	Causes serious eye irritation. May damage fertility. May damage the unborn child. Harmful to aquatic life with long lasting effects.	Do not handle until all safety precautions have been read and understood. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Wash skin thoroughly after handling. IF exposed or concerned: Get medical advice/ attention. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face	Internation
	Pictogram	Word	Word Statements  Danger Causes serious eye irritation.  May damage fertility. May damage the unborn child.  Harmful to aquatic life with long lasting	Word Statements Statements  Danger Causes serious eye irritation. May damage fertility. May damage the unborn child. Harmful to aquatic life with long lasting effects.  Remove contact lenses, if present and easy to do. Continue rinsing. Wash skin thoroughly after handling. IF exposed or concerned: Get medical advice/ attention. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye

Cd-2					
Product identifier	Pictogram	Signal Word	Hazard Statements	Precautionary	Supplemental information
				Statements	IIIIOIIIIatioii
Millipore - 218318	<u></u>	Danger	Flammable liquid and vapor.	Keep away from heat, hot	
			Harmful in	surfaces,	
			contact with skin	sparks, open	
	X		or if inhaled.	flames and	
	(!>		Causes serious	other ignition	
			eye irritation.	sources. No	

Millipore- 1.01745 Page 8 of 10



breathing. Call a POISON CENTER/ doctor if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/ attention.
--

Cd-3					
Product identifier	Pictogram	Signal Word	Hazard Statements	Precautionary Statements	Supplemental information
Millipore - 218643	1	Warning	Harmful if swallowed. Suspected of causing cancer. Suspected of damaging fertility. Suspected of damaging the unborn child.	Do not handle until all safety precautions have been read and understood. IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Wash	

Millipore- 1.01745 Page 9 of 10



Toxic to aquatic	skin thoroughly	
life with long	after handling.	
lasting effects.	IF exposed or	
	concerned: Get	
	medical advice/	
	attention.	
	Avoid release to	
	the	
	environment.	
	Wear protective	
	gloves/	
	protective	
	clothing/ eye	
	protection/ face	
	protection.	

Millipore- 1.01745 Page 10 of 10

