

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 6.3 Revision Date 11.10.2022 Print Date 13.10.2022

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Hydrogen Peroxide Test Method: photometric

0.015 - 6.00 mg/l H₂O₂ Spectroguant®

Product Number : 1.18789 Catalogue No. : 118789 Brand : Millipore

REACH No. : This product is a mixture. REACH Registration Number see

section 3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagent for analysis

1.3 Details of the supplier of the safety data sheet

Company : Merck KGaA

Frankfurter Str. 250 D-64271 DARMSTADT

Telephone : +49 (0)6151 72-0 Fax : +49 6151 727780

E-mail address : TechnicalService@merckgroup.com

L.4 Emergency telephone

Emergency Phone #: +(44)-870-8200418 (CHEMTREC (GB))

+(353)-19014670 (CHEMTREC Ireland) 001-803-017-9114 (CHEMTREC India)

This is a summary SDS for a kit. For the full SDS for each of the components listed in section 16 please visit our website.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Flammable liquids (Category 2), H225 Eye irritation (Category 2), H319

Long-term (chronic) aquatic hazard (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Millipore- 1.18789 Page 1 of 8



Pictogram



Signal Word Danger

Hazard statement(s)

H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P273 Avoid release to the environment.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard

Statements

none

Reduced Labeling (<= 125 ml)

Pictogram

Signal Word Danger

Hazard statement(s)

H412 Harmful to aquatic life with long lasting effects.

Precautionary none

statement(s)

Supplemental Hazard

none

Statements

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

Refer to component SDS

SECTION 4: First aid measures

Refer to component SDS

SECTION 5: Firefighting measures

Refer to component SDS

Millipore- 1.18789 Page 2 of 8



SECTION 6: Accidental release measures

Refer to component SDS

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Change contaminated clothing. Wash hands after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed in a well-ventilated place, away from sources of ignition and heat. Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Recommended storage temperature see product label.

Storage class

Storage class (TRGS 510): 3: Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

Refer to component SDS

SECTION 9: Physical and chemical properties

Refer to component SDS

SECTION 10: Stability and reactivity

Refer to component SDS

SECTION 11: Toxicological information

Refer to component SDS

SECTION 12: Ecological information

Refer to component SDS

Millipore- 1.18789

Page 3 of 8



SECTION 13: Disposal considerations

Refer to component SDS

SECTION 14: Transport information

14.1 UN number

ADR/RID: 3316 IMDG: 3316 IATA: 3316

14.2 UN proper shipping name

ADR/RID: CHEMICAL KIT IMDG: CHEMICAL KIT IATA: Chemical kit

14.3 Transport hazard class(es)

ADR/RID: 9 IMDG: 9 IATA: 9

14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Refer to component SDS

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Kit Components:

H2O2-1 Millipore 218394 Aquatic Chronic 3; H412 H2O2-2 Millipore 218395 Flam. Liq. 2; Eye Irrit. 2; H225, H319

Millipore- 1.18789 Page 4 of 8



Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Classification of th	e mixture	Classification procedure:
Flam. Liq.2	H225	Based on product data or assessment
Eye Irrit.2	H319	Calculation method
Aquatic Chronic3	H412	Calculation method

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Millipore- 1.18789 Page 5 of 8



The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Millipore- 1.18789 Page 6 of 8





Kit Components:

H2O2-1					
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental
identifier		Word	Statements	Statements	information
Millipore -			Harmful to	Avoid release to	
218394			aquatic life with	the	
			long lasting	environment.	
			effects.	Dispose of	
				contents/	
				container to an	
				approved waste	
1				disposal plant.	

Droduct	Dictoorom	Cianal	Hazard	Dracautionary	Cupplemental
Product	Pictogram	Signal		Precautionary	Supplemental
identifier		Word	Statements	Statements	information
Millipore - 218395	**	Danger	Highly flammable liquid	from heat, hot	
(1)			and vapor.	surfaces,	
			Causes serious	sparks, open	
	•		eye irritation.	flames and	
				other ignition	
				sources. No	
				smoking. IF IN	
				EYES: Rinse	
				cautiously with	
				water for	
				several minutes.	
				Remove contact	
				lenses, if	
				present and	
				easy to do.	
				Continue	
				rinsing. Keep	
				container tightly	
				closed.	
				Ground and	
				bond container	
				and receiving equipment.	
				Use explosion- proof electrical/	
				ventilating/	
				lighting/	
				equipment.	
				Use non-	
				sparking tools.	

Millipore- 1.18789 Page 7 of 8



Millipore- 1.18789 Page 8 of 8

The life science business of Merck operates as MilliporeSigma in the US and Canada $\,$

