




Find your product even easier now!

ONE NAME - THE PERFORMANCE YOU TRUST.

PRODUCT SELECTION MADE EASY: PORTFOLIO SIMPLIFICATION @ WTW® AND SI ANALYTICS®



Find the right electrode and measuring device now faster and easier. Choose the right proven high-quality product in the Xylem Analytics portfolio for your specific requirements.

We have adapted our product portfolio to our customer's needs and **merged identical products**. Whether it is a device or a sensor - you easily can find the product in our **cross-reference tables** under the old and the new name. And if you miss something: Don't hesitate to contact us, we will be happy to assist you.

Your advantages:

- Standardization of product lines
- Simplification
- Clear & understandable assignment to applications
- Proven quality
- Many years of know-how bundled in a focused manner

One Name - The Performance You Trust.

CROSS-REFERENCE TABLES WTW® & SI ANALYTICS®



SI Analytics®
BlueLine

WTW®
SenTix®



BlueLine Laboratory Electrodes with Glass Shaft

Old order no.	Old model	New order no.	New model
285129311	BlueLine 31 RX	103648	SenTix® ORP
285095730	BlueLine 15 pH Ci	103813	SenTix® 86
285095740	BlueLine 15 pH NTC10	103814	SenTix® 87
285129114	BlueLine 11 pH	103639	SenTix® 60
285129122	BlueLine 12 pH	103640	SenTix® 61
285129139	BlueLine 13 pH	103650	SenTix® HW
285129440	BlueLine 14 ID	285130275	A 162 2M DIN-ID
285129147	BlueLine 14 pH	103642	SenTix® 81
285129155	BlueLine 15 pH	103643	SenTix® 82
285129163	BlueLine 16 pH	103647	SenTix® Mic
285129171	BlueLine 17 pH	103641	SenTix® 62
285129188	BlueLine 18 pH	103810	SenTix® 83
285129190	BlueLine 19 pH	103811	SenTix® 84
285129490	BlueLine 19 pH NN	103812	SenTix® 85
285129274	BlueLine 27 pH	103646	SenTix® Sur

BlueLine Field Electrodes with Plastic Shaft

Old order no.	Old model	New order no.	New model
1063461	BlueLine 25 pH 2m	103632	SenTix® 21-3
1063462	BlueLine 23 pH 2m	103632	SenTix® 21-3
1065895	BlueLine 29 pH	103806	SenTix® 44
285095712	BlueLine 26 Ci	103807	SenTix® 46
285095760	BlueLine 26 pH NTC10	103808	SenTix® 47
285111145	TopLine 24 pH	103816	SenTix® Top 41
285111150	TopLine 24 pH IDS	103744	SenTix® Top 940
285111165	TopLine 26 pH Chinch	103817	SenTix® Top 46
285129212	BlueLine 21 pH DIN-N	103733	SenTix® Sp-T
285129217	BlueLine 21 pH	103645	SenTix® Sp
285129225	BlueLine 22 pH	103630	SenTix® 20
285129233	BlueLine 23 pH	103631	SenTix® 21
285129241	BlueLine 24 pH	103635	SenTix® 41
285129258	BlueLine 25 pH	103633	SenTix® 22
285129266	BlueLine 26 pH	103637	SenTix® 42
285129282	BlueLine 28 pH	103805	SenTix® 43
285129320	BlueLine 32 Rx	103815	SenTix® Rx
285129321	BlueLine 32 Rx IDS	103792	SenTix® Rx-T 900
285129460	BlueLine 54 pH	103651	SenTix® 51
285129533	BlueLine 24-3 pH	103636	SenTix® 41-3
285129640	BlueLine 56 pH	103652	SenTix® 52
285129660	BlueLine 56 pH NTC10	103809	SenTix® 57

Simplification ScienceLine Portfolio:

Electrodes for titration and special applications

ScienceLine			
Old order no.	Old model	New order no.	New model
1054512	N 1052 A	285130275	A 162 2m DIN ID
1061051	Ag CL 65 (Pt Dia)	285102413 + 285215229	AgCl 62 + TZ 1520
1070028	B 2420 +	1070075	B 3920 +
285100248	H 65	285100215 + 285215229	H 62 + TZ 1520
285100437	N 42 A	285100042 + 285122456	N 6280 + Kabel L1A
285100445	N 48 A	285101211 + 285122456	L 6880 + Kabel L1A
285100494	N 52 A	285100034 + 285122456	N 62 + Kabel L1A
285101252	L 7780	285101260	A 7780
285101544	N 42 BNC	285100042 + 285122497	N 6280 + Kabel L1BNC
285101569	N 48 BNC	285101211 + 285122497	L 6880 + Kabel L1BNC
285102051	Ag 42 A	285102343 + 285122456	Ag 6280 + Kabel L1A
285102130	Pt 7780 3Ker	285102281	Pt 8280
285102216	Ag 6580	285102343 + 285215229	Ag 6280 + TZ 1520
285102232	Pt 6180	285102002	Pt 61
285102257	Pt 6580	285102249 + 285215229	Pt 6280 + TZ 1520
285102302	Pt 42 A	285102249 + 285122456	Pt 6280 + Kabel L1A
285102516	N 6580	285100042 + 285215229	N 6280 + TZ 1520
285102808	NH 1100	106395	NH 500/2
285103537	Pt 1400	285103512 + 285215229	Pt 1200 + TZ 1520
285105451	N 52 BNC	285100034 + 285122497	N 62 + Kabel L1BNC
285106037	LF 513 T	285106131	LF 613 T
285106148	LF 413 T-3	301970	TetraCon® 325-3
285106150	LF 213 T	301962	LR 325/001
285106160	LF 213 T-ID	301962	LR 325/001
285106172	LF 413 T	301960	TetraCon® 325
285106250	LF 813 T	285106131	LF 613 T
285130100	L 6880 1m DIN ID	285101211 + 285122456	L 6880 + Kabel L1A
285130110	L 6880 1m BNC ID	285101211 + 285122497	L 6880 + Kabel L1BNC
285130160	A 157 1m DIN ID	285101335	SCPpHT-MIC-AMF-3M-DIN-N
285130170	A 157 1m BNC ID	285101340	SCPpHT-MIC-AMF-3M-BNC-N
285130240	A 161 1m DIN ID	285101320	SCPpHT-A170MF-3M-DIN-N
285130250	A 161 1m BNC ID	285101315	SCPpHT-A170MF-3M-BNC-N
285130280	A 164 1m DIN ID	103731	SenTix® HWD
285130300	LF 313 T-ID	301961	LR 325/01
285130310	LF 413 T-ID	301960	TetraCon® 325
285414351	LF 313 T-NFTC	301961	LR 325/01
285414360	LF 313 T	301961	LR 325/01

One Name - The Performance You Trust.

CROSS-REFERENCE TABLES WTW® & SI ANALYTICS®



SI Analytics®
HandyLab/
Lab

WTW®
ProfiLine/
MultiLine®



Analog Portables pH/ORP

Old order no.	Old model	New order no.	New model
285202370	HandyLab 100/K	2AA310	pH 3310
285204500	HandyLab 100 ROUTINE	2AA310 + 103642	pH 3310 + SenTix® 81
285204510	HandyLab 100 FIELD	2AA312	pH 3310 Set 2
285204520	HandyLab 100 VERSATILE	2AA310 + 285101290	pH 3310 + A 7780 NTC30-DIN-N

Analog Portables Conductivity

Old order no.	Old model	New order no.	New model
285202380	HandyLab 200/K	2CA300	Cond 3310
285204530	HandyLab 200 ROUTINE	2CA301	Cond 3310 Set 1
285204540	HandyLab 200 VERSATILE	2CA301	Cond 3310 Set 1
285204550	HandyLab 200 PUREWATER	2CA300 + 301961	Cond 3310 + LR 325/01

Digital Multi-Parameter Portables

Old order no.	Old model	New order no.	New model
285202390	HandyLab 600/K	2FD350	MultiLine® 3510 IDS
285202400	HandyLab 680/K	2FD560	MultiLine® 3620 IDS
285204560	HandyLab 600 ROUTINE	2FD350 + 103780	MultiLine® 3510 + SenTix® 980
285204570	HandyLab 600 FIELD	2FD351	MultiLine® 3510 Set 1
285204580	HandyLab 600 VERSATILE	2FD350 + 103743	MultiLine® 3510 IDS + SenTix® 945
285204630	HandyLab 600 FOOD	2FD350 + 103752	MultiLine® 3510 + SenTix® Sp 900-T
285204670	HandyLab 680 pH FIELD	2FD560 + 103740	MultiLine® 3620 IDS + SenTix® 940
285204680	HandyLab 680 pH VERSATILE	2FD560 + 301710 + 103743	MultiLine® 3620 IDS + TetraCon® 925 + SenTix® 945
285204730	HandyLab 680 pH FOOD	2FD560 + 103752	MultiLine® 3620 IDS + SenTix® Sp-T 900
285204760	HandyLab 680 COND VERSATILE	2FD560 + 301710	MultiLine® 3620 + TetraCon® 925
285204770	HandyLab 680 OX VERSATILE	2FD560 + 201300	MultiLine® 3620 + FDO 925
285204780	HandyLab 680 pH/COND PW	2FD560 + 301720 + 103753	MultiLine® 3620 + LR 925/01 + SenTix® HW-T 900
285204790	HandyLab 680 pH/COND VERSAT	2FD56C	MultiLine® 3620 Set C
285204800	HandyLab 680 pH/OX VERSAT	2FD560 + 201300 + 103743	MultiLine® 3620 IDS + FDO 925 + SenTix® 945
285204810	HandyLab 680 pH/COND/OX VER	2FD56G	MultiLine® 3620 Set G

IDS Sensors

Old order no.	Old model	New order no.	New model
285106290	LF 413T 3M FORK IDS	301719 + 903851	TetraCon® 925/LV-P + AS/IDS-3
285129210	BlueLine 21 pH IDS	103752	SenTix® Sp-T 900
285129240	BlueLine 24 pH IDS	103740	SenTix® 940
285129243	BlueLine 24-3 pH IDS	103741	SenTix® 940-3
285129270	BlueLine 27 pH IDS	108130 + 103646	ADA S7/IDS und SenTix® Sur
285129310	BlueLine 31 RX IDS	103791	SenTix® ORP-T 900
285129321	BlueLine 32 Rx IDS	103792	SenTix® Rx-T 900
285129140	BlueLine 14 pH IDS	103780	SenTix® 980
285202410	LF 413 T IDS	301710	TetraCon® 925
285202420	LF 413 T 3M IDS	301711	TetraCon® 925 -3
285202430	LF 313 T IDS	301720	LR 925/01
285202440	FDO 1100 IDS	201300	FDO® 925

One Name - The Performance You Trust.

CROSS-REFERENCE TABLES WTW® & SI ANALYTICS®



SI Analytics®
Lab/ProLab



inoLab®/
inoLab® Multi IDS



Analog Benchtop Meters pH/ORP

Old order no.	Old model	New order no.	New model
285206300	Lab 855	1AA110	inoLab® pH 7110
285206310	Lab 865	1AA310	inoLab® pH 7310
285206700	Lab 855 Set	1AA114	inoLab® pH 7110 Set 4
285206710	Lab 865 Set	1AA314	inoLab® pH 7310 Set 4
285206810	Lab 845 Set/BL 19 pH	285206470 + 103811	Lab 845 + SenTix® 84
285206820	Lab 845 Set/BL 25 pH	285206470 + 103633	Lab 845 + SenTix® 22
285206830	Lab 845 Set/BL 29 pH	285206470 + 103806	Lab 845 + SenTix® 44

Analog Benchtop Meters Dissolved Oxygen

Old order no.	Old model	New order no.	New model
285206800	Lab 745 Set	1BA301	inoLab® Oxi 7310 Set 1

Analog Benchtop Meters Conductivity

Old order no.	Old model	New order no.	New model
285206340	Lab 955	1CA100	inoLab® Cond 7110
285206760	Lab 955 Set	1CA101	inoLab® Cond 7110 Set 1
285206840	Lab 945 Set/LF435T	285206480 + 285206420	Lab 945 + LF435T

Digital Multi-Parameter Benchtop Meters

Old order no.	Old model	New order no.	New model
285206320	Lab 875	1FD350	inoLab® Multi 9310 IDS
285206330	Lab 875P	1FD350P	inoLab® Multi 9310P
285206350	ProLab 2500	1FD570	inoLab® Multi 9630 IDS
285206720	Lab 875 pH Set	1FD352	inoLab® Multi 9310 Set 2
285206730	Lab 875 Cond Set	1FD353	inoLab® Multi 9310 IDS Set 1
285206740	Lab 875P pH Set	1FD350P + 103780	inoLab® Multi 9310P + SenTix® 980
285206750	Lab 875P Cond Set	1FD350P + 301710	inoLab® Multi 9310P + TetraCon® 925
285206770	ProLab 2500 p-Set	1FD570 + 103780	inoLab® Multi 9630 IDS + SenTix® 980
285206780	ProLab 2500 p/C-Set	1FD56C	inoLab® Multi 9620 IDS Set C
285206790	ProLab 2500 p/C/O-Set	1FD57K	inoLab® Multi 9630 IDS Set K

One Name - The Performance You Trust.

CROSS-REFERENCE TABLES WTW® & SI ANALYTICS®



Buffers and Solutions

Old order no.	Old model	New order no.	New model
285126540	Leitfähigkeitsprüflsg.	300508	KS 5µ
285137677	STANDARD-Puffer L 168 4	109000	PL2
285138008	STANDARD-Puffer L 401 4	109110	PL 4
285138016	STANDARD-Puffer L 687 4	109120	PL7
285138024	STANDARD-Puffer L 918 4	109130	PL9
285138032	TECH Puffer L 400 4	108700	TEP 4.01 Trace
285138049	TECH Puffer L 700 4	108702	TEP 7.00 Trace
285138057	TECH Puffer L 100 4	108703	TEP 10.01 Trace
285138295	REINIGUNGSLÖSUNG L 510 4	109648	Pep/pH
285138419	ELEKTROLYTLÖSUNG L 301 4	109705	KCL-250
285138505	ELEKTROLYTLÖSUNG L 300 8	109706	KCI-50
285139156	TECH. PUFFERLÖS. LC4004K	108800	TPL 4.01 Trace
285139189	TECH. PUFFERLÖS. LC7004K	108803	TPL 7.00 Trace
285139218	TECH. PUFFERLÖS. LC1004K	108805	TPL 10.01 Trace

Accessories

Old order no.	Old model	New order no.	New model
285122940	Z 503	903843	pH/ MCS
285201520	Z 865	109813	STH 9400
285201530	Z 870	250049	P 3002
285202470	Z 389	902780	SM Pro
285202480	Z 530	2F0004	KS MultiLine® 2
285204889	Z 850	900867	NT Multirange
285206360	Z 600	108131	ADA 94pH/IDS DIN
285206370	Z 610	250115	RP 58 HQ

Service




**You haven't found the right product yet?
We will be happy to help you!**

Our support experts have a huge knowledge in user environments and are therefore able to understand the daily challenges of measurements. We support you in selecting and assembling the right product parts for your application, and if you have a specific measuring challenge.





Our service offer:

- Product helpdesk via phone / virtual
- Technical and application support
- Trainings
- Hotline

Contact Weilheim:

-  Xylem Analytics Germany Sales GmbH & Co. KG
-  Am Achalaich 11, 82362 Weilheim, Germany
-  Phone: +49 881 183 321
-  Email: techinfo.wtw@xylem.com

Contact Mainz:

-  Xylem Analytics Germany Sales GmbH & Co. KG
-  Hattenbergstrasse 10, 55122 Mainz, Germany
-  Phone: +49 6131 894 5119
-  Email: techinfo.si-analytics@xylem.com

You need support?
Contact us -
we will be happy
to assist you!

Xylem |'ziləm|

- 1) The tissue in plants that brings water upward from the roots;
- 2) a leading global water technology company.

We're a global team unified in a common purpose: creating advanced technology solutions to the world's water challenges. Developing new technologies that will improve the way water is used, conserved, and re-used in the future is central to our work. Our products and services move, treat, analyze, monitor and return water to the environment, in public utility, industrial, residential and commercial building services settings. Xylem also provides a leading portfolio of smart metering, network technologies and advanced analytics solutions for water, electric and gas utilities. In more than 150 countries, we have strong, long-standing relationships with customers who know us for our powerful combination of leading product brands and applications expertise with a strong focus on developing comprehensive, sustainable solutions.

For more information on how Xylem can help you, go to www.xylem.com

SI Analytics®



Orders

Phone: +49 881 183-323
Phone: +49 6131 894 5111
Auftrag.WTW@xylem.com
Orders.SI-Analytics@xylem.com

Technical information, offers

Phone: +49 881 183-321
Phone: +49 6131 894 5119
TechInfo.WTW@xylem.com
TechInfo.SI-Analytics@xylem.com

Repair service

Phone: +49 881 183-325
Service.WTW@xylem.com



wtw.wm



wtwde
SIAnalytics



xylem.analytics.germany



xylemanalyticsgermany



xylemanalyticsgermany

xylem
Lab Solutions

Xylem Analytics Germany GmbH
Am Achalaich 11
82362 Weilheim
Germany

Amtsgericht München HRB 145685
Ust-Id/VAT-No.: DE275429984
Geschäftsführer / Managing Director: Dr. Robert Reining

Phone: +49 881 1830
E-Mail: Info.XAGS@xylem.com
Web: www.xylemanalytics.de

All names are registered tradenames or trademarks of Xylem Inc. or one of its subsidiaries. Technical changes reserved.
© 2023 Xylem Analytics Germany Sales GmbH & Co. KG