

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Revision Date 18.12.2013

Version 18.0

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalogue No. 114831
 Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®

Ag-1

REACH Registration Number This product is a mixture. REACH Registration Number see section 3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis
 For additional information on uses please refer to the Merck Chemicals portal (www.merck-chemicals.com).

1.3 Details of the supplier of the safety data sheet

Company Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0
 Responsible Department LS-QHC * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone number Please contact the regional company representation in your country.

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Corrosive to metals, Category 1, H290

Skin corrosion, Category 1A, H314

For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification (67/548/EEC or 1999/45/EC)

C Corrosive R35

For the full text of the R-phrases mentioned in this Section, see Section 16.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Danger

Hazard statements

H290 May be corrosive to metals.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-1

H314 Causes severe skin burns and eye damage.

Precautionary statements

Prevention

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response

P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P309 + P310 IF exposed or if you feel unwell: Immediately call a POISON CENTER or doctor/physician.

Reduced labelling (≤125 ml)

Hazard pictograms



Signal word

Danger

Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P309 + P310 IF exposed or if you feel unwell: Immediately call a POISON CENTER or doctor/physician.

Contains: sulphuric acid

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

Chemical nature Aqueous solution

3.1 Substance

not applicable

3.2 Mixture

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical Name (Concentration)

CAS-No. Registration number Classification

sulphuric acid (>= 25 % - < 50 %)

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

7664-93-9 01-2119458838-20- Corrosive to metals, Category 1, H290

XXXX Skin corrosion, Category 1A, H314

For the full text of the H-Statements mentioned in this Section, see Section 16.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-1

Hazardous components (1999/45/EC)

Chemical Name (Concentration)
CAS-No. Classification
sulphuric acid (>= 25 % - < 50 %)
7664-93-9 C, Corrosive; R35

For the full text of the R-phrases mentioned in this Section, see Section 16.

SECTION 4. First aid measures

4.1 Description of first aid measures

General advice

First aider needs to protect himself.

After inhalation: fresh air. Call in physician.

After skin contact: wash off with plenty of water. Immediately remove contaminated clothing. If available swab with polyethylene glycol 400. Call a physician immediately.

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

Irritation and corrosion, Cough, Shortness of breath, Nausea, Vomiting, Diarrhoea, pain, Risk of blindness!

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapours.

Fire may cause evolution of:

Sulphur oxides

5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Cool closed containers exposed to fire with water spray. Prevent fire extinguishing water from contaminating surface water or the ground water system. Suppress (knock down) gases/vapours/mists with a water spray jet.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-1

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

6.2 Environmental precautions

Do not empty into drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Take up with liquid-absorbent and neutralising material (e.g. Chemisorb® H⁺, Merck Art. No. 101595). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Hygiene measures

Change contaminated clothing and immerse in water. Preventive skin protection Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

No metal containers.

Storage conditions

Tightly closed. Away from combustible materials and sources of ignition and heat.

Store at +15°C to +25°C.

The data applies to the entire pack.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

Derived No Effect Level (DNEL)

sulphuric acid (7664-93-9)

Worker DNEL, acute	Local effects	inhalation	0,1 mg/m ³
--------------------	---------------	------------	-----------------------

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-1

Worker DNEL, Local effects inhalation 0,05 mg/m³
longterm

Predicted No Effect Concentration (PNEC)

sulphuric acid (7664-93-9)

PNEC Fresh water	0,0025 mg/l
PNEC Fresh water sediment	0,002 mg/kg
PNEC Marine water	0,00025 mg/l
PNEC Marine sediment	0,002 mg/kg
PNEC Sewage treatment plant	8,8 mg/l

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Tightly fitting safety goggles

Hand protection

full contact:

Glove material: Viton (R)
Glove thickness: 0,7 mm
Break through time: > 480 min

splash contact:

Glove material: butyl-rubber
Glove thickness: 0,7 mm
Break through time: > 120 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 890 Vitoject® (full contact), KCL 898 Butoject® (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment

Acid-resistant protective clothing

Respiratory protection

required when vapours/aerosols are generated.

Empfohlener Filtertyp: Filter P 2 (acc. to DIN 3181) for solid and liquid particles of harmful

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-1

substances

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not empty into drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	liquid
Colour	colourless
Odour	odourless
Odour Threshold	not applicable
pH	at 20 °C strongly acid
Melting point	No information available.
Boiling point/boiling range	ca. 103 °C at 1.013 hPa
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Vapour pressure	No information available.
Relative vapour density	No information available.
Relative density	1,18 g/cm ³ at 20 °C
Water solubility	at 20 °C soluble, (development of heat)
Partition coefficient: n- octanol/water	No information available.
Auto-ignition temperature	No information available.
Decomposition temperature	ca.338 °C

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-1

Viscosity, dynamic No information available.
Explosive properties Not classified as explosive.
Oxidizing properties Oxidising potential

9.2 Other data

Corrosion May be corrosive to metals.

SECTION 10. Stability and reactivity

10.1 Reactivity

strong oxidising agent

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

A risk of explosion and/or of toxic gas formation exists with the following substances:

Violent reactions possible with:

Water, Alkali metals, alkali compounds, Ammonia, Aldehydes, acetonitrile, Alkaline earth metals, alkalines, Acids, alkaline earth compounds, Metals, metal alloys, Oxides of phosphorus, phosphorus, hydrides, halogen-halogen compounds, oxyhalogenic compounds, permanganates, nitrates, carbides, combustible substances, organic solvent, acetylidene, Nitriles, organic nitro compounds, anilines, Peroxides, picrates, nitrides, lithium silicide, iron(III) compounds, bromates, chlorates, Amines, perchlorates, hydrogen peroxide

10.4 Conditions to avoid

Strong heating (decomposition).

10.5 Incompatible materials

animal/vegetable tissues, Metals
Contact with metals liberates hydrogen gas.

10.6 Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Mixture

Acute oral toxicity

This information is not available.

Acute inhalation toxicity

This information is not available.

Acute dermal toxicity

This information is not available.

Skin irritation

Mixture causes severe burns.

Eye irritation

Mixture causes serious eye damage. Risk of blindness!

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-1

Sensitisation

This information is not available.

Germ cell mutagenicity

This information is not available.

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11.2 Further information

After inhalation of aerosols: damage to the affected mucous membranes. After skin contact: severe burns with formation of scabs. After eye contact: burns, corneal lesions. After swallowing: severe pain (risk of perforation!), nausea, vomiting and diarrhoea. After a latency period of several weeks possibly pyloric stenosis.

Handle in accordance with good industrial hygiene and safety practice.

Components

sulphuric acid

Acute inhalation toxicity

LC50 rat: 0,25 mg/l; 4 h (IUCLID)

Germ cell mutagenicity

Genotoxicity in vitro

Ames test

Salmonella typhimurium

Result: negative

(HSDB)

SECTION 12. Ecological information

Mixture

12.1 Toxicity

No information available.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-1

Additional ecological information

Forms corrosive mixtures with water even if diluted. Harmful effect due to pH shift. Endangers drinking-water supplies if allowed to enter soil or water.

Discharge into the environment must be avoided.

Components

sulphuric acid

Toxicity to daphnia and other aquatic invertebrates

EC50 Daphnia magna (Water flea): 29 mg/l; 24 h (IUCLID)

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

14. Transport information

Land transport (ADR/RID)

14.1 UN number	UN 3316
14.2 Proper shipping name	CHEMICAL KIT
14.3 Class	9
14.4 Packing group	II
14.5 Environmentally hazardous	--
14.6 Special precautions for user	yes
Tunnel restriction code	E

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

14.1 UN number	UN 3316
14.2 Proper shipping name	CHEMICAL KIT
14.3 Class	9
14.4 Packing group	II
14.5 Environmentally hazardous	--
14.6 Special precautions for user	no

Sea transport (IMDG)

14.1 UN number	UN 3316
14.2 Proper shipping name	CHEMICAL KIT
14.3 Class	9
14.4 Packing group	II
14.5 Environmentally hazardous	--

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-1

14.6 Special precautions for user yes
EmS F-A S-P

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not relevant

THIS TRANSPORT DATA APPLIES TO THE ENTIRE PACK!

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard 96/82/EC
Legislation Directive 96/82/EC does not apply

Occupational restrictions Take note of Dir 94/33/EC on the protection of young people at work.

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer not regulated

Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC not regulated

Regulation (EC) No 689/2008 concerning the export and import of dangerous chemicals not regulated

Substances of very high concern (SVHC) This product does not contain substances of very high concern above the respective regulatory limit (> 0.1 % (w/w) Regulation (EC) No 1907/2006 (REACH), Article 57).

National legislation

Storage class 5.1B
The data applies to the entire pack.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.

Full text of R-phrases referred to under sections 2 and 3

R35 Causes severe burns.


Training advice

Provide adequate information, instruction and training for operators.


SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-1

Labelling (67/548/EEC or 1999/45/EC)

Symbol(s)  C Corrosive
R-phrase(s) 35 Causes severe burns.
S-phrase(s) 26-30-45 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Never add water to this product. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Reduced labelling (≤125 ml)

Symbol(s)  C Corrosive
R-phrase(s) 35 Causes severe burns.
S-phrase(s) 26-36/37/39-45 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing, gloves and eye/face protection. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Contains: sulphuric acid

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Revision Date 18.12.2013

Version 18.0

SECTION 1. Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®

Ag-2

REACH Registration Number A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis
For additional information on uses please refer to the Merck Chemicals portal (www.merck-chemicals.com).

1.3 Details of the supplier of the safety data sheet

Company Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0
Responsible Department LS-QHC * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone number Please contact the regional company representation in your country.

SECTION 2. Hazards identification**2.1 Classification of the substance or mixture****Classification (REGULATION (EC) No 1272/2008)**

Oxidising solid, Category 3, H272
Acute toxicity, Category 4, Oral, H302
Eye irritation, Category 2, H319
Specific target organ toxicity - single exposure, Category 3, Respiratory system, H335
Skin irritation, Category 2, H315
Respiratory sensitisation, Category 1, H334
Skin sensitisation, Category 1, H317

For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification (67/548/EEC or 1999/45/EC)

O	Oxidising	R8
Xn	Harmful	R22
Xi	Irritant	R36/37/38 R42/43

For the full text of the R-phrases mentioned in this Section, see Section 16.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-2

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Danger

Hazard statements

H272 May intensify fire; oxidiser.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

Precautionary statements

Prevention

P280 Wear protective gloves.

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Reduced labelling (≤ 125 ml)

Hazard pictograms



Signal word

Danger

Hazard statements

H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Precautionary statements

P280 Wear protective gloves.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

Contains: Potassium persulfate

Index-No. 016-061-00-1

2.3 Other hazards

None known.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-2

SECTION 3. Composition/information on ingredients

3.1 Substance

Formula $K_2O_8S_2$ (Hill)
CAS-No. 7727-21-1
Index-No. 016-061-00-1
EC-No. 231-781-8
Molar mass 270,32 g/mol

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical Name (Concentration)

CAS-No.	Registration number	Classification
Potassium persulfate (<= 100 %)		
7727-21-1	*)	Oxidising solid, Category 3, H272 Acute toxicity, Category 4, H302 Skin irritation, Category 2, H315 Eye irritation, Category 2, H319 Respiratory sensitisation, Category 1, H334 Skin sensitisation, Category 1, H317 Specific target organ toxicity - single exposure, Category 3, H335

*) A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

For the full text of the H-Statements mentioned in this Section, see Section 16.

Hazardous components (1999/45/EC)

Chemical Name (Concentration)

CAS-No.	Classification
Potassium persulfate (<= 100 %)	
7727-21-1	O, Oxidising; R8 Xn, Harmful; R22 Xi, Irritant; R36/37/38 R42/43

For the full text of the R-phrases mentioned in this Section, see Section 16.

3.2 Mixture

not applicable

SECTION 4. First aid measures

4.1 Description of first aid measures

General advice

First aider needs to protect himself.

After inhalation: fresh air. Call in physician.

After skin contact: wash off with plenty of water. Remove contaminated clothing. Consult a physician.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	114831
Product name	Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant® Ag-2

After eye contact: rinse out with plenty of water. Call in ophthalmologist.

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

irritant effects, Allergic reactions, Cough, Shortness of breath

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not combustible.

Has a fire-promoting effect due to release of oxygen.

Ambient fire may liberate hazardous vapours.

Fire may cause evolution of:

Sulphur oxides

5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

6.2 Environmental precautions

Do not empty into drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-2

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Observe label precautions.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Away from combustible materials and sources of ignition and heat.

Store at +15°C to +25°C.

The data applies to the entire pack.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Safety glasses

Hand protection

full contact:

Glove material:	Nitrile rubber
Glove thickness:	0,11 mm
Break through time:	> 480 min

splash contact:

Glove material:	Nitrile rubber
Glove thickness:	0,11 mm
Break through time:	> 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-2

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment
protective clothing

Respiratory protection

required when dusts are generated.

Empfohlener Filtertyp: Filter P 2 (acc. to DIN 3181) for solid and liquid particles of harmful substances

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not empty into drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	solid
Colour	white
Odour	odourless
Odour Threshold	not applicable
pH	ca. 3,2 at 50 g/l 20 °C
Melting point	100 °C (decomposition)
Boiling point/boiling range	not applicable, decomposes
Flash point	does not flash
Evaporation rate	No information available.
Flammability (solid, gas)	The product is not flammable.
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Vapour pressure	No information available.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-2

Relative vapour density	No information available.
Relative density	2,48 g/cm ³ at 20 °C
Water solubility	50 g/l at 20 °C
Partition coefficient: n-octanol/water	not applicable
Auto-ignition temperature	No information available.
Decomposition temperature	ca.100 °C
Viscosity, dynamic	No information available.
Explosive properties	Not classified as explosive.
Oxidizing properties	The substance or mixture is classified as oxidizing with the category 3.

9.2 Other data

Ignition temperature	not combustible
Bulk density	ca.1.150 kg/m ³

SECTION 10. Stability and reactivity

10.1 Reactivity

strong oxidising agent

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Risk of ignition or formation of inflammable gases or vapours with:

Violent reactions possible with:

Metals, Heavy metals, silver compounds, Reducing agents, combustible substances, bases, strong alkalis, hydrides, acids, Water

10.4 Conditions to avoid

Temperatures above melting point.

10.5 Incompatible materials

no information available

10.6 Hazardous decomposition products

in the event of fire: See section 5.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-2

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

LD50 rat: 802 mg/kg (RTECS)

absorption

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

Acute inhalation toxicity

Symptoms: mucosal irritations, Cough, Shortness of breath, Lung oedema, Possible damages:, damage of respiratory tract

Acute dermal toxicity

This information is not available.

Skin irritation

Causes skin irritation.

Eye irritation

Causes serious eye irritation.

Sensitisation

Human experience

Result: positive

(Lit.)

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

Germ cell mutagenicity

This information is not available.

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

Target Organs: Respiratory system

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11.2 Further information

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

12.1 Toxicity

Toxicity to fish

LC50 *Poecilia reticulata* (guppy): 100 mg/l; 96 h (Hommel)

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-2

Toxicity to daphnia and other aquatic invertebrates
EC50 Daphnia magna (Water flea): 357 mg/l; 24 h (Hommel)

Toxicity to bacteria
EC50 Pseudomonas putida: 36 mg/l (Hommel)

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water
not applicable

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

14. Transport information

Land transport (ADR/RID)

14.1 UN number	UN 3316
14.2 Proper shipping name	CHEMICAL KIT
14.3 Class	9
14.4 Packing group	II
14.5 Environmentally hazardous	--
14.6 Special precautions for user	yes
Tunnel restriction code	E

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

14.1 UN number	UN 3316
14.2 Proper shipping name	CHEMICAL KIT
14.3 Class	9
14.4 Packing group	II
14.5 Environmentally hazardous	--
14.6 Special precautions for user	no

Sea transport (IMDG)

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-2

14.1 UN number UN 3316
14.2 Proper shipping name CHEMICAL KIT
14.3 Class 9
14.4 Packing group II
14.5 Environmentally hazardous --
14.6 Special precautions for user yes
EmS F-A S-P
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not relevant

THIS TRANSPORT DATA APPLIES TO THE ENTIRE PACK!

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard 96/82/EC
Legislation Oxidising
3
Quantity 1: 50 t
Quantity 2: 200 t

Occupational restrictions Take note of Dir 94/33/EC on the protection of young people at work.
Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer not regulated

Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC not regulated

Regulation (EC) No 689/2008 concerning the export and import of dangerous chemicals not regulated

Substances of very high concern (SVHC) This product does not contain substances of very high concern above the respective regulatory limit (> 0.1 % (w/w) Regulation (EC) No 1907/2006 (REACH), Article 57).

National legislation

Storage class 5.1B
The data applies to the entire pack.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-2

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H272 May intensify fire; oxidiser.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335 May cause respiratory irritation.



Full text of R-phrases referred to under sections 2 and 3

R 8 Contact with combustible material may cause fire.
R22 Harmful if swallowed.
R36/37/38 Irritating to eyes, respiratory system and skin.
R42/43 May cause sensitisation by inhalation and skin contact.



Training advice

Provide adequate information, instruction and training for operators.

Labelling (67/548/EEC or 1999/45/EC)

Symbol(s)  O Oxidising
 Xn Harmful
R-phrases(s) 8-22-36/37/38-42/43 Contact with combustible material may cause fire. Harmful if swallowed. Irritating to eyes, respiratory system and skin. May cause sensitisation by inhalation and skin contact.
S-phrases(s) 22-24-26-37 Do not breathe dust. Avoid contact with skin. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable gloves.
EC-No. 231-781-8 EC Label

Reduced labelling (≤125 ml)

Symbol(s)  O Oxidising
 Xn Harmful
R-phrases(s) 22-42/43 Harmful if swallowed. May cause sensitisation by inhalation and skin contact.
S-phrases(s) 22-24-37 Do not breathe dust. Avoid contact with skin. Wear suitable gloves.

Contains: Potassium persulfate

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Revision Date 18.12.2013

Version 18.0

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalogue No. 114831
 Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®

Ag-3

REACH Registration Number This product is a mixture. REACH Registration Number see section 3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis
 For additional information on uses please refer to the Merck Chemicals portal (www.merck-chemicals.com).

1.3 Details of the supplier of the safety data sheet

Company Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0
 Responsible Department LS-QHC * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone number Please contact the regional company representation in your country.

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin corrosion, Category 1B, H314
 Specific target organ toxicity - single exposure, Category 3, H335
 For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification (67/548/EEC or 1999/45/EC)

Xi Irritant R36/37/38

For the full text of the R-phrases mentioned in this Section, see Section 16.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word
 Danger

Hazard statements

H314 Causes severe skin burns and eye damage.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-3

H335 May cause respiratory irritation.

Precautionary statements

Prevention

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response

P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P309 + P310 IF exposed or if you feel unwell: Immediately call a POISON CENTER or doctor/physician.

Reduced labelling (≤125 ml)

Hazard pictograms



Signal word

Danger

Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P309 + P310 IF exposed or if you feel unwell: Immediately call a POISON CENTER or doctor/physician.

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

Chemical nature Aqueous ammoniacal solution.

3.1 Substance

not applicable

3.2 Mixture

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical Name (Concentration)

CAS-No. Registration number Classification

ammonia solution (≥ 5 % - < 10 %)

1336-21-6 *)

Corrosive to metals, Category 1, H290

Skin corrosion, Category 1B, H314

Specific target organ toxicity - single exposure, Category 3, H335

Acute aquatic toxicity, Category 1, H400

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-3

*) A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

For the full text of the H-Statements mentioned in this Section, see Section 16.

Hazardous components (1999/45/EC)

Chemical Name (Concentration)

CAS-No. Classification

ammonia solution ($\geq 5\%$ - $< 10\%$)

1336-21-6 C, Corrosive; R34

N, Dangerous for the environment; R50

For the full text of the R-phrases mentioned in this Section, see Section 16.

SECTION 4. First aid measures

4.1 Description of first aid measures

General advice

First aider needs to protect himself.

After inhalation: fresh air. Call in physician.

After skin contact: wash off with plenty of water. Immediately remove contaminated clothing. If available swab with polyethylene glycol 400. Call a physician immediately.

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

Irritation and corrosion, bronchitis, Cough, Shortness of breath, gastric pain, Unconsciousness, Bloody vomiting, Nausea, collapse, shock

Risk of blindness!

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not combustible.

Ammonia solution itself is not flammable, but can form an ignitable ammonia/air-mixture by outgassing.

Ambient fire may liberate hazardous vapours.

Fire may cause evolution of:

nitrogen oxides

5.3 Advice for firefighters

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-3

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Cool closed containers exposed to fire with water spray. Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

6.2 Environmental precautions

Do not empty into drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® OH⁻, Merck Art. No. 101596). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Away from combustible materials and sources of ignition and heat.

Store at +15°C to +25°C.

The data applies to the entire pack.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-3

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Tightly fitting safety goggles

Hand protection

full contact:

Glove material:	butyl-rubber
Glove thickness:	0,7 mm
Break through time:	> 480 min

splash contact:

Glove material:	Nitrile rubber
Glove thickness:	0,40 mm
Break through time:	> 240 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 898 Butoject® (full contact), KCL 730 Camatril® -Velours (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment

protective clothing

Respiratory protection

required when vapours/aerosols are generated.

Empfohlener Filtertyp: Filter K (acc. to DIN 3181) for NH₃

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not empty into drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	liquid
Colour	colourless

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-3

Odour	stinging
Odour Threshold	0,03 - 0,05 ppm Ammonia
pH	at 20 °C strongly alkaline
Melting point	No information available.
Boiling point	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	not applicable
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Vapour pressure	No information available.
Relative vapour density	No information available.
Relative density	0,957 g/cm ³ at 20 °C
Water solubility	at 20 °C soluble
Partition coefficient: n- octanol/water	No information available.
Auto-ignition temperature	No information available.
Decomposition temperature	No information available.
Viscosity, dynamic	No information available.
Explosive properties	Not classified as explosive.
Oxidizing properties	none

9.2 Other data

Minimum ignition energy	380 - 680 mJ
Corrosion	May be corrosive to metals.

SECTION 10. Stability and reactivity

10.1 Reactivity

See section 10.3

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-3

10.2 Chemical stability

Ammonia solution itself is not flammable, but can form an ignitable ammonia/air-mixture by outgassing.

10.3 Possibility of hazardous reactions

Exothermic reaction with:

Acetaldehyde, Acrolein, Alkaline earth metals, halides, Bromine, halogen-halogen compounds, hydrogen bromide, Hydrogen chloride gas, dimethylsulfate, nitrogen oxides, Fluorine, Hydrogen fluoride, chlorates, carbon dioxide, mercaptans, nitril compounds, Phosgene, platinum, Acids, sulphur dioxide, hydrogen sulphide

Risk of explosion with:

Ammonium salts, antimony hydride, Calcium, Chlorine, azides, halogen oxides, auric salts, halogens, iodine, perchlorates, sodium hypochlorite, Oxidizing agents, Mercury, mercury compounds, Oxygen, sulfur, silver, silver salt, silver oxide, nitrogen trichloride, hydrogen peroxide

Risk of ignition or formation of inflammable gases or vapours with:

Boron, chromyl chloride, Oxides of phosphorus, Nitric acid, silicon compounds

10.4 Conditions to avoid

Heating.

10.5 Incompatible materials

Aluminium, Lead, Copper, various metals, metal alloys, Nickel, silver, Zinc

10.6 Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Mixture

Acute oral toxicity

Symptoms: Bloody vomiting, gastric pain, If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the oesophagus and the stomach.

Acute inhalation toxicity

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract, Inhalation may lead to the formation of oedemas in the respiratory tract.

Acute dermal toxicity

This information is not available.

Skin irritation

Dermatitis Necrosis
Mixture causes burns.

Eye irritation

Mixture causes serious eye damage. Risk of blindness!

Sensitisation

This information is not available.

Germ cell mutagenicity

This information is not available.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-3

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

Mixture may cause respiratory irritation.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11.2 Further information

Systemic effects:

Nausea, collapse, shock, Shortness of breath, Unconsciousness, bronchitis

Handle in accordance with good industrial hygiene and safety practice.

Components

ammonia solution

No information available.

SECTION 12. Ecological information

Mixture

12.1 Toxicity

No information available.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Additional ecological information

Harmful effect due to pH shift. Forms corrosive mixtures with water even if diluted.

Discharge into the environment must be avoided.

Components

ammonia solution

No information available.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-3

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

14. Transport information

Land transport (ADR/RID)

14.1 UN number UN 3316
14.2 Proper shipping name CHEMICAL KIT
14.3 Class 9
14.4 Packing group II
14.5 Environmentally hazardous --
14.6 Special precautions for user yes
Tunnel restriction code E

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

14.1 UN number UN 3316
14.2 Proper shipping name CHEMICAL KIT
14.3 Class 9
14.4 Packing group II
14.5 Environmentally hazardous --
14.6 Special precautions for user no

Sea transport (IMDG)

14.1 UN number UN 3316
14.2 Proper shipping name CHEMICAL KIT
14.3 Class 9
14.4 Packing group II
14.5 Environmentally hazardous --
14.6 Special precautions for user yes
EmS F-A S-P

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

THIS TRANSPORT DATA APPLIES TO THE ENTIRE PACK!

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-3

Major Accident Hazard Legislation 96/82/EC
Directive 96/82/EC does not apply

Occupational restrictions Take note of Dir 94/33/EC on the protection of young people at work.

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer not regulated

Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC not regulated

Regulation (EC) No 689/2008 concerning the export and import of dangerous chemicals not regulated

Substances of very high concern (SVHC) This product does not contain substances of very high concern above the respective regulatory limit (> 0.1 % (w/w) Regulation (EC) No 1907/2006 (REACH), Article 57).

National legislation

Storage class 5.1B

The data applies to the entire pack.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
H335 May cause respiratory irritation.
H400 Very toxic to aquatic life.


Full text of R-phrases referred to under sections 2 and 3

R34 Causes burns.
R36/37/38 Irritating to eyes, respiratory system and skin.
R50 Very toxic to aquatic organisms.

Training advice

Provide adequate information, instruction and training for operators.

Labelling (67/548/EEC or 1999/45/EC)


Symbol(s)  Xi Irritant

R-phrases(s) 36/37/38 Irritating to eyes, respiratory system and skin.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-3

Reduced labelling (≤125 ml)

Symbol(s)  Xi

Irritant

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Revision Date 18.12.2013

Version 18.0

SECTION 1. Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-4
REACH Registration Number This product is a mixture. REACH Registration Number see section 3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis
For additional information on uses please refer to the Merck Chemicals portal (www.merck-chemicals.com).

1.3 Details of the supplier of the safety data sheet

Company Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0
Responsible Department LS-QHC * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone number Please contact the regional company representation in your country.

SECTION 2. Hazards identification**2.1 Classification of the substance or mixture**

This mixture is not classified as dangerous according to European Union legislation.

2.2 Label elements**Labelling (REGULATION (EC) No 1272/2008)**

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

Chemical nature Dye solution in organic solvent.

3.1 Substance

not applicable

3.2 Mixture

For the full text of the H-Statements mentioned in this Section, see Section 16.

Remarks No disclosure requirement according to Regulation (EC) No. 1907/2006.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-4

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air.

After skin contact: wash off with plenty of water. Remove contaminated clothing.

After eye contact: rinse out with plenty of water.

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

Subsequently administer: activated charcoal (20 - 40 g in 10% slurry).

4.2 Most important symptoms and effects, both acute and delayed

irritant effects, Nausea, Headache, Tiredness, CNS disorders

4.3 Indication of any immediate medical attention and special treatment needed

Laxative: Sodium sulfate (1 tablespoon/1/4 l water). Get medical attention.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water, Carbon dioxide (CO₂), Foam, Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Combustible.

Vapours are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

Fire may cause evolution of:

Sulphur oxides

5.3 Advice for firefighters

Special protective equipment for firefighters

In the event of fire, wear self-contained breathing apparatus.

Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

6.2 Environmental precautions

Do not empty into drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-4

Observe possible material restrictions (see sections 7 and 10).
Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Away from combustible materials and sources of ignition and heat.

Store at +15°C to +25°C.

The data applies to the entire pack.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Safety glasses

Hand protection

full contact:

Glove material:	polychloroprene
Glove thickness:	0,65 mm
Break through time:	> 480 min

splash contact:

Glove material:	natural latex
Glove thickness:	0,6 mm
Break through time:	> 240 min

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-4

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 720 Camapren® (full contact), KCL 706 Lapren® (splash contact).

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Respiratory protection

required when vapours/aerosols are generated.

Empfohlener Filtertyp: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not empty into drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	liquid
Colour	red
Odour	characteristic odour
Odour Threshold	No information available.
pH	No information available.
Melting point	No information available.
Boiling point/boiling range	ca. 189 °C at 1.013 hPa
Flash point	ca. 95 °C
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	ca. 1,8 %(V) Information refers to the main component.
Upper explosion limit	ca. 63 %(V) Information refers to the main component.
Vapour pressure	No information available.
Relative vapour density	No information available.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-4

Relative density	ca. 1,1 g/cm ³ at 20 °C
Water solubility	at 20 °C soluble
Partition coefficient: n- octanol/water	No information available.
Auto-ignition temperature	No information available.
Decomposition temperature	No information available.
Viscosity, dynamic	No information available.
Explosive properties	No information available.
Oxidizing properties	No information available.

9.2 Other data

Ignition temperature ca. 300 - 302 °C

SECTION 10. Stability and reactivity

10.1 Reactivity

Forms explosive mixtures with air on intense heating.
A range from approx. 15 Kelvin below the flash point is to be rated as critical.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Risk of explosion with:

acetylidene, organic halides, perchlorates, Acid chlorides, nonmetallic halides, iron(III) compounds, nitrates, fluorides, chlorates, hydrides, perchloric acid, Oxides of phosphorus, Nitric acid, silver compounds, silicon compounds, silanes, acid halides

Exothermic reaction with:

boron compounds, oxyhalogenic compounds, Potassium, sodium, Strong oxidizing agents, phosphorus halides, strong reducing agents, Acid chlorides, Strong acids, silver salt, nitrogen dioxide

Risk of ignition or formation of inflammable gases or vapours with:

potassium permanganate

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

various plastics, Metals

10.6 Hazardous decomposition products

in the event of fire: See section 5.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-4

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Mixture

Acute oral toxicity

This information is not available.

Acute inhalation toxicity

This information is not available.

Acute dermal toxicity

This information is not available.

Skin irritation

Possible damages: slight irritation

Eye irritation

Possible damages: slight irritation

Sensitisation

This information is not available.

Germ cell mutagenicity

This information is not available.

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11.2 Further information

Possible symptoms:

After uptake:

CNS disorders, Nausea, Tiredness, Headache

Possible damages:

Damage to:

Liver, Kidney

However, when the product is handled appropriately, hazardous effects are unlikely to occur.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

Mixture

12.1 Toxicity

No information available.

12.2 Persistence and degradability

No information available.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-4

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

14. Transport information

Land transport (ADR/RID)

14.1 UN number UN 3316
14.2 Proper shipping name CHEMICAL KIT
14.3 Class 9
14.4 Packing group II
14.5 Environmentally hazardous --
14.6 Special precautions for user yes
Tunnel restriction code E

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

14.1 UN number UN 3316
14.2 Proper shipping name CHEMICAL KIT
14.3 Class 9
14.4 Packing group II
14.5 Environmentally hazardous --
14.6 Special precautions for user no

Sea transport (IMDG)

14.1 UN number UN 3316
14.2 Proper shipping name CHEMICAL KIT
14.3 Class 9
14.4 Packing group II
14.5 Environmentally hazardous --
14.6 Special precautions for user yes
EmS F-A S-P

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-4

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not relevant

THIS TRANSPORT DATA APPLIES TO THE ENTIRE PACK!

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard 96/82/EC
Legislation Directive 96/82/EC does not apply

Regulation (EC) No 1005/2009 on substances that not regulated
deplete the ozone layer

Regulation (EC) No 850/2004 of the European not regulated
Parliament and of the Council of 29 April 2004 on
persistent organic pollutants and amending
Directive 79/117/EEC

Regulation (EC) No 689/2008 concerning the export not regulated
and import of dangerous chemicals

Substances of very high concern (SVHC) This product does not contain substances
of very high concern above the respective
regulatory limit (> 0.1 % (w/w) Regulation
(EC) No 1907/2006 (REACH), Article 57).

National legislation

Storage class 5.1B
The data applies to the entire pack.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

Full text of R-phrases referred to under sections 2 and 3

Training advice

Provide adequate information, instruction and training for operators.

Labelling (67/548/EEC or 1999/45/EC)

The product does not need to be labelled in accordance with EC directives or respective national laws.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No.	114831
Product name	Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant® Ag-4

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Revision Date 18.12.2013

Version 18.0

SECTION 1. Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®

Ag-5

REACH Registration Number This product is a mixture. REACH Registration Number see section 3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis
For additional information on uses please refer to the Merck Chemicals portal (www.merck-chemicals.com).

1.3 Details of the supplier of the safety data sheet

Company Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0
Responsible Department LS-QHC * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone number Please contact the regional company representation in your country.

SECTION 2. Hazards identification**2.1 Classification of the substance or mixture**

This mixture is not classified as dangerous according to European Union legislation.

2.2 Label elements**Labelling (REGULATION (EC) No 1272/2008)**

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

Chemical nature Aqueous solution of organic compounds.

3.1 Substance

not applicable

3.2 Mixture

For the full text of the H-Statements mentioned in this Section, see Section 16.

Remarks No disclosure requirement according to Regulation (EC) No. 1907/2006.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-5

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air.

After skin contact: wash off with plenty of water. Remove contaminated clothing.

After eye contact: rinse out with plenty of water.

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

4.2 Most important symptoms and effects, both acute and delayed

We have no description of any toxic symptoms.

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Special protective equipment for firefighters

In the event of fire, wear self-contained breathing apparatus.

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

6.2 Environmental precautions

Do not empty into drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-5

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Away from combustible materials and sources of ignition and heat.

Store at +15°C to +25°C.

The data applies to the entire pack.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Safety glasses

Hand protection

not required

Respiratory protection

Not required; except in case of aerosol formation.

Environmental exposure controls

Do not empty into drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form liquid

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-5

Colour	colourless
Odour	odourless
Odour Threshold	not applicable
pH	ca. 7 at 20 °C
Melting point	No information available.
Boiling point	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Vapour pressure	No information available.
Relative vapour density	No information available.
Relative density	ca. 1,01 g/cm ³ at 20 °C
Water solubility	at 20 °C soluble
Partition coefficient: n- octanol/water	No information available.
Auto-ignition temperature	No information available.
Decomposition temperature	No information available.
Viscosity, dynamic	No information available.
Explosive properties	Not classified as explosive.
Oxidizing properties	none

9.2 Other data

none

SECTION 10. Stability and reactivity

10.1 Reactivity

See section 10.3

10.2 Chemical stability

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-5

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

The generally known reaction partners of water.

Violent reactions possible with:

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

no information available

10.6 Hazardous decomposition products

no information available

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Mixture

Acute oral toxicity

Acute toxicity estimate: > 2.000 mg/kg

Calculation method

Acute inhalation toxicity

Acute toxicity estimate: > 20 mg/l; 4 h ; vapour

Calculation method

Acute dermal toxicity

Acute toxicity estimate : > 2.000 mg/kg

Calculation method

Skin irritation

This information is not available.

Eye irritation

This information is not available.

Sensitisation

This information is not available.

Germ cell mutagenicity

This information is not available.

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-5

11.2 Further information

Hazardous properties cannot be excluded, but are relatively improbable due to the low concentration of the dissolved substance(s).

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

Mixture

12.1 Toxicity

No information available.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

14. Transport information

Land transport (ADR/RID)

14.1 UN number	UN 3316
14.2 Proper shipping name	CHEMICAL KIT
14.3 Class	9
14.4 Packing group	II
14.5 Environmentally hazardous	--
14.6 Special precautions for user	yes
Tunnel restriction code	E

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-5

14.1 UN number UN 3316
14.2 Proper shipping name CHEMICAL KIT
14.3 Class 9
14.4 Packing group II
14.5 Environmentally hazardous --
14.6 Special precautions for user no

Sea transport (IMDG)

14.1 UN number UN 3316
14.2 Proper shipping name CHEMICAL KIT
14.3 Class 9
14.4 Packing group II
14.5 Environmentally hazardous --
14.6 Special precautions for user yes
EmS F-A S-P

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not relevant

THIS TRANSPORT DATA APPLIES TO THE ENTIRE PACK!

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard 96/82/EC
Legislation Directive 96/82/EC does not apply

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer not regulated

Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC not regulated

Regulation (EC) No 689/2008 concerning the export and import of dangerous chemicals not regulated

Substances of very high concern (SVHC) This product does not contain substances of very high concern above the respective regulatory limit (> 0.1 % (w/w) Regulation (EC) No 1907/2006 (REACH), Article 57).

National legislation

Storage class 5.1B
The data applies to the entire pack.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No.	114831
Product name	Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant® Ag-5

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

Full text of R-phrases referred to under sections 2 and 3

Training advice

Provide adequate information, instruction and training for operators.

Labelling (67/548/EEC or 1999/45/EC)

The product does not need to be labelled in accordance with EC directives or respective national laws.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Revision Date 18.12.2013

Version 18.0

SECTION 1. Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®

Ag-6

REACH Registration Number This product is a mixture. REACH Registration Number see section 3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis
For additional information on uses please refer to the Merck Chemicals portal (www.merck-chemicals.com).

1.3 Details of the supplier of the safety data sheet

Company Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0
Responsible Department LS-QHC * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone number Please contact the regional company representation in your country.

SECTION 2. Hazards identification**2.1 Classification of the substance or mixture**

This mixture is not classified as dangerous according to European Union legislation.

2.2 Label elements**Labelling (REGULATION (EC) No 1272/2008)**

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.3 Other hazardsNone known.

SECTION 3. Composition/information on ingredients

Chemical nature Aqueous solution of organic compounds.

3.1 Substance

not applicable

3.2 Mixture

For the full text of the H-Statements mentioned in this Section, see Section 16.

Remarks No disclosure requirement according to Regulation (EC) No. 1907/2006.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-6

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air.

After skin contact: wash off with plenty of water. Remove contaminated clothing.

After eye contact: rinse out with plenty of water.

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

4.2 Most important symptoms and effects, both acute and delayed

We have no description of any toxic symptoms.

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Special protective equipment for firefighters

In the event of fire, wear self-contained breathing apparatus.

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

6.2 Environmental precautions

Do not empty into drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-6

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Away from combustible materials and sources of ignition and heat.

Store at +15°C to +25°C.

The data applies to the entire pack.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Safety glasses

Hand protection

full contact:

Glove material:	Nitrile rubber
Glove thickness:	0,11 mm
Break through time:	> 480 min

splash contact:

Glove material:	Nitrile rubber
Glove thickness:	0,11 mm
Break through time:	> 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-6

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Respiratory protection

Not required; except in case of aerosol formation.

Environmental exposure controls

Do not empty into drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	liquid
Colour	colourless
Odour	odourless
Odour Threshold	not applicable
pH	No information available.
Melting point	No information available.
Boiling point	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Vapour pressure	No information available.
Relative vapour density	No information available.
Relative density	No information available.
Water solubility	at 20 °C soluble
Partition coefficient: n-octanol/water	No information available.
Auto-ignition temperature	No information available.
Decomposition temperature	No information available.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-6

Viscosity, dynamic No information available.
Explosive properties Not classified as explosive.
Oxidizing properties none

9.2 Other data

none

SECTION 10. Stability and reactivity

10.1 Reactivity

See section 10.3

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

The generally known reaction partners of water.

Violent reactions possible with:

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

no information available

10.6 Hazardous decomposition products

no information available

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Mixture

Acute oral toxicity

This information is not available.

Acute inhalation toxicity

This information is not available.

Acute dermal toxicity

This information is not available.

Skin irritation

This information is not available.

Eye irritation

This information is not available.

Sensitisation

This information is not available.

Germ cell mutagenicity

This information is not available.

Carcinogenicity

This information is not available.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-6

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11.2 Further information

Hazardous properties cannot be excluded but are unlikely when the product is handled appropriately.

Property that must be anticipated on the basis from the components of the mixture:

After absorption of large quantities:

Systemic effects:

disturbed electrolyte balance.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

Mixture

12.1 Toxicity

No information available.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Additional ecological information

Discharge into the environment must be avoided.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-6

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

14. Transport information

Land transport (ADR/RID)

14.1 UN number UN 3316
14.2 Proper shipping name CHEMICAL KIT
14.3 Class 9
14.4 Packing group II
14.5 Environmentally hazardous --
14.6 Special precautions for user yes
Tunnel restriction code E

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

14.1 UN number UN 3316
14.2 Proper shipping name CHEMICAL KIT
14.3 Class 9
14.4 Packing group II
14.5 Environmentally hazardous --
14.6 Special precautions for user no

Sea transport (IMDG)

14.1 UN number UN 3316
14.2 Proper shipping name CHEMICAL KIT
14.3 Class 9
14.4 Packing group II
14.5 Environmentally hazardous --
14.6 Special precautions for user yes
EmS F-A S-P

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

THIS TRANSPORT DATA APPLIES TO THE ENTIRE PACK!

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 114831
Product name Silver Test Method: photometric 0.25 - 3.00 mg/l Ag Spectroquant®
Ag-6

Major Accident Hazard Legislation 96/82/EC
Directive 96/82/EC does not apply

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer not regulated

Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC not regulated

Regulation (EC) No 689/2008 concerning the export and import of dangerous chemicals not regulated

Substances of very high concern (SVHC) This product does not contain substances of very high concern above the respective regulatory limit (> 0.1 % (w/w) Regulation (EC) No 1907/2006 (REACH), Article 57).

National legislation

Storage class 5.1B
The data applies to the entire pack.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

Full text of R-phrases referred to under sections 2 and 3

Training advice

Provide adequate information, instruction and training for operators.

Labelling (67/548/EEC or 1999/45/EC)

The product does not need to be labelled in accordance with EC directives or respective national laws.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.
