

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Revision Date 10.08.2021

Version 18.5

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalogue No.	114541
Product name	COD Cell Test Method: photometric 25 - 1500 mg/l Spectroquant®
	COD
REACH Registration Number	This product is a mixture. REACH Registration Number see section 3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Reagent for analysis For additional information on uses please refer to the Merck Chemicals portal (www.merckgroup.com).
-----------------	---

1.3 Details of the supplier of the safety data sheet

Company	Merck KGaA * 64271 Darmstadt * Germany * Phone: +49 6151 72-0
Responsible Department	LS-QHC * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone number

Please contact the regional company representation in your country.

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 114541
Product name COD Cell Test Method: photometric 25 - 1500 mg/l Spectroquant®
COD

Corrosive to metals, Category 1, H290
Acute toxicity, Category 4, Oral, H302
Skin corrosion, Sub-category 1A, H314
Serious eye damage, Category 1, H318
Germ cell mutagenicity, Category 1B, H340
Carcinogenicity, Category 1B, H350
Reproductive toxicity, Category 1B, H360FD
Specific target organ toxicity - repeated exposure, Category 2, H373
Short-term (acute) aquatic hazard, Category 1, H400
Long-term (chronic) aquatic hazard, Category 1, H410
For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling.(REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word
Danger

Hazard statements

H290 May be corrosive to metals.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H340 May cause genetic defects.
H350 May cause cancer.
H360FD May damage fertility. May damage the unborn child.
H373 May cause damage to organs through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention

P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/
hearing protection.

Response

P301 + P312 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated
clothing. Rinse skin with water.
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for
breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.

EUH208 - Contains:
potassium dichromate
May produce an allergic reaction.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 114541
Product name COD Cell Test Method: photometric 25 - 1500 mg/l Spectroquant®
COD

Restricted to professional users.

Reduced labelling (≤ 125 ml)

Hazard pictograms



Signal word
Danger

Hazard statements

H340 May cause genetic defects.
H350 May cause cancer.
H314 Causes severe skin burns and eye damage.
H360FD May damage fertility. May damage the unborn child.

Precautionary statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Contains: sulphuric acid, mercury(II) sulphate, potassium dichromate

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

Chemical nature Sulphuric acid solution.

3.1 Substance

Not applicable

3.2 Mixture

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)

CAS-No.	Registration number	Classification
---------	---------------------	----------------

sulphuric acid ($\geq 70\%$ - $< 90\%$)

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

7664-93-9	01-2119458838-20-XXXX	Corrosive to metals, Category 1, H290 Skin corrosion, Category 1A, H314
-----------	-----------------------	--

mercury(II) sulphate ($\geq 1\%$ - $< 2,5\%$)

The concentration stated or, in the absence of such concentrations, the generic concentrations set out in this Regulation are the percentages by weight of the metallic element calculated with reference to the total weight of the mixture.

7783-35-9	*)	Acute toxicity, Category 2, H330 Acute toxicity, Category 1, H310
-----------	----	--

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 114541
Product name COD Cell Test Method: photometric 25 - 1500 mg/l Spectroquant®
COD

Acute toxicity, Category 2, H300
Specific target organ toxicity - repeated exposure, Category 2, H373
Short-term (acute) aquatic hazard, Category 1, H400
Long-term (chronic) aquatic hazard, Category 1, H410
M-Factor: 1

potassium dichromate ($\geq 0,3\%$ - $< 1\%$)
7778-50-9 *)

Oxidizing solid, Category 2, H272
Acute toxicity, Category 3, H301
Acute toxicity, Category 2, H330
Acute toxicity, Category 4, H312
Skin corrosion, Category 1B, H314
Respiratory sensitisation, Category 1, H334
Skin sensitisation, Category 1, H317
Germ cell mutagenicity, Category 1B, H340
Carcinogenicity, Category 1B, H350
Reproductive toxicity, Category 1B, H360FD
Specific target organ toxicity - single exposure, Category 3, H335
Specific target organ toxicity - repeated exposure, Category 1, H372
Short-term (acute) aquatic hazard, Category 1, H400
Long-term (chronic) aquatic hazard, Category 1, H410
M-Factor: 1

silver sulfate ($\geq 0,25\%$ - $< 1\%$)
10294-26-5 *)

Serious eye damage, Category 1, H318
Short-term (acute) aquatic hazard, Category 1, H400
Long-term (chronic) aquatic hazard, Category 1, H410
M-Factor: 1.000

*) A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4. First aid measures

4.1 Description of first aid measures

General advice

First aider needs to protect himself. Show this safety data sheet to the doctor in attendance.

After inhalation: fresh air. Call in physician.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	114541
Product name	COD Cell Test Method: photometric 25 - 1500 mg/l Spectroquant® COD

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

Irritation and corrosion, Cough, Shortness of breath, Allergic reactions
Chromium(VI) is highly toxic. It is absorbed via both the lungs and the gastrointestinal tract. Being strong oxidisers, chromates/ bichromates can cause burns and ulcerations on the skin and mucous membranes and also irritations in the upper respiratory tract. Poorly healing ulcers occur after wound contact. In predisposed persons the substance rapidly leads to sensitisation and allergic reactions of the respiratory tract (risk of pneumonia!) and damage to nasal mucous membranes (under given circumstances perforation of the septum). After swallowing severe symptoms in the gastrointestinal tract such as bloody diarrhoea, vomiting (aspiration pneumonia!), spasms, circulatory collapse, unconsciousness, formation of methaemoglobin. Absorption may result in hepatic and renal damage. Inhalable chromium(VI) compounds gave clear evidence to be carcinogenic in animal experiments. Lethal dose (man): 0.5g. Antidotes: chelating agents such as EDTA, DMPS (Demaval®)

Mercury compounds have a cytotoxic and protoplasmatoxic effect. Intoxication symptoms: acute: contact with eye causes severe lesions. Swallowing and inhalation of dusts damages mucous membranes of gastrointestinal and respiratory tract (metallic taste, nausea, vomiting, abdominal pain, bloody diarrhoea, intestinal burns, glottal oedema, aspiration pneumonia); drop in blood pressure, cardiac dysrhythmia, circulatory collapse, and renal failure; chronic: inflammation of the mouth with loss of teeth and mercurial line. The principal signs manifest themselves in the CNS (impaired speech, vision, hearing, and sensitivity, loss of memory, irritability, hallucinations, delirium inter alia).
Risk of blindness!

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 114541
Product name COD Cell Test Method: photometric 25 - 1500 mg/l Spectroquant®
COD

Not combustible.
Fire may cause evolution of:
Sulphur oxides, mercury vapours
Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Hygiene measures

Change contaminated clothing and immerse in water. Preventive skin protection
Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep locked up or in an area accessible only to qualified or authorised persons.

Recommended storage temperature see product label.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 114541
Product name COD Cell Test Method: photometric 25 - 1500 mg/l Spectroquant®
COD

The data applies to the entire pack.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

Derived No Effect Level (DNEL)

sulphuric acid (7664-93-9)

Worker DNEL, acute Local effects inhalation 0,1 mg/m³

Worker DNEL, Local effects inhalation 0,05 mg/m³
longterm

Predicted No Effect Concentration (PNEC)

sulphuric acid (7664-93-9)

PNEC Fresh water 0,0025 mg/l

PNEC Fresh water sediment 0,002 mg/kg

PNEC Marine water 0,00025 mg/l

PNEC Marine sediment 0,002 mg/kg

PNEC Sewage treatment plant 8,8 mg/l

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Protective spectacles with side shields, arc goggles, or other approved eye protection. Tightly fitting safety goggles

Hand protection

full contact:

Glove material: Viton®
Glove thickness: 0,70 mm
Break through time: > 480 min

splash contact:

Glove material: butyl-rubber

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 114541
Product name COD Cell Test Method: photometric 25 - 1500 mg/l Spectroquant®
COD

Glove thickness: 0,7 mm
Break through time: > 120 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 890 Vitoject® (full contact), KCL 898 Butoject® (splash contact).

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Respiratory protection

required when vapours/aerosols are generated.

Recommended Filter type: combination filter ABEK Hg P3

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Environmental exposure controls

Do not let product enter drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	liquid
Colour	orange
Odour	odourless
Odour Threshold	Not applicable
pH	< 0,5 at 20 °C
Melting point	No information available.
Boiling point/boiling range	not determined
Flash point	Not applicable
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 114541
Product name COD Cell Test Method: photometric 25 - 1500 mg/l Spectroquant®
COD

Vapour pressure	not determined
Relative vapour density	No information available.
Density	ca.1,76 g/cm ³ at 20 °C
Relative density	No information available.
Water solubility	at 20 °C soluble, (development of heat)
Partition coefficient: n-octanol/water	No information available.
Auto-ignition temperature	No information available.
Decomposition temperature	No information available.
Viscosity, dynamic	No information available.
Explosive properties	Not classified as explosive.
Oxidizing properties	Oxidizing potential

9.2 Other data

Corrosion May be corrosive to metals.

SECTION 10. Stability and reactivity

10.1 Reactivity

has a corrosive effect

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

A risk of explosion and/or of toxic gas formation exists with the following substances:

Violent reactions possible with:

Water, Alkali metals, alkali compounds, Ammonia, Aldehydes, acetonitrile, Alkaline earth metals, alkalines, Acids, alkaline earth compounds, Metals, metal alloys, Oxides of phosphorus, phosphorus, hydrides, halogen-halogen compounds, oxyhalogenic compounds, permanganates, nitrates, carbides, combustible substances, organic solvent, acetylidene, Nitriles, organic nitro compounds, anilines, Peroxides, picrates, nitrides, lithium silicide, iron(III) compounds, bromates, chlorates, Amines, perchlorates, hydrogen peroxide

10.4 Conditions to avoid

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 114541
Product name COD Cell Test Method: photometric 25 - 1500 mg/l Spectroquant®
COD

no information available

10.5 Incompatible materials

animal/vegetable tissues, Metals
Gives off hydrogen by reaction with metals.

10.6 Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Mixture

Acute oral toxicity
absorption

Acute toxicity estimate: 542,51 mg/kg
Calculation method

Acute inhalation toxicity
absorption

Acute toxicity estimate: 14,6 mg/l; 4 h ; vapour
Calculation method

Acute toxicity estimate: 3,97 mg/l; 4 h ; dust/mist
Calculation method

Acute dermal toxicity
absorption

Acute toxicity estimate : 564,45 mg/kg
Calculation method

Skin irritation
Mixture causes severe burns.

Eye irritation
Mixture causes serious eye damage. Risk of blindness!

Sensitisation
Mixture may produce an allergic reaction.

Germ cell mutagenicity
This information is not available.

Carcinogenicity
This information is not available.

Reproductive toxicity
This information is not available.

Teratogenicity
This information is not available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 114541
Product name COD Cell Test Method: photometric 25 - 1500 mg/l Spectroquant®
COD

CMR effects

Carcinogenicity:

Possible carcinogen.

Mutagenicity:

Possible mutagen

Teratogenicity:

May harm the unborn child.

Reproductive toxicity:

May impair fertility.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

Mixture may cause damage to organs through prolonged or repeated exposure.

Target Organs: Kidney

Aspiration hazard

This information is not available.

11.2 Further information

After inhalation of aerosols: damage to the affected mucous membranes. After skin contact: severe burns with formation of scabs. After eye contact: burns, corneal lesions. After swallowing: severe pain (risk of perforation!), nausea, vomiting and diarrhoea. After a latency period of several weeks possibly pyloric stenosis.

Other dangerous properties can not be excluded.

Mercury compounds have a cytotoxic and protoplasmatoxic effect. Intoxication symptoms: acute: contact with eye causes severe lesions. Swallowing and inhalation of dusts damages mucous membranes of gastrointestinal and respiratory tract (metallic taste, nausea, vomiting, abdominal pain, bloody diarrhoea, intestinal burns, glottal oedema, aspiration pneumonia); drop in blood pressure, cardiac dysrhythmia, circulatory collapse, and renal failure; chronic: inflammation of the mouth with loss of teeth and mercurial line. The principal signs manifest themselves in the CNS (impaired speech, vision, hearing, and sensitivity, loss of memory, irritability, hallucinations, delirium inter alia).

Chromium(VI) is highly toxic. It is absorbed via both the lungs and the gastrointestinal tract. Being strong oxidisers, chromates/ bichromates can cause burns and ulcerations on the skin and mucous membranes and also irritations in the upper respiratory tract. Poorly healing ulcers occur after wound contact. In predisposed persons the substance rapidly leads to sensitisation and allergic reactions of the respiratory tract (risk of pneumonia!) and damage to nasal mucous membranes (under given circumstances perforation of the septum). After swallowing severe symptoms in the gastrointestinal tract such as bloody diarrhoea, vomiting (aspiration pneumonia!), spasms, circulatory collapse, unconsciousness, formation of methaemoglobin. Absorption may result in hepatic and renal damage. Inhalable chromium(VI) compounds gave clear evidence to be carcinogenic in animal experiments. Lethal dose (man): 0.5g. Antidotes: chelating agents such as EDTA, DMPS (Demaval®)

This substance should be handled with particular care.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.
Product name

114541
COD Cell Test Method: photometric 25 - 1500 mg/l Spectroquant®
COD

Components

sulphuric acid

Acute oral toxicity

LD50 Rat: 2.140 mg/kg (ECHA)

Repeated dose toxicity

Rat

female

Inhalation

dust/mist

28 d

daily

LOAEL: 0,0003 mg/l

OECD Test Guideline 412

Subacute toxicity

Germ cell mutagenicity

Genotoxicity in vitro

Ames test

Salmonella typhimurium

Result: negative

(HSDB)

mercury(II) sulphate

Acute inhalation toxicity

Acute toxicity estimate: 0,051 mg/l; dust/mist

Expert judgement

potassium dichromate

Acute oral toxicity

LD50 Rat: 90,5 mg/kg

OECD Test Guideline 401

Acute inhalation toxicity

LC50 Rat: 0,083 mg/l; 4 h ; dust/mist

OECD Test Guideline 403

Acute dermal toxicity

LD50 Rabbit: > 2.000 mg/kg

OECD Test Guideline 402

Skin irritation

Rabbit

Result: Causes burns.

OECD Test Guideline 404

Eye irritation

Rabbit

Result: irritating

Sensitisation

Sensitisation test (Magnusson and Kligman):

Result: positive

(IUCLID)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 114541
Product name COD Cell Test Method: photometric 25 - 1500 mg/l Spectroquant®
COD

Patch test: human
Result: positive
(IUCLID)

Germ cell mutagenicity
Genotoxicity in vitro
Ames test
Escherichia coli/Salmonella typhimurium
Result: positive
The value is given in analogy to the following substances:

Teratogenicity
Application Route: Oral
Mouse
Number of exposures: daily

silver sulfate

Acute oral toxicity
LD50 Rat: > 5.000 mg/kg
OECD Test Guideline 401

Skin irritation
Rabbit
Result: No skin irritation
OECD Test Guideline 404

Eye irritation
Rabbit
Result: Corrosive
OECD Test Guideline 405

Germ cell mutagenicity
Genotoxicity in vitro
Mutagenicity (mammal cell test): micronucleus.
Human lymphocytes
Result: negative
Method: OECD Test Guideline 487

SECTION 12. Ecological information

Mixture

12.1 Toxicity

No information available.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 114541
Product name COD Cell Test Method: photometric 25 - 1500 mg/l Spectroquant®
COD

Additional ecological information

Biological effects:
Harmful effect due to pH shift.
Discharge into the environment must be avoided.

Components

sulphuric acid

Toxicity to daphnia and other aquatic invertebrates
static test EC50 Daphnia magna (Water flea): > 100 mg/l; 48 h
Analytical monitoring: yes
OECD Test Guideline 202

Toxicity to algae
static test EC50 Desmodesmus subspicatus (green algae): > 100 mg/l; 72 h
Analytical monitoring: yes
OECD Test Guideline 201

Biodegradability

Hydrolysis

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

mercury(II) sulphate

Toxicity to fish
LC50 Pimephales promelas (fathead minnow): 0,19 mg/l; 96 h (Hommel)

Toxicity to algae
IC5 M.aeruginosa: 0,005 mg/l(maximum permissible toxic concentration) (Hommel)

M-Factor
1

potassium dichromate

Toxicity to fish
LC50 Brachydanio rerio (zebrafish): 58,5 mg/l; 96 h
Analytical monitoring: yes

Toxicity to daphnia and other aquatic invertebrates
Immobilization EC50 Daphnia magna (Water flea): 0,62 mg/l; 48 h
OECD Test Guideline 202

Toxicity to algae
IC50 Chlorella vulgaris (Fresh water algae): 0,16 - 0,59 mg/l; 96 h (IUCLID)

static test ErC50 Scenedesmus capricornutum (fresh water algae): 0,233 mg/l; 72 h
Analytical monitoring: yes

Toxicity to bacteria
IC50 activated sludge: 30 mg/l; 3 h
Analytical monitoring: yes

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 114541
Product name COD Cell Test Method: photometric 25 - 1500 mg/l Spectroquant®
COD

Toxicity to fish (Chronic toxicity)

NOEC Pimephales promelas (fathead minnow): 1,1 mg/l; 7 d

Analytical monitoring: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)

NOEC Daphnia magna (Water flea): 18 mg/l; 21 d

Analytical monitoring: yes

Biodegradability

The methods for determining the biological degradability are not applicable to inorganic substances.

Bioaccumulation

Bioconcentration factor (BCF): 17,4

Oncorhynchus mykiss (rainbow trout) ((External MSDS))

M-Factor

1

silver sulfate

Toxicity to fish

semi-static test LC50 Pimephales promelas (fathead minnow): 0,0017 mg/l; 96 h

Analytical monitoring: yes

US-EPA

Toxicity to daphnia and other aquatic invertebrates

semi-static test LC50 Daphnia magna (Water flea): 0,00032 mg/l; 48 h

Analytical monitoring: yes(Lit.)

Toxicity to algae

flow-through test EC10 Pseudokirchneriella subcapitata (green algae): 0,00059 mg/l; 24 h

Analytical monitoring: yes(ECHA)

Toxicity to fish (Chronic toxicity)

flow-through test NOEC Pimephales promelas (fathead minnow): 0,00051 mg/l; 32 d

Analytical monitoring: yes(ECHA)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)

semi-static test EC10 Daphnia magna (Water flea): 0,00308 mg/l; 21 d

Analytical monitoring: yes

(ECHA)

M-Factor

1.000

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114541
Product name COD Cell Test Method: photometric 25 - 1500 mg/l Spectroquant®
COD

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 UN number UN 3316
14.2 Proper shipping name CHEMICAL KIT
14.3 Class 9
14.4 Packing group II
14.5 Environmentally hazardous --
14.6 Special precautions for user yes
Tunnel restriction code E

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

14.1 UN number UN 3316
14.2 Proper shipping name CHEMICAL KIT
14.3 Class 9
14.4 Packing group II
14.5 Environmentally hazardous --
14.6 Special precautions for user no

Sea transport (IMDG)

14.1 UN number UN 3316
14.2 Proper shipping name CHEMICAL KIT
14.3 Class 9
14.4 Packing group II
14.5 Environmentally hazardous --
14.6 Special precautions for user yes
EmS F-A S-P

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 114541
Product name COD Cell Test Method: photometric 25 - 1500 mg/l Spectroquant®
COD

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

THIS TRANSPORT DATA APPLIES TO THE ENTIRE PACK!

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard Legislation ZEU_SEVES3
ENVIRONMENTAL HAZARDS
E1
Quantity 1: 100 t
Quantity 2: 200 t

Occupational restrictions Take note of Dir 94/33/EC on the protection of young people at work. Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer not regulated

Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC not regulated

Substances of very high concern (SVHC) This product does contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 59 above the respective regulatory concentration limit of > 0.1 % (w/w).

Contains: potassium dichromate

Storage class 6.1 D
The data applies to the entire pack.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 114541
Product name COD Cell Test Method: photometric 25 - 1500 mg/l Spectroquant®
COD

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H272	May intensify fire; oxidizer.
H290	May be corrosive to metals.
H300	Fatal if swallowed.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H340	May cause genetic defects.
H350	May cause cancer.
H360FD	May damage fertility. May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Training advice

Provide adequate information, instruction and training for operators.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.