

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Revision Date 28.06.2017

Version 9.0

SECTION 1. Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Catalogue No. 100857
Product name Silicate (Silicic Acid) Test Method: photometric 1.1 - 1070 mg/l SiO₂
0.5 - 500 mg/l Si Spectroquant®
Si-1

REACH Registration Number This product is a mixture. REACH Registration Number see section 3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis
For additional information on uses please refer to the Merck Chemicals portal (www.merckgroup.com).

1.3 Details of the supplier of the safety data sheet

Company Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0
Responsible Department LS-QHC * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone number Please contact the regional company representation in your country.

SECTION 2. Hazards identification**2.1 Classification of the substance or mixture****Classification (REGULATION (EC) No 1272/2008)**

Corrosive to metals, Category 1, H290

Skin corrosion, Category 1A, H314

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements**Labelling (REGULATION (EC) No 1272/2008)***Hazard pictograms*

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100857
Product name Silicate (Silicic Acid) Test Method: photometric 1.1 - 1070 mg/l SiO₂
0.5 - 500 mg/l Si Spectroquant®
Si-1

Signal word

Danger

Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statements

Prevention

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

Reduced labelling (≤125 ml)

Hazard pictograms



Signal word

Danger

Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

Contains: sulphuric acid

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100857
Product name Silicate (Silicic Acid) Test Method: photometric 1.1 - 1070 mg/l SiO₂
0.5 - 500 mg/l Si Spectroquant®
Si-1

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

Chemical nature Aqueous solution

3.1 Substance

Not applicable

3.2 Mixture

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)

CAS-No.	Registration number	Classification
---------	---------------------	----------------

sulphuric acid ($\geq 25\%$ - $< 50\%$)

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

7664-93-9	01-2119458838-20-
-----------	-------------------

XXXX

Corrosive to metals, Category 1, H290

Skin corrosion, Category 1A, H314

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4. First aid measures

4.1 Description of first aid measures

General advice

First aider needs to protect himself.

After inhalation: fresh air. Call in physician.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician immediately.

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

Irritation and corrosion, Cough, Shortness of breath, Nausea, Vomiting, Diarrhoea, pain, Risk of blindness!

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	100857
Product name	Silicate (Silicic Acid) Test Method: photometric 1.1 - 1070 mg/l SiO ₂ 0.5 - 500 mg/l Si Spectroquant® Si-1

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapours.

Fire may cause evolution of:

Sulphur oxides

5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Cool closed containers exposed to fire with water spray. Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

6.2 Environmental precautions

Do not empty into drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® H⁺, Merck Art. No. 101595). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100857
Product name Silicate (Silicic Acid) Test Method: photometric 1.1 - 1070 mg/l SiO₂
0.5 - 500 mg/l Si Spectroquant®
Si-1

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Hygiene measures

Change contaminated clothing and immerse in water. Preventive skin protection Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

No metal or light-weight-metal containers.

Storage conditions

Tightly closed.

Recommended storage temperature see product label.

The data applies to the entire pack.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

Derived No Effect Level (DNEL)

sulphuric acid (7664-93-9)

Worker DNEL, acute Local effects inhalation 0,1 mg/m³

Worker DNEL, longterm Local effects inhalation 0,05 mg/m³

Predicted No Effect Concentration (PNEC)

sulphuric acid (7664-93-9)

PNEC Fresh water 0,0025 mg/l

PNEC Fresh water sediment 0,002 mg/kg

PNEC Marine water 0,00025 mg/l

PNEC Marine sediment 0,002 mg/kg

PNEC Sewage treatment plant 8,8 mg/l

8.2 Exposure controls

Engineering measures

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100857
Product name Silicate (Silicic Acid) Test Method: photometric 1.1 - 1070 mg/l SiO₂
0.5 - 500 mg/l Si Spectroquant®
Si-1

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Tightly fitting safety goggles

Hand protection

full contact:

Glove material:	Viton (R)
Glove thickness:	0,7 mm
Break through time:	> 480 min

splash contact:

Glove material:	butyl-rubber
Glove thickness:	0,7 mm
Break through time:	> 120 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 890 Vitoject® (full contact), KCL 898 Butoject® (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet(>,<) supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment

Acid-resistant protective clothing

Respiratory protection

required when vapours/aerosols are generated.

Recommended Filter type: Filter P 2 (acc. to DIN 3181) for solid and liquid particles of harmful substances

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not empty into drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100857
Product name Silicate (Silicic Acid) Test Method: photometric 1.1 - 1070 mg/l SiO₂
0.5 - 500 mg/l Si Spectroquant®
Si-1

Form	liquid
Colour	colourless
Odour	odourless
Odour Threshold	Not applicable
pH	at 20 °C strongly acid
Melting point	No information available.
Boiling point/boiling range	ca. 103 °C at 1.013 hPa
Flash point	Not applicable
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Vapour pressure	No information available.
Relative vapour density	No information available.
Density	1,18 g/cm ³ at 20 °C
Relative density	No information available.
Water solubility	at 20 °C soluble, (development of heat)
Partition coefficient: n-octanol/water	No information available.
Auto-ignition temperature	No information available.
Decomposition temperature	ca.338 °C
Viscosity, dynamic	No information available.
Explosive properties	Not classified as explosive.
Oxidizing properties	Oxidizing potential

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100857
Product name Silicate (Silicic Acid) Test Method: photometric 1.1 - 1070 mg/l SiO₂
0.5 - 500 mg/l Si Spectroquant®
Si-1

9.2 Other data

Corrosion May be corrosive to metals.

SECTION 10. Stability and reactivity

10.1 Reactivity

strong oxidising agent

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

A risk of explosion and/or of toxic gas formation exists with the following substances:

Violent reactions possible with:

Water, Alkali metals, alkali compounds, Ammonia, Aldehydes, acetonitrile, Alkaline earth metals, alkalines, Acids, alkaline earth compounds, Metals, metal alloys, Oxides of phosphorus, phosphorus, hydrides, halogen-halogen compounds, oxyhalogenic compounds, permanganates, nitrates, carbides, combustible substances, organic solvent, acetylidene, Nitriles, organic nitro compounds, anilines, Peroxides, picrates, nitrides, lithium silicide, iron(III) compounds, bromates, chlorates, Amines, perchlorates, hydrogen peroxide

10.4 Conditions to avoid

Strong heating (decomposition).

10.5 Incompatible materials

animal/vegetable tissues, Metals
Contact with metals liberates hydrogen gas.

10.6 Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Mixture

Acute oral toxicity

This information is not available.

Acute inhalation toxicity

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages: damage of respiratory tract

Acute dermal toxicity

This information is not available.

Skin irritation

Mixture causes severe burns.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100857
Product name Silicate (Silicic Acid) Test Method: photometric 1.1 - 1070 mg/l SiO₂
0.5 - 500 mg/l Si Spectroquant®
Si-1

Eye irritation

Mixture causes serious eye damage. Risk of blindness!

Sensitisation

This information is not available.

Germ cell mutagenicity

This information is not available.

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11.2 Further information

After inhalation of aerosols: damage to the affected mucous membranes. After skin contact: severe burns with formation of scabs. After eye contact: burns, corneal lesions. After swallowing: severe pain (risk of perforation!), nausea, vomiting and diarrhoea. After a latency period of several weeks possibly pyloric stenosis.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Components

sulphuric acid

Germ cell mutagenicity

Genotoxicity in vitro

Ames test

Salmonella typhimurium

Result: negative

(HSDB)

SECTION 12. Ecological information

Mixture

12.1 Toxicity

No information available.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	100857
Product name	Silicate (Silicic Acid) Test Method: photometric 1.1 - 1070 mg/l SiO ₂ 0.5 - 500 mg/l Si Spectroquant® Si-1

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Additional ecological information

Forms corrosive mixtures with water even if diluted.

Harmful effect due to pH shift.

Endangers drinking-water supplies if allowed to enter soil or water.

Discharge into the environment must be avoided.

Components

sulphuric acid

Toxicity to fish

static test LC50 *Lepomis macrochirus* (Bluegill sunfish): > 16 - < 28 mg/l; 96 h
Analytical monitoring: yes(ECHA)

Toxicity to daphnia and other aquatic invertebrates

static test EC50 *Daphnia magna* (Water flea): > 100 mg/l; 48 h
Analytical monitoring: yes
OECD Test Guideline 202

Toxicity to algae

static test EC50 *Desmodesmus subspicatus* (green algae): > 100 mg/l; 72 h
Analytical monitoring: yes
OECD Test Guideline 201

Toxicity to fish (Chronic toxicity)

flow-through test NOEC *Cyprinodon* sp. (minnow): 0,025 mg/l; 65 d

Analytical monitoring: yes(ECHA)

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100857
Product name Silicate (Silicic Acid) Test Method: photometric 1.1 - 1070 mg/l SiO₂
0.5 - 500 mg/l Si Spectroquant®
Si-1

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 UN number UN 3316
14.2 Proper shipping name CHEMICAL KIT
14.3 Class 9
14.4 Packing group II
14.5 Environmentally hazardous --
14.6 Special precautions for user yes
Tunnel restriction code E

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

14.1 UN number UN 3316
14.2 Proper shipping name CHEMICAL KIT
14.3 Class 9
14.4 Packing group II
14.5 Environmentally hazardous --
14.6 Special precautions for user no

Sea transport (IMDG)

14.1 UN number UN 3316
14.2 Proper shipping name CHEMICAL KIT
14.3 Class 9
14.4 Packing group II
14.5 Environmentally hazardous --
14.6 Special precautions for user yes
EmS F-A S-P

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not relevant

THIS TRANSPORT DATA APPLIES TO THE ENTIRE PACK!

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	100857
Product name	Silicate (Silicic Acid) Test Method: photometric 1.1 - 1070 mg/l SiO ₂ 0.5 - 500 mg/l Si Spectroquant® Si-1

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard	96/82/EC
Legislation	Directive 96/82/EC does not apply

SEVESO III
Not applicable

Occupational restrictions	Take note of Dir 94/33/EC on the protection of young people at work.
---------------------------	--

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	not regulated
---	---------------

Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC	not regulated
---	---------------

Substances of very high concern (SVHC)	This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of ≥ 0.1 % (w/w).
--	--

National legislation

Storage class	8B
---------------	----

The data applies to the entire pack.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.

Training advice

Provide adequate information, instruction and training for operators.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100857
Product name Silicate (Silicic Acid) Test Method: photometric 1.1 - 1070 mg/l SiO₂
0.5 - 500 mg/l Si Spectroquant®
Si-1

Labelling

Hazard pictograms



Signal word

Danger

Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statements

Prevention

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

Contains: sulphuric acid

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Revision Date 28.06.2017

Version 9.0

SECTION 1. Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Catalogue No. 100857
Product name Silicate (Silicic Acid) Test Method: photometric 1.1 - 1070 mg/l SiO₂
0.5 - 500 mg/l Si Spectroquant®

Si-2

REACH Registration Number This product is a mixture. REACH Registration Number see section 3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis
For additional information on uses please refer to the Merck Chemicals portal (www.merckgroup.com).

1.3 Details of the supplier of the safety data sheet

Company Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0
Responsible Department LS-QHC * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone number Please contact the regional company representation in your country.

SECTION 2. Hazards identification**2.1 Classification of the substance or mixture**

This mixture is not classified as dangerous according to European Union legislation.

2.2 Label elements**Labelling (REGULATION (EC) No 1272/2008)**

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100857
Product name Silicate (Silicic Acid) Test Method: photometric 1.1 - 1070 mg/l SiO₂
0.5 - 500 mg/l Si Spectroquant®
Si-2

Chemical nature Aqueous solution

3.1 Substance

Not applicable

3.2 Mixture

Remarks No disclosure requirement according to Regulation (EC) No. 1907/2006

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower.

After eye contact: rinse out with plenty of water. Remove contact lenses.

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

4.2 Most important symptoms and effects, both acute and delayed

We have no description of any toxic symptoms.

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Special protective equipment for firefighters

In the event of fire, wear self-contained breathing apparatus.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	100857
Product name	Silicate (Silicic Acid) Test Method: photometric 1.1 - 1070 mg/l SiO ₂ 0.5 - 500 mg/l Si Spectroquant® Si-2

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed.

Recommended storage temperature see product label.

The data applies to the entire pack.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100857
Product name Silicate (Silicic Acid) Test Method: photometric 1.1 - 1070 mg/l SiO₂
0.5 - 500 mg/l Si Spectroquant®
Si-2

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Safety glasses

Hand protection

full contact:

Glove material:	Nitrile rubber
Glove thickness:	0,11 mm
Break through time:	> 480 min

splash contact:

Glove material:	Nitrile rubber
Glove thickness:	0,11 mm
Break through time:	> 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

Respiratory protection

Not required; except in case of aerosol formation.

Environmental exposure controls

Do not let product enter drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	liquid
Colour	colourless
Odour	No strong odour known.
Odour Threshold	No information available.
pH	ca. 7 at 20 °C
Melting point	No information available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100857
Product name Silicate (Silicic Acid) Test Method: photometric 1.1 - 1070 mg/l SiO₂
0.5 - 500 mg/l Si Spectroquant®
Si-2

Boiling point	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Vapour pressure	No information available.
Relative vapour density	No information available.
Density	ca. 1,02 g/cm ³ at 20 °C
Relative density	No information available.
Water solubility	soluble
Partition coefficient: n-octanol/water	No information available.
Auto-ignition temperature	No information available.
Decomposition temperature	No information available.
Viscosity, dynamic	No information available.
Explosive properties	Not classified as explosive.
Oxidizing properties	none

9.2 Other data

none

SECTION 10. Stability and reactivity

10.1 Reactivity

See section 10.3

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Violent reactions possible with:

The generally known reaction partners of water.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	100857
Product name	Silicate (Silicic Acid) Test Method: photometric 1.1 - 1070 mg/l SiO ₂ 0.5 - 500 mg/l Si Spectroquant® Si-2

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

no information available

10.6 Hazardous decomposition products

no information available

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Mixture

Acute oral toxicity

This information is not available.

Acute inhalation toxicity

This information is not available.

Acute dermal toxicity

This information is not available.

Skin irritation

This information is not available.

Eye irritation

This information is not available.

Sensitisation

This information is not available.

Germ cell mutagenicity

This information is not available.

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11.2 Further information

Hazardous properties cannot be excluded but are unlikely when the product is handled appropriately.

Handle in accordance with good industrial hygiene and safety practice.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100857
Product name Silicate (Silicic Acid) Test Method: photometric 1.1 - 1070 mg/l SiO₂
0.5 - 500 mg/l Si Spectroquant®
Si-2

SECTION 12. Ecological information

Mixture

12.1 Toxicity

No information available.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Additional ecological information

Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 UN number UN 3316
14.2 Proper shipping name CHEMICAL KIT
14.3 Class 9
14.4 Packing group II
14.5 Environmentally hazardous --
14.6 Special precautions for user yes
Tunnel restriction code E

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100857
Product name Silicate (Silicic Acid) Test Method: photometric 1.1 - 1070 mg/l SiO₂
0.5 - 500 mg/l Si Spectroquant®
Si-2

14.1 UN number UN 3316
14.2 Proper shipping name CHEMICAL KIT
14.3 Class 9
14.4 Packing group II
14.5 Environmentally hazardous --
14.6 Special precautions for user no

Sea transport (IMDG)

14.1 UN number UN 3316
14.2 Proper shipping name CHEMICAL KIT
14.3 Class 9
14.4 Packing group II
14.5 Environmentally hazardous --
14.6 Special precautions for user yes
EmS F-A S-P

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not relevant

THIS TRANSPORT DATA APPLIES TO THE ENTIRE PACK!

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard 96/82/EC
Legislation Directive 96/82/EC does not apply
SEVESO III
Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer not regulated

Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC not regulated

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100857
Product name Silicate (Silicic Acid) Test Method: photometric 1.1 - 1070 mg/l SiO₂
0.5 - 500 mg/l Si Spectroquant®
Si-2

Substances of very high concern (SVHC)

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of ≥ 0.1 % (w/w).

National legislation

Storage class 8B

The data applies to the entire pack.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

Training advice

Provide adequate information, instruction and training for operators.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Revision Date 28.06.2017

Version 9.0

SECTION 1. Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Catalogue No. 100857
Product name Silicate (Silicic Acid) Test Method: photometric 1.1 - 1070 mg/l SiO₂
0.5 - 500 mg/l Si Spectroquant®

Si-3

REACH Registration Number This product is a mixture. REACH Registration Number see section 3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis
For additional information on uses please refer to the Merck Chemicals portal (www.merckgroup.com).

1.3 Details of the supplier of the safety data sheet

Company Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0
Responsible Department LS-QHC * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone number Please contact the regional company representation in your country.

SECTION 2. Hazards identification**2.1 Classification of the substance or mixture****Classification (REGULATION (EC) No 1272/2008)**

Eye irritation, Category 2, H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements**Labelling (REGULATION (EC) No 1272/2008)***Hazard pictograms**Signal word*

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100857
Product name Silicate (Silicic Acid) Test Method: photometric 1.1 - 1070 mg/l SiO₂
0.5 - 500 mg/l Si Spectroquant®
Si-3

Warning

Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Reduced labelling (≤125 ml)

Hazard pictograms



Signal word

Warning

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

Chemical nature Aqueous solution of organic compounds.

3.1 Substance

Not applicable

3.2 Mixture

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100857
Product name Silicate (Silicic Acid) Test Method: photometric 1.1 - 1070 mg/l SiO₂
0.5 - 500 mg/l Si Spectroquant®
Si-3

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)

CAS-No. Registration number Classification

Tartaric acid (>= 25 % - < 50 %)

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

87-69-4 01-2119537204-47-

xxxx

Eye irritation, Category 2, H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower.

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

irritant effects

Diarrhoea

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Special protective equipment for firefighters

In the event of fire, wear self-contained breathing apparatus.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100857
Product name Silicate (Silicic Acid) Test Method: photometric 1.1 - 1070 mg/l SiO₂
0.5 - 500 mg/l Si Spectroquant®
Si-3

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed.

Recommended storage temperature see product label.

The data applies to the entire pack.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

Derived No Effect Level (DNEL)

Tartaric acid (87-69-4)

Worker DNEL, longterm	Systemic effects	dermal	2,9 mg/kg Body weight
--------------------------	------------------	--------	-----------------------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100857
Product name Silicate (Silicic Acid) Test Method: photometric 1.1 - 1070 mg/l SiO₂
0.5 - 500 mg/l Si Spectroquant®
Si-3

Worker DNEL, longterm	Systemic effects	inhalation	5,2 mg/m ³
Consumer DNEL, longterm	Systemic effects	dermal	1,5 mg/kg Body weight
Consumer DNEL, longterm	Systemic effects	inhalation	1,3 mg/m ³
Consumer DNEL, longterm	Systemic effects	oral	8,1 mg/kg Body weight

Predicted No Effect Concentration (PNEC)

Tartaric acid (87-69-4)

PNEC Fresh water	0,3125 mg/l
PNEC Marine water	0,3125 mg/l
PNEC Aquatic intermittent release	0,514 mg/l
PNEC Sewage treatment plant	10 mg/l
PNEC Sediment	1,141 mg/kg
PNEC Marine sediment	1,141 mg/kg
PNEC Soil	0,0449 mg/kg

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Safety glasses

Hand protection

full contact:

Glove material:	natural latex
Glove thickness:	0,6 mm
Break through time:	> 480 min

splash contact:

Glove material:	natural latex
Glove thickness:	0,6 mm
Break through time:	> 480 min

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100857
Product name Silicate (Silicic Acid) Test Method: photometric 1.1 - 1070 mg/l SiO₂
0.5 - 500 mg/l Si Spectroquant®
Si-3

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 706 Lapren® (full contact), KCL 706 Lapren® (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment
protective clothing

Respiratory protection

required when vapours/aerosols are generated.

Recommended Filter type: Filter P 2 (acc. to DIN 3181) for solid and liquid particles of harmful substances

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not let product enter drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	liquid
Colour	colourless
Odour	odourless
Odour Threshold	Not applicable
pH	at 20 °C acidic
Melting point	No information available.
Boiling point	No information available.
Flash point	Not applicable
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100857
Product name Silicate (Silicic Acid) Test Method: photometric 1.1 - 1070 mg/l SiO₂
0.5 - 500 mg/l Si Spectroquant®
Si-3

Lower explosion limit	No information available.
Upper explosion limit	No information available.
Vapour pressure	No information available.
Relative vapour density	No information available.
Density	1,21 g/cm ³ at 20 °C
Relative density	No information available.
Water solubility	at 20 °C soluble
Partition coefficient: n-octanol/water	No information available.
Auto-ignition temperature	No information available.
Decomposition temperature	No information available.
Viscosity, dynamic	No information available.
Explosive properties	Not classified as explosive.
Oxidizing properties	none

9.2 Other data

none

SECTION 10. Stability and reactivity

10.1 Reactivity

See section 10.3

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Exothermic reaction with:

Strong oxidizing agents, silver, hydrogen peroxide

alkaline substances, with, Water

Risk of explosion with:

silver salt

Risk of ignition or formation of inflammable gases or vapours with:

Fluorine

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100857
Product name Silicate (Silicic Acid) Test Method: photometric 1.1 - 1070 mg/l SiO₂
0.5 - 500 mg/l Si Spectroquant®
Si-3

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

no information available

10.6 Hazardous decomposition products

no information available

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Mixture

Acute oral toxicity

This information is not available.

Acute inhalation toxicity

Symptoms: Possible symptoms: , mucosal irritations

Symptoms: Possible damages: , mucosal irritations

Acute dermal toxicity

This information is not available.

Skin irritation

Possible damages: slight irritation

Eye irritation

Mixture causes serious eye irritation.

Sensitisation

This information is not available.

Germ cell mutagenicity

This information is not available.

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11.2 Further information

After uptake of large quantities:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100857
Product name Silicate (Silicic Acid) Test Method: photometric 1.1 - 1070 mg/l SiO₂
0.5 - 500 mg/l Si Spectroquant®
Si-3

Diarrhoea

Handle in accordance with good industrial hygiene and safety practice.

Other dangerous properties can not be excluded.

Components

Tartaric acid

Acute oral toxicity

LDLO Rat: 7.500 mg/kg (RTECS)

Sensitisation

Sensitisation test: Guinea pig

Result: negative

(Lit.)

Germ cell mutagenicity

Genotoxicity in vitro

Ames test

Result: negative

(Lit.)

SECTION 12. Ecological information

Mixture

12.1 Toxicity

No information available.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Discharge into the environment must be avoided.

Components

Tartaric acid

Toxicity to fish

LC0 Carassius auratus (goldfish): 200 mg/l(Lit.)

Toxicity to daphnia and other aquatic invertebrates

EC50 Daphnia (water flea): 135 mg/l; 24 h (Lit.)

Theoretical oxygen demand (ThOD)

533 mg/g

(Lit.)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100857
Product name Silicate (Silicic Acid) Test Method: photometric 1.1 - 1070 mg/l SiO₂
0.5 - 500 mg/l Si Spectroquant®
Si-3

Ratio BOD/ThBOD

BOD5 56 %
(Lit.)

Ratio COD/ThBOD

98 %
(Lit.)

Partition coefficient: n-octanol/water

log Pow: -1,43
(calculated)
(Lit.) Bioaccumulation is not expected.

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 UN number UN 3316
14.2 Proper shipping name CHEMICAL KIT
14.3 Class 9
14.4 Packing group II
14.5 Environmentally hazardous --
14.6 Special precautions for user yes
Tunnel restriction code E

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

14.1 UN number UN 3316
14.2 Proper shipping name CHEMICAL KIT
14.3 Class 9
14.4 Packing group II
14.5 Environmentally hazardous --
14.6 Special precautions for user no

Sea transport (IMDG)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100857
Product name Silicate (Silicic Acid) Test Method: photometric 1.1 - 1070 mg/l SiO₂
0.5 - 500 mg/l Si Spectroquant®
Si-3

14.1 UN number UN 3316
14.2 Proper shipping name CHEMICAL KIT
14.3 Class 9
14.4 Packing group II
14.5 Environmentally hazardous --
14.6 Special precautions for user yes
EmS F-A S-P
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not relevant

THIS TRANSPORT DATA APPLIES TO THE ENTIRE PACK!

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard 96/82/EC
Legislation Directive 96/82/EC does not apply
SEVESO III
Not applicable

Occupational restrictions Take note of Dir 94/33/EC on the protection of young people at work.

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer not regulated

Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC not regulated

Substances of very high concern (SVHC) This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of $\geq 0.1\%$ (w/w).

National legislation

Storage class 8B
The data applies to the entire pack.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100857
Product name Silicate (Silicic Acid) Test Method: photometric 1.1 - 1070 mg/l SiO₂
0.5 - 500 mg/l Si Spectroquant®
Si-3

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H319 Causes serious eye irritation.

Training advice

Provide adequate information, instruction and training for operators.

Labelling

Hazard pictograms



Signal word

Warning

Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	100857
Product name	Silicate (Silicic Acid) Test Method: photometric 1.1 - 1070 mg/l SiO ₂ 0.5 - 500 mg/l Si Spectroquant® Si-3

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.